

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, August 6, 2025
WELL WORK PLUGGING PERMIT
Not Available Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 71291 47-033-06079-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 71291

Farm Name: CALOCCIA WILLIAM ROMF

U.S. WELL NUMBER: 47-033-06079-00-00

Not Available Plugging Date Issued: 8/6/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date July 1 ,	20 25
2)Operator's	·
Well No. Harrison - 06079	
3) API Well No. 47-033	- 06079

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON / Gas / / Liquid injection 4) Well Type: Oil / Waste disposal (If "Gas, Production ____ or Underground storage ___) Deep 5) Location: Elevation 1266.5' Watershed Coon's Run District Clay County Harrison Quadrangle Shinnston 7.5' Well Operator Unknown - WVDEP Paid Plugging Contract 7) Designated Agent Jason Harmon Address 601 57th St., SE Address 601 57th St., SE Charleston, WV 26304 Charleston, WV 25304 Oil and Gas Inspector to be notified 9) Plugging Contractor Name Next LVL Energy (Diversified Owned) Name Jeff Propst Address 104 Helliport Loop Rd Address 4936 Little Sand Run Road Bridgeport, WV 25330 Buckhannon, WV 26201 Work Order: The work order for the manner of plugging this well is as follows: 10) **See Attached Work Procedures** RECEIVED Office Of Oil and Gas JUL 08 2025 WV Department of Environmental Protection Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence. Jeff A Propost Work order approved by inspector

Plugging Prognosis

API #: 4703306079

West Virginia, Harrison Co.

Lat./Long: 39.398142, -80.251533

Nearest ER: United Hospital Center, 327 Medical Park Dr, Bridgeport, WV 26330

Casing Schedule:

Casing visible at surface appears to be 7"-10" casing or larger with no other string visible in pictures supplied by WVDEP.

Closest Offset well 4703300409 Casing Schedule

No conductor listed

10" Surface Casing @ 250' (Offset)

7" Intermediate Casing @ 1660' (Offset)

Offset well TD is listed as 2287' with the interval 2335' to 2287' filled with Red Clay and Stone listed on the well record.

Completion: Offset Not Fractured – gas and oil shows listed below

Fresh Water: Unknown. Offset – Not listed Salt Water: Unknown. Offset – 1150' Gas Shows: Unknown. Offset – 1138' Oil Shows: Unknown. Offset – 2215', 2242'

Coal: Unknown. Offset - 250'-258'

Elevation: 1256'

- ** Make attempts to remove all free casing. Cement across all casing shoes and casing cuts.
 - 1. Notify Inspector Jeff Propst @ (681) 990-2569, 48 hrs prior to commencing operations.
 - 2. Check and record pressures on csg/tbg.
 - 3. Pull and lay down rods and 2" tbg string.
 - 4. Check TD w/ wireline and confirm shoe depth of casing and top of cement in inner most casing string with CBL.
 - 5. Run into attainable bottom. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 200' Class A/L cement plug. (**Producing zone plug**) Tag TOC. Top off as needed.
 - 6. If the casing is not run to TD, TOOH w/ tbg to above cement plug. Pump 6% bentonite gel from top of plug to 50' below casing shoe.

RECEIVED
Office Of Oil and Gas

JUL 08 2025


- If the casing is not run to TD, TOOH w/ tbg to 50' below casing shoe. Pump 100' Class A/L
 cement plug 50' in/out of csg shoe (csg shoe plug).
- 8. Pump 6% bentonite gel from top of shoe plug to bottom of cut plug.
- Free point csg. Cut and TOOH. Set 100' Class A/L cement plug across csg cut. 50' in/out
 of cut. Do not omit any plugs listed below. Perforate as needed.
- 10. Pump 6% bentonite gel from top of cut plug to 1559'.
- 11. TOOH w/ tbg to 1306'. Pump 206' Class A/L cement plug from 1306' to 1100' (elevation and potential salt water and potential hydrocarbon plug).
- 12. TOOH w/ tbg to 1100'. Pump 6% bentonite gel from 1100' to 310'.
- 13. If there is another casing string in the well, free point csg. Cut and TOOH. Set 100' Class A/L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below.
 Perforate as needed.
- 14. TOOH w/ tbg to 100'. Pump 310' Class A/L cement plug from **310' to surface (surface and potential coal plug)**.
- 15. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

7-2-2025

Jeff A Propert

RECEIVED
Office Of Oil and Gas

JUL 08 2025



Hilbert





STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION 7

Rotary	
Spudder	· 🔣 ·
Cable Tools	
	·

Quadrangle	CLARKSBURG	

Permit No HAR-409-RED

WELL REC	ORE
----------	-----

Sto	rag	e	ī	3
Oil	or	Gas:	Wel	١

08/08/2025

	AD OIL COM			Casing and	Used in	Left in	'
			rg, West Va.	Tubing	Drilling	Well	Packers
1. az 111 	W. Swiger		Acres 92	-			
		to Coons Run	<u>L</u>	Size			
Well No4=	Redrill		_Elev1280_26	16	_ _	·	Kind of Packer
District Cla	у	County Har	rison	13	-	÷	Stael Shoe
The surface of tr	act is owned in	n fee by Alle	n Miller	10	250.0d		
		Address Shin	#2 nston, West	Va.84 7"	1660.00	1660.00	
Mineral rights ar	e owned by	Mary B. Deve Deveny Bidg.	ny, et al	63/4			Depth set
		Address_Fair	mont. West V	a. 53/16			
Drilling commens	ed April	11, 1966		3			Perf. top
Drilling complete	d July 1	5. 1966	<u> </u>	2			Perf. bottom
Date Shot			<u> </u>	Liners Psed	1 3	ļ:	Perf. top
			. \		507/		Perf. bottom
*	/10ths Water	in	Inch	12	QEX/		rem. bottom
	/10ths Merc.		Inch	11 6	1//		
Volume -	, 101113		Cu. Ft.	CASINGALES	WATED	SIZE	_No. Ft
Rock Pressure	_	lbs	M .		<u> </u>		
Oil			_bbls., 1st 24 hrs.	OORL WAS I	ENCOUNTERED	AT =	_FEETINC
WELL ACIDIZE			INC 24 HTS.	SVY FER	er inc	HES	FEETINC
WELL ACIDIZE	V		70			HES	FEET INC
	Vac N	at Prostant		-/ FEE	511#C:		Sibly
WELL FRACTU	RED_ Has N	ot Fractured	100		ATION WEIL"	Pilo	T TEST
128				VI YUW	HILLY VIEW	1110	1 [10]
result∹.≟)tei	R TREATMEN			2.4			20 10 10 10 10 10 10 10 10 10 10 10 10 10
							~ *
ROCK PRESSUI	E AFTER T			····			
ROCK PRESSUI Fresh Water	E AFTER T	REATMENTFeet		Salt Water		Fe	et
	Color		Тор	····	Oil, Gas or Water	Fe	
Fresh Water.		Feet	Тор	Salt WaterButtom	Oil, Gas or Water	1	
Formation		Feet	Тор	Salt Water Buttom 66	Oil, Gas or Water	1	
Formation Ate		Feet	Тор О 66	Salt Water Buttom 66 111	Oil, Gas or Water	1	
Fresh Water Formation ate me ate & Lime		Feet	Тор	Salt Water Buttom 66	Oil, Gas or Water	1	
Fresh Water Formation ate me ate & Lime th. Coal	Color	Feet	Top 0 66 111	Buttom 66 111 250	Oil, Gas or Water	1	
Fresh Water Formation Late Late & Lime th. Coal Late & Shale Late & Shale Late & White	Color	Feet	Top 0 66 111 250	Salt Water	Oil, Gas or Water	1	
Fresh Water Formation Late Lime th. Coal Late & Shale Lind, White Late, Dark	Color	Feet	Top 0 66 111 250 258 458 478	Buttom 66 111 250 258 458 678 568	Oil, Gas or Water	1	
Fresh Water Formation Late Ime Late & Lime th. Coal Late & Shale Late, White Late, Dark Late, White	Color	Feet	Top 0 66 111 250 258 458 478 568	Bottom 66 111 250 258 458 478 568 610	Oil, Gas or Water	1	
Fresh Water Formation Late Ime Late & Lime th. Coal Late & Shale Late & Dark Late, White Late, Dark Late, Dark	Color	Feet	Top 0 66 111 250 258 458 478 568 610	Bottom 66 111 250 258 458 478 568 610 660	Oil, Gas or Water	1	
Fresh Water Formation Late Lime Late & Lime Coal Late & Shale Late, White Late, White Late, Dark Late, Dark Late, Dark Late, Dark	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660	Bottom 66 111 250 258 458 478 568 610 660 710	Oil, Gas or Water	1	
Fresh Water Formation ate me ate & Lime h. Coal ate & Shale nd, White ate, Dark ate, Dark me, Dark ate, Black	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710	Buttom 66 111 250 258 458 678 568 610 660 710 775	Oil, Gas or Water	1	
Fresh Water Formation ate me ate & Lime h. Coal ate & Shale nd, White ate, Dark ate, White ate, Dark ate, Black nkard	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775	Buttom 66 111 250 258 458 478 568 610 660 710 775 795	Oil, Gas or Water	1	
Fresh Water Formation ate me ate & Lime h. Coal ate & Shale nd, White ate, Dark ate, White ate, Dark ate, Black nkard ate	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795	Salt Water Bettom 66 111 250 258 458 478 568 610 660 710 775 795 825	Oil, Gas or Water	1	
Fresh Water Formation ate me ate & Lime h. Coal ate & Shale nd, White ate, Dark ate, White ate, Dark me, Dark ate, Black nkard ate s Sand ate, White	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775	Bottom 66 111 250 258 458 678 568 610 660 710 775 795 825 880	Oil, Gas or Water	1	
Fresh Water Formation ate me ate & Lime h. Coal ate & Shale nd, White ate, Dark ate, White ate, Dark me, Dark ate, Black nkard ate s Sand ate, White t Salt Sand	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825	Salt Water Bettom 66 111 250 258 458 478 568 610 660 710 775 795 825	Oil, Gas or Water	1	
Fresh Water Formation Late Ime Late & Lime th. Coal Late & Shale Late, Dark Late, Dark Late, Dark Late, Dark Late, Black Ime, Black Indiate, White Late, Black Late, Black Late, Black Late, Black Late, Black Late, Black	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945	Buttom 66 111 250 258 458 678 568 610 660 710 775 795 825 880 910 945 975	Oil, Gas or Water	1	
Fresh Water Formation Late Late & Lime Coal Late & Shale Late, Dark Late, Dark Late, Dark Late, Dark Late, Black Late, Black Late, White Late, Black	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975	Buttom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125	Oil, Gas or Water	1	
Fresh Water Formation Late me ate & Lime th. Coal ate & Shale ate, White ate, Dark me, Dark me, Dark ate, Black mkard ate s Sand ate, White tt Salt Sand ate, Black d Salt Sand te, Dark	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125	Buttom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133	or Water	Depth	
Fresh Water Formation Late Lime Late & Lime Sh. Coal Late & Shale Late, White Late, Dark Late, Black Late, Black Late, White Late, Black Late, White Late, Sand Late, White Late, Black	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133	Salt Water Bottom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185	Oil, Gas or Water	1	
Fresh Water Formation Late Lime Late & Lime Sh. Coal Late & Shale Ind, White Late, Dark Late, Dark Late, Black Inkard Late, White Late, White Late, Black Inkard Late, White Late, Black Inkard Late, White Late, Black Inkard Late, Black Late, Bla	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133	Bettom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224	or Water	Depth	Remarks
Fresh Water Formation Late Ime Late & Lime sh. Coal Late & Shale Ind, White Late, Dark Late, Dark Late, Black Inkard Late, Dark Ind, White	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224	Bettom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284	or Water	Depth	
Fresh Water Formation Late Ime Late & Lime Inc. Coal Late & Shale Late, Dark Late, Dark Late, Dark Late, Dark Late, Black Inc. Sand Late, White Late, Black Inc. Sand Late, Dark Late, Da	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284	Bettom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1305	or Water	1138' 1150'	Remarks 5 Bbls.
Fresh Water Formation Late me Late & Lime th. Coal Late & Shale Ind, White Late, Dark Late, Dark Late, Dark Late, Black Index Index Late, Black Index Lat	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1305	Bettom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1305 1445	or Water	1138' 1150'	Remarks 5 Bbls.
Fresh Water Formation Late Ime Late & Lime th. Coal Late & Shale Late, Dark Late, Dark Late, Dark Late, Black Index, White Late, Black Index, White Late, Black Index, Black	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284	Bettom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1305	or Water	1138' 1150'	Remarks 5 Bbla.
Fresh Water Formation Late Late & Lime R. Coal Late & Shale Late, Coal Late, Dark Late, Dark Late, Dark Late, Dark Late, Black Index, Black Index, White Late, Black Index,	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1305 1445	Bottom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1305 1445 1515	Gas Water	1138' 1150'	Remarks 5 Bbla.
Fresh Water Formation Late Late & Lime Int. Coal Late & Shale Late, Coal Late, Dark Late, Dark Late, Dark Late, Black Int. Sand Late, Black Late, Bl	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1284 1305 1445 1515 1602 1617	Salt Water Buttom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1305 1445 1515 1602 1617 1625	Gas Water	1138' 1150' 34567	Remarks 5 Bbls.
Fresh Water Formation Late Late & Lime R. Coal Late & Shale Late, Coal Late, Dark Late, Dark Late, Dark Late, Dark Late, Black Index, Black Index, White Late, Black Index,	Color	Feet	Top 0 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1284 1305 1445 1515	Bottom 66 111 250 258 458 478 568 610 660 710 775 795 825 880 910 945 975 1125 1133 1185 1224 1284 1305 1445 1515 1602 1617	or Water	1138' 1150'	Remarks 5 Bbls.

Formation	Color	Hard or Soft	Top 9	Bottom	Oil, Gas or Water	Depth Found	Remarks
Shale Squaw Sand			1800 1828	1828 1842			
Slate Lime Shells Fifty-Foot		25	1842 1890 2184	1890 2184 2270	011	2215	Show
Fifty-Foot Shale Sand			2270 2312	2312 2335	011	2242	
Filled with I Total Depth	led Clay as	d Stone Fron	2335 to 228	7. 2287	. 15	-77.7 4	
Total Depth		,		2207			
	·						
					. %		
					·		
	·						
						*.	
	# # E		-				
	-						
-	-					2.5	
					,		
				3			
		•					
		ار بار در از	remote 4. July 14.	. * n= . : : : : : : : : : : : : : : : : : : :		2:10	
							3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
				<u> </u>			

ü

	Date	October	6 19 60	6
APPROVED	Tried Oil	l_Company	Own	e:
	ACK			
	A. C. H11be		Engineer	_

08/08/2025

W.O. 70 7 Abandonment ONPAN Wo no 2 ore deep Record of Well No. 2019 Located of State. Record of Well No. 2019 Located of A Singar Farm Left 28-19-9 Clay Lo., Township, Hamman County, Trea State. Division D District // Will drilled by Marnhart S.C.K. "Oct 27 1909 "Acc 2 1909 Cost of Rig, 8 1792.6, Cost of drilling. \$ 270.40 Total, \$ 5300.92 Depth of Well 2274 Feet. Size of hale 678 Producing Bold
Record of Well No. 2019 Located Lin & Singer Farm Sept 28-19-9 Clay Low Township, Haring County, Town State. Division D District // Rici built by Film Some State of Marchart S. C.K. "Oct 28 1909 " Sec 2 1909 Cost of Rig, 8 1992.69, Cost of drilling. 8 270.40 Total, \$ 5300.92
Cost of Rig, & 17,7,9, Cost of drilling. \$ 270.40 Total, \$ 5300.92
Cost of Rig, & 17,7,9, Cost of drilling. \$ 270.40 Total, \$ 5300.92
Well drilled by The Modernhant S. a. "Oct 28 1909 " Sec 2 1909 Cost of Rig, 8 1397.9, Cost of drilling. 8 270.40 Total, \$ 5300.92
Well drilled by The Modernhard S.a.K. "Oct 28 1909 " Sec 2 1909 Cost of Rig, & 13,92.61 Cost of drilling. \$ 270.40 Total, \$ 5300.92
Well drilled by The Modernhard S.a.K. "Oct 28 1909 " Sec 2 1909 Cost of Rig, & 13,92.61 Cost of drilling. \$ 270.40 Total, \$ 5300.92
Well drilled by It Modarnhart S.a.K. "Oct 27 1909 " Acc 2 1909 Cost of Rig, & 13,92,61, Cost of drilling. \$ 270.40 Total, \$ 5300.92
Cost of Rig, & 757.9, Cost of drilling. \$ 27.0.40 Total, \$ J300.92
Cost of Rig, & 757.9, Cost of drilling. \$ 27.0.40 Total, \$ J300.92
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
Double of Wall. 7 o et al. Reet. Size of hole / 1/2 Producing //
28718
CASED WITH REMARKS.
SIZE WEIGHT FEET NEW FEET OLD
10 200 notrucia
874 890 Reces
19- 1660 ""
2 229/ 1 Read 1/22/11 -
576 1168 Yours F-29.12
1757 1/25 1/2 5/16 23 le sering Rece 69/22.13
FORMATION 23 15 16 /15 TOP REMARKS
2 Jack Rule 2499
Ogh con 225 well that spope ou file
" " 4/16/11 " "
1891077
Mact. sun. 910 228
1425 63 PAN 63
Jugine - 1688 110 50 fact, 2187 1/ cil >215/0 >27-221/2 00001 01 1/1000
July 1/0 2/87 1/1 cd >2/87 2/10 0000 1/1000 00000 1/1000 0000000000
gridmatrux 2+37 23
2-7° 3°
Mayone 27:5 1 20127:3 Terred in 46: = 1409
- The state of the
HISTORY OF WELL
That Pressure Tist. West Intel Julio wich = 297 1/ 2 tiling new -
10 sec. " Gumping will with 3/4. X 3hors for live line
1 Min. Contrast with mon Remedent Driving desper- " No feel
2" Buyan oct 2 1914 Complete mar of 1915. Jas will-
" wet well taked or present week 2534 of 2" hilling
10 - 218 of 3" Luling 1-54,643 Home Wall for acres
18 " 90 of 3" of 3" tenting auch
90° of 3" of 3" tenting auch
1000101: 100.10 Line orie 7/0 336 west 1/4/5 Comp mor 24-15
in sectioned into line That 30-19N
faid 2352 of 3 Och in his to the soin and
mog 61 resures 11- V3 · V8 to Clean Cur
Tout Selegaria 219-29. Contrast 1435-17 stancion +6 574 mot mai blust a 2418' 7
Sin flagging "19-79. And with the st. 17 st Montion. It's 5th mot from flags & not? The stand flags & not it to the flag flags & not it is the stand of the stand
6, 9.76: Tilling to 910; 6 of concert in top of ciry with 10 of 2 hours
tife in centre
08/08/20
UO/UO/ZI

•		
マイのかくつけつなせん	With a to the property of the control of the contro	COMPANY

Part 2 of Section 3572 of Chapter 62D West Virginia, relating to closing wells on abandoning or ceasing operations, provides as follows:

"It shall be the duty of the owner of any well drilled for any of the purposes mentioned in the first section of this Act, before abandoning or ceasing to operate the same and before drawing the easing therefrom, to fill up the well with sand or rock sediment, to a depth of at least fifty feet to the top of the oil or gas bearing sand or rock, and drive a round, seasoned wooden plug, at least three feet in length, equal in diameter to the diameter of the well below the casing, to a point at least five feet below the bottom of the easing, and immediately after drawing the easing, except in regions where the well caves after the withdrawal of the casing, shall drive a round, seasoned wooden plug at a point just below where the lower end of the easing rested; which plug shall be at least three feet in length, tapering in form, and of the same diameter of the distance of eighteen inches from the smaller end, as the diameter of the hole below the point at which it is to be driven. After the plug is proporly driven, there shall be filled in on top of the same, sand or rock sediment to a depth of at least fifty feet the oil or can be a pearing sand or rock. Acts 1801, c. 104-2: 1807, c. 59.19

inpot t	he oil or gas bearing sar	d or rock. (Acts 1891, o	2. 106-2; 1597, c. 59.11)	
			anner in which the follo	
No. 2319		. G. W. Syisor		farm,
Cley	·	Dist rict,,	Rorrison	
Date Abandoned	<u> </u>	Work Dona ग्रेडिसेसि	La Vica Cinca Do Date C	umpleted2.229
		CASING RE	CORD	
SIZE	PUT IN WELL	PULLED OUT	LEPT IN WELL	nemarks
1017	250		250*	Through Cocl
). 82·II	8901	6ეე <u>፣</u>		
6 5/ 8"	1660°	<u> 16507</u>		
<u>5 5/16"</u>	2560:	1660² 2 <u>2</u> 59²	680 <u>5</u>	_cut_off
311	2557		<u> </u>	Partod
		WELL PLUGGED A	s follows:	•
Total Depth of I	iole 2828	ft.=Bridged at	435 ft.=Amount o	of Anchor17
5 3/16"M & 1	Wood Plums at	2418	feet Filled to	2411 feet
5 3/16"		2411		252Q:feet
Bridge		0.000		1672 feet
404040044000000000000000000000000000000	**************************************	<u> </u>		1672 feet
6 5/8"K'E E	Leed Plugs at.	7 609	feer Filled to	1648 feet
		962	feet Filled to	936 (cet
81" M F Vo	PåPlugs at.		foot Filled to	910 ject
If easing was lef	t in through coal, stat	e manner connections	were put on top of saine	Z.Z. Porlorated
pipe in co				egy from a state of the state of the second
			Conno 166	### Coat Company
•				· ·
Keniarks		• • • • • • • • • • • • • • • • • • • •	qp++++++++++++++++++++++++++++++++++++	
This report (to be signed by at least	three men employed in t	he plugging of well, and to	be signed and cariband to by the
Foreman in charg	e.	•		. •
Approved		•	Signed	Osackuic
				1700 44 2400
م	Divisio	n Superintendent	A. M. S.	
STATE OF WEST	Virginia;	.)		The Gayen
COUNTY OF	Harrison		OM S	Poreman
On this, the	26th	day ofJy	no '	
∵/. C	. Moinsters	a Notary Pi	iblic in and for said Cou	nty and State, personally came
	. Snider		who being duly swo	rn according to law, did depose
		e foregoing statement		The same and
Witness my	hand and official sea	1	70 (1	()
the26		hasters, listary public		Joseph L. C.
June	W ₁ 62 19°	meselan Expiresi	1/10 min	Pareman
:	sion Expires	mmission Expires	WO. INT	nastern.
,		Pelen.ast	10%	LKY PUBLIC.

1) Date:	7/1/2025	
2) Operator	r's Well Number Harrison - 06079	

033

06079

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

4)	Surface Own (a) Name	er(s) to be served: William R. Caloccia	5) (a) Coal Operator Name	Not Currently Operated
	Address	55 Francis Mine Tower Rd.	Address	
		Fairmont, WV 26554		
	(b) Name		(b) Coal Own	ner(s) with Declaration
	Address		Name	See Attached
			Address	
	(c) Name		Name	
	Address		Address	
6)]	Inspector	Jeff Propst	(c) Coal Less	see with Declaration
	Address	4936 Little Sand Run Road	Name	None Reported
		Buckhannon, WV 26201	Address	
	Telephone	681-990-2569		
		CONC NAMED ADO		

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	Well Onesetes	Unknown - WVDE	Desid Pluggi	na Contract	
RECEIVED Office Of Oil and Gas	Well Operator By:	Jason Harmon (Asso Asso	14	
	Its:	WV Office of Oil a			
JUL 08 2025	Address	601 57th St. SE			
		Charleston, WV 2	5304	200000000	
wv Department of Environmental Protection	Telephone	304-926-0452		WIST	OFFICIAL SEAL
Subscribed and sworn before	re me this 14th da	ay of July	2025 Notary	Public	NOTATY PUBLIC STATE OF WEST VIRGINIA Zachary S Johnson WV Department of Environmental Protection, Office of 0 is and 6as 601 57th Street SE, Charleston, WV 25304 My Commission Expires February 15, 2028
My Commission Expires	2-15-28				

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deprivacyoffier@wv.gov.

<u>Coal Owners</u> 47-033-06079

Hillview Resources, LLC

36 Jubilee Ln.

Fairmont, WV 26544

Jackson L. Anderson Trust

c/o Lea E. Anderson

829 White Oak Cr. Pittsburgh, PA 15228

Charlotte Moran

3462 Pine Needle Dr. Show Low, AZ 85901

Ralph N. Anderson

220 Foley Dr.

Parkersburg, WV 26104

Patricia Jordan

638 Yarborough Way The Villages, FL 32163

RECEIVED Office Of Oil and Gas

JUL 08 2025

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

55 FRANCIS MINE TOWER RD WILLIAM R CALOCCIA

FAIRMONT WV 26554

> 25301 C4000004 Retail 4.0 OZFLAT US POSTAGE AND FEES PAID **⊚**easypost 0901000010758

RECEIVED
Office Of Oil and Gas JUL 08 2025 WV Department of Environmental Protection

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

2220 FOLEY DR PARKERSBURG WV 26104-2633 RALPH N ANDERSON

RECEIVED Gas JUL 08 2025 WV Department of Environmental Protection



Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

C/O LEA E ANDERSON 829 WHITE OAK CIR PITTSBURGH PA 15228-1711 JACKSON LANDERSON TRUST

RECEIVED
Office Of Oil and Gas JUL 08 2025 WV Department of Environmental Protection



Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

HILLVIEW RESOURCES LLC 36 JUBILEE LN

FAIRMONT WV 26554-5331

RECEIVED
Office Of Oil and Gas JUL 08 2025 WV Department of Environmental Protection



Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

PATRICIA JORDAN 638 YARBOROUGH WAY THE VILLAGES FL 32163-2527

USPS CERTIFIED MAIL**

RECEIVED
Office Of Oil and Gas JUL 08 2025 WV Department of Environmental Protection

25301 C4000004 Retail 4.0 OZFLAT US POSTAGE AND FEES PAID 0901000010758

2ND. FLOOR CHARLESTON WV 25301 Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET

CHARLOTTE MORAN

SHOW LOW AZ 85901-7606 3462 PINE NEEDLE DR

9407 1362 0855 1280 1691 40 USPS CERTIFIED MAIL TH

RECEIVED
Office Of Oil and Gas JUL 08 2025 WV Department of Environmental Protection

Retail 25301 C4000004 4.0 OZFLAT US POSTAGE AND FEES PAID 0901000010766

API Number	47 -	033	-	06079	
Operator's W				79	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Unknown - WVDEP Paid Plugging Contract OP Code
Watershed (HUC 10) Coon's Run Quadrangle Shinnston 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No V
If so, please describe anticipated pit waste: Production fluid and cement returns.
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP) * Underground Injection (UIC Permit Number #25-744 Reuse (at API Number Office Of Oil and Gas Other (Explain Other (Explain WW-9 for disposal location) ULL 08 2025
Will closed loop systembe used? If so, describe: N/A Will closed loop systembe used? If so, describe: N/A
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A
Additives to be used in drilling medium? N/A
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? N/A
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT iss on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department of Environmental Protection. I understand that provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable for regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btain the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties submitting false information, including the possibility of fine or imprisonment. Company Official Signature Company Official (Typed Name) Jason Harmon Company Official Title Deputy Chief
Subscribed and sworn before me this day of July , 20 25 Notary Public
My commission expires $2+5-28$

Operator's Well No	. Harrison - 06079
--------------------	--------------------

	eatment: Acres Disturbed +	-	tion pH
Lime 3	Tons/acre or to corre	ct to pH	
Fertilizer type1	0-20-20 or Equivalent	_	
Fertilizer amount	TBD	lbs/acre	
Mulch 2		Tons/acre	
		Seed Mixtures	
•	Temporary		Permanent
Seed Type	lbs/acre	Seed Type	e lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alside Clover	5
Annual Rye	15		
aps(s) of road, location, ovided). If water from the water, w, and area in acres, o		nd application (unless engineered pla rovide water volume, include dimens t.	
Maps(s) of road, location, provided). If water from the L, W), and area in acres, who to copied section of inv	ne pit will be land applied, prof the land application area. Tolved 7.5' topographic sheet	rovide water volume, include dimens	sions (L, W, D) of the pit, a
provided). If water from the L, W), and area in acres, who to copied section of inv	ne pit will be land applied, proof the land application area.	rovide water volume, include dimens	sions (L, W, D) of the pit, a
Maps(s) of road, location, provided). If water from the L, W), and area in acres, who to copied section of inv	ne pit will be land applied, prof the land application area. Tolved 7.5' topographic sheet	rovide water volume, include dimens	Office Of Oil and Gae
Maps(s) of road, location, provided). If water from the L, W), and area in acres, who to copied section of inverse and approved by:	ne pit will be land applied, prof the land application area. Tolved 7.5' topographic sheet	rovide water volume, include dimens t. 7-2-2025	Office Of Oil and Gas
Maps(s) of road, location, rovided). If water from the L. W), and area in acres, who to copied section of invaluan Approved by:	ne pit will be land applied, prof the land application area. Tolved 7.5' topographic sheet	rovide water volume, include dimens t. 7-2-2025	Office Of Oil and Gas
Maps(s) of road, location, rovided). If water from the L., W), and area in acres, who to copied section of invalan Approved by:	ne pit will be land applied, prof the land application area. Tolved 7.5' topographic sheet	rovide water volume, include dimens t. 7-2-2025	Office Of Oil and Gae
Maps(s) of road, location, rovided). If water from the L. W), and area in acres, who to copied section of invaluan Approved by:	ne pit will be land applied, prof the land application area. Tolved 7.5' topographic sheet	rovide water volume, include dimens t. 7-2-2025	Office Of Oil and Gas
Maps(s) of road, location, provided). If water from the L, W), and area in acres, who to copied section of invelan Approved by:	ne pit will be land applied, prof the land application area. Tolved 7.5' topographic sheet	rovide water volume, include dimens t. 7-2-2025	Office Of Oil and Gas
Maps(s) of road, location, provided). If water from the L, W), and area in acres, who to copied section of inverse and approved by:	ne pit will be land applied, prof the land application area. Tolved 7.5' topographic sheet The A Propert	rovide water volume, include dimens t. 7-2-2025	Office Of Oil and Gas JUL 0 8 2025 WV Department of Environmental Protection



Date: 7/1/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4703306079

Well Name Harrison - 06079

Attached is the approved variance order for use of Class L cement.

Sincerely,

Chris Veazey Permitting Supervisor 304-590-7707





west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)		
LEGISLATIVE RULE 35CSR4)	ORDER NO.	2022-13
SECTION 14.1. AND LEGISLATIVE RULE	j		
35CSR8 SECTION 20.1,)		
RELATING TO THE CEMENTING)		
OF OIL AND GAS WELLS)		

RECEIVED
Office Of Oil and Gas

JUL 08 2025

WV Department of Environmental Protection

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas


RECEIVED
Office Of Oil and Gas


0 8 2025


WV Department of Environmental Protection


Office Of Oil and Gas


JUL 08 2025











SURFACE OWNER WAIVER

Operator's Well Number

Harrison - 06079

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

	e planned wor	k described in these	e materials, and I have no
L PERSON		FOR EXECUTI	ON BY A CORPORATION,
Date	Name		
	$\mathbf{B}\mathbf{y}$		
	Its		Date
		Signature	Date 08/08/2025
	on those materials. L PERSON	on those materials. LL PERSON Date Name By	Date Name By Its

API No.	4703306079
Farm Name	Caloccia William Romeo
Well No.	Harrison - 06079

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging work order	wner/ lessee/ of the coal under this well location r. The undersigned has no objection to the work proposed to be or has complied with all applicable requirements of the West
Date:	
	Ву:
	Its

RECEIVED
Office Of Oil and Gas

JUL 08 2025

PLUGGING PERMIT CHECKLIST 4703306079

Plugging Permit
WW-4B WW-4B signed by inspector WW-4A
SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL WW-9 PAGE 1 (NOTARIZED)
WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
RECENT MYLAR PLAT OR WW-7 WELL RECORDS/COMPLETION REPORT TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
MUST HAVE VALID BOND IN OPERATOR'S NAME CHECK FOR \$100 IF PIT IS USED





Jason Harmon – Deputy Director WV Department of Environmental Protection Office of Oil and Gas 601 57th Street, SE Charleston, WV 26304-2345

Mr. Harmon,

Please find enclosed a permit application to plug and abandon the orphan well listed below.

API #:4703306079 Tax District: Clay Harrison County, WV

This well is part of the state orphan multi-well plugging contract for Harrison County, WV. Next Level Energy will be the plugging contractor operating under the Harrison County Contract. The oil and gas inspector has reviewed and signed off on the permit application for the work to be carried out. Additionally, a copy of the application has been mailed to the surface owner(s) of record, with the associated mail receipt(s) enclosed.

If you have any questions or require further information regarding the work or the permitting process, please do not hesitate to contact the Diversified Energy Permitting Department

We are here to assist and provide any clarification you may need.

Sincerely,

Nick Bumgardner - Permitting Supervisor

Diversified Energy Company

304-545-4848

nbumgardner@dgoc.com

RECEIVED
Office Of Oil and Gas

JUI 08 2025



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued for 4703306077 06078 06079 06090

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Aug 6, 2025 at 10:46 AM

To: Henry J Harmon henry.j.harmon@wv.gov, Jeff A Propst <jeff.a.propst@wv.gov, Nicholas Bumgardner henry.j.harmon@wv.gov, Deff A Propst <jeff.a.propst@wv.gov, Okrazey @dgoc.com

To whom it may concern plugging permits have been issued for 4703306077 06078 06079 06090.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57th Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

4 attachments





4703306077.pdf 3227K

4703306079.pdf 3079K