

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, April 7, 2025 WELL WORK PERMIT Horizontal 6A / New Drill

HG ENERGY II APPALACHIA, LLC 5260 DUPONT ROAD

PARKERSBURG, WV 26101

Re: Permit approval for SCRANAGE 1204 S-9H 47-033-06089-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

nes A. Martin

Operator's Well Number: SCRANAGE 1204 S-9H Farm Name: DAVID K SCRANAGE U.S. WELL NUMBER: 47-033-06089-00-00 Horizontal 6A New Drill Date Issued: 4/7/2025

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

4703306089 API NO. 47-____

WW-6B (04/15)

OPERATOR WELL NO. Scranage 1204 S-9H / Well Pad Name: Scranage 1204

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

								/	/
1) Well Operat	or: HG En	ergy	II Appa	alachia, I	49	4519932	Harrison	Grant	Mount Clare 7.5'
					0	perator ID	County	District	Quadrangle
2) Operator's V	Well Numbe	r: <u>Sc</u>	ranage	1204 S-	9H	Well Pac	d Name: Scra	nage 1204	
3) Farm Name/	Surface Ow	mer:	David	Scranag	Э	Public Roa	ad Access: Rid	ce Run Roa	ad
4) Elevation, c	urrent groun	d:	1252'	E	evat	ion, proposed	post-construct	on: 1247'	
5) Well Type	(a) Gas	Х		Oil		Unde	erground Stora	ge	
	Other								
	(b)If Gas	Sha	llow	х		Deep			
		Hor	izontal	х					
6) Existing Pad	: Yes or No	No	1				_		
7) Proposed Ta Marcellus at						ed Thickness a pated pressure		ressure(s):	
8) Proposed To	tal Vertical	Dept	h: 7080)' 🗸					
9) Formation at				Marcellus	. /				
10) Proposed T	otal Measur	ed Do	epth: 2	26,408'	1				
11) Proposed H	lorizontal Le	eg Le	ngth: 1	8,595'	/				
12) Approxima	te Fresh Wa	ter St	trata Dep	oths:	60'	, 90', 135',18 ⁻	1,480',496', 64	10', 728 REC	EIVED Oil and Gas
13) Method to I	Determine F	resh	Water D	epths: N					915,07217,06001)
14) Approxima	te Saltwater	Dept	hs: 16	605'				WHO	partment of
15) Approxima	te Coal Sear	n Dej	oths: 272	2',501, 650', 73	0', 736'	, 950',1040',1150' (Su	rface casing is being ex	tended Environm	e coal in the DTI Storage Field)
16) Approxima	te Depth to I	Possi	ble Void	l (coal mi	ne, k	arst, other): 1	None		
17) Does Propo directly overlyin					ns	Yes	No	Х	
(a) If Yes, pro	vide Mine I	nfo:	Name:			-			
			Depth:						
			Seam:						
			Owner	•					



API NO. 47 03 30608 3 OPERATOR WELL NO. Scranage 1204 S-9H

Well Pad Name: Scranage 1204

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	<u>New</u> <u>or</u> <u>Used</u>	Grade	<u>Weight per ft.</u> (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	30"	New	LS	157.5	120'	120'	Drilled In
Fresh Water/Coal	20"	NEW	J-55	94	1200'	1200' 🗸	40% excess,CTS
Intermediate 1	13 3/8"	NEW	J-55 BTC	68	1855'	1855' 🦯	40% excess,CTS
Intermediate 2	9 5/8"	NEW	N-80 BTC	40	4950'	4950' (40% excess tail, CTS
Production	5 1/2"	NEW	P-110 HP	23	26408'	26408'	20% excess tail, CTS
Tubing							
Liners							

ТҮРЕ	Size (in)	<u>Wellbore</u> Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	30"	30"	.500			/	Drilled In
Fresh Water/Coal	20"	26"	.438	2110	1200	Type 1, Class A	40 % excess yield = 1.20, CTS
Intermediate1	13 3/8"	17 1/2"	.480	3450		Type 1/Class A	Lead 40% excess, Tail 0% excess
Intermediate 2	9 5/8"	12 1/4"	.395	5750		Type 1/Class A	Lead 40% excess, Tail 0% Excess Lea
Production	5 1/2"	8 1/2"	.415	16240 1	12500	Type 1/ClassA	20% excess yield = 1.19, tail yield 1.94.0
Tubing							iu i
Liners							

PACKERS

RECEIVED Office Of Oil and Gas

Kind:		MAR 06 2025
Sizes:		WV Department of Environmental Protection
Depths Set:		

WW-6B (04/15)							WELL NO. Name: Scran	Scranage 1204 S-9H age 1204
18)			CAS	SING AND TUB	ING PROGRAM			
TYPE	<u>Size</u> (in)	<u>New</u> <u>or</u> <u>Used</u>	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS Left in Well (ft)		<u>-up</u>
Conductor	30"	New	LS	157.5	120'	120'	Drille	
Fresh Water/Coal	20"	NEW	J-55	94	1200'	1200'	40% exce	
Intermediate 1	13 3/8"	NEW	J-55 BTC	68	1855'	1855'	40% exce	/
Intermediate 2	9 5/8"	NEW	N-80 BTC	40	4950'	4950'	40% excess	
Production	5 1/2"	NEW	P-110 HP	23	26408'	26408'	20% excess	
Tubing								
Liners								
TYPE	1		117-111	Wall				
	Size (in) D	Wellbore Diameter (i	n) Thickness	Burst Pressure	Anticipated Max. Internal	Cement	<u>Cement</u> <u>Yield</u>
Conductor			Diameter (i	n) <u>Thickness</u> (in)	Burst Pressure (psi)		<u>Cement</u> <u>Type</u>	Yield (cu. ft./k)
	30		Diameter (i 30"	<u>n)</u> <u>Thickness</u> (in) .500	<u>(psi)</u>	Max. Internal Pressure (psi)	Type	<u>Yield</u> (cu. ft./k) Drilled In
Fresh Water/Coal	30' 20'	- <u>L</u>	Diameter (i 30" 26"	<u>n)</u> <u>Thickness</u> <u>(in)</u> .500 .438	<u>(psi)</u> 2110	Max. Internal	Type Type 1, Class A	<u>Yield</u> (cu. ft./k) Drilled In 40 % excess yield = 1.20, CTS
Fresh Water/Coal Intermediate1	30' 20' 13 3/	<u>L</u> " /8"	Diameter (i 30" 26" 17 1/2"	<u>n)</u> <u>Thickness</u> <u>(in)</u> .500 .438 .480	(<u>psi)</u> 2110 3450	Max. Internal Pressure (psi)	Type	<u>Vield</u> (cu. ft./k) Drilled In 40 % excess yield = 1.20, CTS Land 40% excess, Tal 0% excess
Fresh Water/Coal Intermediate 1 Intermediate 2	30 [°] 20 [°] 13 3/ 9 5/8	<u>L</u> " /8" 8"	Diameter (i 30" 26" 17 1/2" 12 1/4"	<u>Thickness</u> (in) .500 .438 .480 .395	(psi) 2110 3450 5750	<u>Max. Internal</u> <u>Pressure (psi)</u> 1200	Type 1, Class A Type 1/Class A Type 1/Class A	<u>Yield</u> (cu. ft./k) Drilled In 40 % excess yield = 1.20, CTS
Fresh Water/Coal Intermediate1 Intermediate 2 Production	30' 20' 13 3/	<u>L</u> " /8" 8"	Diameter (i 30" 26" 17 1/2"	<u>n)</u> <u>Thickness</u> <u>(in)</u> .500 .438 .480	(<u>psi)</u> 2110 3450	Max. Internal Pressure (psi)	Type 1, Class A Type 1/Class A	<u>Vield</u> (cu. ft./k) Drilled In 40 % excess yield = 1.20, CTS Land 40% excess, Tal 0% excess
Conductor Fresh Water/Coal Intermediate 1 Intermediate 2 Production Tubing Liners	30 [°] 20 [°] 13 3/ 9 5/8	<u>L</u> " /8" 8"	Diameter (i 30" 26" 17 1/2" 12 1/4"	<u>Thickness</u> (in) .500 .438 .480 .395	(psi) 2110 3450 5750	<u>Max. Internal</u> <u>Pressure (psi)</u> 1200	Type 1, Class A Type 1/Class A Type 1/Class A	Yield (cu. ft./k) Drilled In 40 % excess yield = 1.20, CTS Land 40% excess, Tai 0% excess Land 40% excess, Tai 0% Excess
Fresh Water/Coal Intermediate 1 Intermediate 2 Production Tubing	30 [°] 20 [°] 13 3/ 9 5/8	<u>L</u> " /8" 8"	Diameter (i 30" 26" 17 1/2" 12 1/4"	<u>Thickness</u> (in) .500 .438 .480 .395	(psi) 2110 3450 5750 16240	<u>Max. Internal</u> <u>Pressure (psi)</u> 1200	Type 1, Class A Type 1/Class A Type 1/Class A	Yield (cu. ft./k) Drilled In 40 % ascoss yield = 1.20, CTS Land 40% excess, Tai 0% excess Land 40% excess, Tai 0% excess 20% excess yield = 1.10, tai yield 1.51
Fresh Water/Coal Intermediate 1 Intermediate 2 Production Tubing Liners	30 [°] 20 [°] 13 3/ 9 5/8	<u>L</u> " /8" 8"	Diameter (i 30" 26" 17 1/2" 12 1/4"	n) <u>Thickness</u> (in) .500 .438 .480 .395 .415	(psi) 2110 3450 5750 16240	<u>Max. Internal</u> <u>Pressure (psi)</u> 1200	Type 1, Class A Type 1/Class A Type 1/Class A	Vield (cu. ft./k) Drilled In 40 % excoss yield = 1.20, CTS Land 40% excoss. Tal 0% excoss Land 40% excoss. Tal 0% excoss 20% excoss. Tal 0% excoss 20% excoss. Tal 0% excoss Excoss yield = 1.10, Laty well 1 %
Fresh Water/Coal Intermediate 1 Intermediate 2 Production Tubing	30 [°] 20 [°] 13 3/ 9 5/8	<u>L</u> " /8" 8"	Diameter (i 30" 26" 17 1/2" 12 1/4"	n) <u>Thickness</u> (in) .500 .438 .480 .395 .415	(psi) 2110 3450 5750 16240	<u>Max. Internal</u> <u>Pressure (psi)</u> 1200	Type 1, Class A Type 1/Class A Type 1/Class A	Yield (cu. ft./k) Drilled In 40 % ascoss yield = 1.20, CTS Land 40% excess, Tai 0% excess Land 40% excess, Tai 0% excess 20% excess yield = 1.10, tai yield 1.51

04/11/2025

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill the vertical depth to the Marcellus at an estimated total vertical depth of approximately 7080 feet. Drill horizontal leg to estimated 18,595' lateral length, 26408' TMD. Hydraulically fracture, stimulate and be capable of producing from the Marcellus Formation. Should we encounter an unanticipated void in the coal, we will install a minimum of 20' of casing below the void but not more than 100' below the void, set a basket and grout to surface. We plan to run an ACP above the Gantz/Dominion Storage interval to aid in sealing off and isolating the storage interval.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The stimulation will be completed with multiple stages divided over the lateral length of the well. Stage spacing is dependent upon engineering design. Slickwater fracturing technique will be utilized on each stage using sand, water, and chemicals. See attached list. Maximum pressure not to exceed 12,500 psi.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 21.29 acres

22) Area to be disturbed for well pad only, less access road (acres): 8.87 acres

23) Describe centralizer placement for each casing string:

No centralizers will be used with conductor casing. Freetwater - centralized every 3 joints to surface. Goal - Bow Spring on every joint, will also be running ACP for isolating storage zone Goal - Bow Spring on first 2 joints then every birl joint to 100 from surface. Providion - Run I tapital centralizer every 3 joints from the top of the curve to surface. Run 1 spiral centralizer every 3 joints from the 1st 5.5° long joint to the top of the curve

24) Describe all cement additives associated with each cement type:

Conductor - NA, Dashigo be drilled in w/ Dual Rolary Ria. Fresh Water - 15, 6 pg PNE-1 + 3% booc Cac(), 40% Excess Vield = 1.20, CTS Fresh Water - 15, 6 pg PNE-1 + 3% booc Cac(), 40% Excess Vield = 1.20, CTS Dispersant / Dest 15 lib rg: BBL. Dispersant / Dispersant / Disp	sant / B547 – 0.35% BWOB GasBLOK* / D013 – 0.3% BWOB Retarder / D047 – 0.02 gal / sack	
	RECEIVED Office Of Oil and Gas	t
25) Proposed borehole conditioning procedures:	MAR 06 2025	
Conductor - Ensure the hole is clean at TD. Fresh Water - Once casing is at setting depth, ciculate a minimum of one hole volume with Fresh Water prior to pumping cement. In the setting depth, ciculate and considered on a TD. Ciculate a minimum of one hole volume prior to pumping cement. Intermediate - Setting depth, ciculate and considered on a TD. Ciculate a minimum of one hole volume prior to pumping cement. Intermediate - Setting depth, ciculate and considered on a TD. Ciculate a minimum of one hole volume prior to pumping cement. Production - Once on bottom/TD with casing, circulate at max allowable pump rate for at least 2x bottoms up, or until returns and pump pressures indicate the hole is clean. Circulate a minimum of one hole volume Production - Once on bottom/TD with casing, circulate at max allowable pump rate for at least 2x bottoms up, or until returns and pump pressures indicate the hole is clean. Circulate a minimum of one hole volume Production - Once on bottom/TD with casing, circulate at max allowable pump rate for at least 2x bottoms up, or until returns and pump pressures indicate the hole is clean.	WV Department of Environmental Protection	

*Note: Attach additional sheets as needed.



+

+

																							10440									7/		10				5		3
LP @ 7		×							×						×	× 		× ×			× ×			×		×			× ×	×		× ×		WELLBORE DIAGRAM	Azm	Ground Elevation		B160A - 0.15% BWOB Dispersant / B547 - 0. D801 - 0.03 gal / sack Retarder - 0% Excess	urispersant: Juss 1:5 Ib per BbL Cemine 1 - 50% Excess 15.9 ppg Tail - Yield 1.17 - D896 Surface Set 100 lb / sack (Mix of Class A and Gypsum to meet Dominion Requirements)	8348 - 0.5% BWOB Fluid Loss / D013 - 0.75% BWOB Retarder / D47 - 0.02 gal / sack VBWOB Antt Foam / D202 - 0.15% BWOB
LP @ 7080' TVD / 7813' MD	×		8.5" Lateral					8.5" Curve					0.70	2 7 J							12 25"						47 ק י			26"		30"		HOLE				- 0.35% BWOB Ga	Set 100 lb / sack (M	./5% BWOB Retar
	×						1 XP / W461	P-110 HP	3-112 23#	h 20=										N / L- 80 BTC	9-5/8" 40#					J-55 BTC	13-3/8" 68#			20 94# J-55	2	30" 157.5# LS		CASING	160.074°	1247.6		asBLOK* / D013	lix of Class A and	der / D4/ - 0.02 g
	×	Onondaga	(Production)	Marcellus	Hamilton	Tully Limestone	Burkett	West River	Middlesex	Cashaqua	Rhinestreet					Intermediate 2	Alexander	Benson	Bradford	U&L Speechley	Bayard	5th Sand	Gordon	Fifty Foot / Thirty	Intermediate 1	Injun / Gantz (Storage)	Big Lime	Little Lime	Fresh Water Protection	Coals	Fresh Water	Conductor		GEOLOGY	'4°	6		0.3% BWOB Retarder /	Gypsum to meet Domini	al / sack VBWOB Anti F
8.5" Hole - Cemented Long String 5-1/2" 23# P-110 HP TXP / W461	×	7145	26408	7049	6983	6894	6859	6748	6653	6420	5603					0	4500	4173	3482	2803	2287	2194	1907	1753 / 1868	0	1327 / 1658	1273	1228	0		0	0		TOP				D047 – 0.02 gal / sac	on Requirements)	oam / D202 - 0.15% E
ted Long String IP TXP / W461			7080	7145	6753	6983	6894	6859	6748	6653	6420				Inc: 24 deg.	MD: 4900	4670	4193	3556	2906	2309	2214	1995	1843 / 1900	1855	1451 / 1728	1327	1244	1200 /	272, 736, 1150	60,90,135,496, 640,728	120		BASE	1204 S	1204 \$	1204 S	k Anti Foam /		BWOB
	X		12.5ppg	11.5ppg-			SOBIN	12.5ppg	11.5ppg-				SOBM	AIR /						Polymer	AIR / KCL -					Polymer	AIR / KCL -			AIR		AIR		MUD	1204 S-9H BHL	1204 S-9H LP	1204 S-9H SHL			
				CTS	Lead Yield=1.19 Tail Yield=1.94	20% Excess	bwoc ASCA1 + 0.5% bwoc MPA170	gal/sk FP13L + 50%	0.35% bwoc R3 + 0.75	MPA170	EC1 + 0.75 gal/sk FP13L + 0.3% bwoc	bwoc R3 + 1% bwoc	Lead: 14.5 ppg						zero% Excess. CTS	ppg PNE-1 + 2.5% bwoc	40% Excess / Tail: 15.9	Lead: 15.4 ppg PNE-1 +			Storage Field Isolation	Requirements for Gas	Storage String Cement	See above (LEFT) for	Yield=1.20 / CTS	40% Excess	15.6 ppg PNECe + 3%	N/A, Casin Digge dritter	VED 1 and 6 2	CEMENT	ľ					
+/-185	×				top of the curve.	1st 5.5" long joint to the	Run 1 spiral centralizer every 3 joints from the					surface.	top of the curve to	Run 1 spiral centralizer every 5 joints from the					Sullace	joint			2		storage zone*	ACP for isolating	joint	Bow Spring on every		joints to surface	wv	Depa nment	rtme tal P	CENTRALIZERS	ctic	1	1	Harrison C	Marcellus Sha	1204
+/-18595' ft Lateral	×					hole volume prior to pumping cement.	0	indicate the hole is clean.	least 2x bottoms up, or until	allowable pump rate for at	Once on bottom/TD with								pumping cement.	Circ	condition mud at TD.	Once casing is at setting			cement.	minimum of one hole	condition at TD. Circulate a	Once casing is at setting	pumping cement.		Once casing is at setting depth, circulate a minimum	Ensure the hole is clean at TD.		CONDITIONING	14202104.96N 1838221.1E	14219568.51N 1831859.18E	14219988.74N 1832037.39E	Harrison County, WV	Marcellus Shale Horizontal	1204 S-9H
TD @ +/-7080' TVD +/-26408' MD	×						schedules may be changed due to hole conditions		Burst=16240 psi	Produ									o	_	Intermediate casing = 0.395"					Wall thickness Burst=3450 psi	Interme		Burst=2110 psi		Surface casing = 0.438" wall	Conductor casing = 0.5" wall thickness	_	COMMENTS	221.1E	359.18E)37.39E	Ę	FNERGY	1 1

WW-9	
(4/16)	

API Number 47 -

Operator's Well No. Scranage 1204 S-9H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_HG Energy II Appalachia, LLC	OP Code 494501907
Watershed (HUC 10) Lost Creek	QuadrangleMount Clare 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the Will a pit be used? Yes No	ne proposed well work? Yes No No
If so, please describe anticipated pit waste: NA	÷
Will a synthetic liner be used in the pit? Yes No	If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit Nun	ıber)
Reuse (at API Number_TBD - At next anticipate	ed well
Off Site Disposal (Supply form WW-9 fo	r disposal location)
Other (Explain	
Will closed loop system be used? If so, describe: Yes, cuttings and fluids will t	be collected in a closed loop system, re-used or hauled to an approved disposal site or landfill.
Drilling medium anticipated for this well (vertical and horizontal)?	Air, freshwater, oil based, etc. Vertical - Air, Air/KCL, Air/SOBM, Horizontal - SOBM
-If oil based, what type? Synthetic, petroleum, etc. Synthetic	, /
Additives to be used in drilling medium?Water, Soap, KCI, Barite, Bas	e Oil, Wetting Agents
Drill cuttings disposal method? Leave in pit, landfill, removed offsit	e. etc. Approved Landfill

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) NA

-Landfill or offsite name/permit number? See Attached

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am a that that there there is a significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature	me White	WV Dej Environme	partment ot ental Protection	
Company Official (Typed Name) Diane	White			
Company Official Title Agent	t			
Subscribed and sworn before me this17	thday of February	, 20 <u>25</u>	OFFICIAL SEAL NOTARY PUBLIC SIA LE OF WEST VIR Mark J Schal HG Energy LLC SZ60 DUPONT ROV PARKLYSBURG W/J WY COMMESSION FXPIES NOTAM	C RGINIA III AD 26105

Form	WW-	9
FOIIII	VV V	v -

Operator's Well No. Scranage 1204 S-9H

Proposed Revegetation Trea	tment: Acres Disturbed	21.29	Prevegetation pH	I
Lime	3 Tons/acre or to corr	ect to pH _	6.5	
Fertilizer type10)-20-20			
Fertilizer amount		500 _{lbs/a}	cre	
_{Mulch} Hay		2 Tons/acro	9	
		Seed N	<u>lixtures</u>	
Т	emporary		Perma	nent
Seed Type	lbs/acre		Seed Type	lbs/acre
Tall Fescue	40		Tall Fescue	40
Ladino Clover	5		Ladino Clover	5
Maintain F&S cont	rols through the di		d completion process	
	ere un eugn une u			

provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approve	ed by:		
Comments:		soon as reasonably poss	ible per regulation.
comments	Upgrade E&S if nee	ded per WV DEP E&S m	nanual.
			RECEIVED Office Of Oil and Gas
			MAR 06 2025
			WV Department of Environmental Protection
Title: Oil a	& Gas Inspector	Date:	
Field Review	ved? () Yes	() No	

04/11/2025

Form WW-9		Operator's W	ell No. Scranage 1204 S-9H	
HG Energy II Appalach	nia, LLC	Operators w	ch i to	
Proposed Revegetation Treatment	t: Acres Disturbed 21.29	Prevegetation pH		
Lime 3	Tons/acre or to correct to pH	I 6.5		
Fertilizer type10-20-	20			
Fertilizer amount	500 _{JE}	os/acre		
_{Mulch} Hay	2 Tons/	acre		
	See	d Mixtures		
Tempo	rary	Perma	ient	
Seed Type Tall Fescue	lbs/acre	Seed Type	lbs/acre	
	40	Tall Fescue	40	
Ladino Clover	5	Ladino Clover	5	
Maintain E&S controls	through the drilling a	and completion process		
	ill be land applied, include di rea.	cation (unless engineered plans includ mensions (L \times W \times D) of the pit, and		
Plan Approved by: Kennet	h Greynold	Kenneth Greynolds Steynolds email = Kenneth L Greynolds@ww. DEP OL = Oll and Gas ⊌an 7 Deny		
		easonably possible per	regulation.	
	&S if needed per \	WV DEP E&S manual.		
				RECEIVED Office Of Oil and Gas
				MAR 06 2025
_{Title:} Oil & Gas Inspe	ctor	Date:		WV Department of Environmental Protection
Field Reviewed?) Yes () No		

HG Energy II Appalachia, LLC

Site Safety Plan

Scranage 1204

474 Rices Run Road, Lost Creek Harrison County, WV 26385

December 2024: Version 1

For Submission to West Virginia Department of Environmental Protection, Office of Oil and Gas

> RECEIVED Office Of Oil and Gas

MAR 06 2025


HG Energy II Appalachia, LLC


WV Department of Environmental Protection

5260 Dupont Road


Parkersburg, WV 26101


Ky Willett 1/29/25





04/11/2025





HG Energy II Appalachia, LLC Well No. Scranage 1204 S-9H Page 3 of 3		
Harrison County No. TM / Par Owner 1 447 / 9 David K. Scranage 2 427 / 37 John R. & Francis K. Alsbrooks 3 447 / 9.5 Albert M. Taylor 4 447 / 13.3 Neal B. Swiger 6 447 / 13.4 Neal B. Swiger 6 447 / 13.1 Jeffrey L. & Dawn S. Montgomery 9 447 / 13.1 Jeffrey L. & Dawn S. Montgomery 9 447 / 30 Laura C. Lightner 11 447 / 30 Laura C. Lightner 11 447 / 40 Margaret K. Palmer 10 447 / 40 Margaret K. Palmer 11 447 / 41 Richard E. Law 10 447 / 42 Cheryl B. Cornwell 13 447 / 42 Cheryl B. Cornwell 14 447 / 42 Cheryl B. Cornwell 15 448 / 24 Richard E. Law 16 447 / 42 Cheryl B. Cornwell 17 467 / 42 Cheryl B. Cornwell 17 467 / 25	Bk / Pg Ac. 1259 / 986 56.48 1604 / 1046 30.00 1399 / 309 10.00 1221 / 569 1.29 1593 / 942 11.83 1410 / 858 47.50 1125 / 980 0.54 1125 / 980 0.22 1301 / 473 9.31 W212 / 350 52.93 1310 / 1241 48.34 1662 / 1095 78.19 1358 / 649 35.53 1754 / 1156 51.15 W204 / 81 153.71 WW Uppartment of W135 / 269 3.00 W135 / 269 3.00 W204 / 81 12.97 1320 / 176 82.98 W161 / 158 67.00 1281 / 851 88.50 1326 / 292 54.86 1326 / 292 54.86 1326 / 292 54.86 1328 / 1001 106.50	ID Lease 9 C.S. Gribble 16 L.H. Young 17 Emmajean Frush, et al 19 O.F. Peterson, et al 24 Central Pittsburgh Coal Corporation 25 Jessie L. Kennedy, et al 26 Jessie L. Kennedy, et al 23 Edison O. Law, et al 33 Edison O. Law, et al 44 H. Frank Blake, et al 45 Ray Swisher, et al 48 The Harrison Co. Bank 49 Carrie Blake
No. TM / Par Owner 31 11D / 6 George W. & Amy J. Dawson FILE NO: 155-36-G-19 DRAWING NO: Scranage 1204 S-9H Well Plat SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: Submeter PROVEN SOURCE OF ELEVATION: CORS, Bridgeport, WV	Bk / Pg Ac. 505 / 549 66.95 STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OIL AND GAS DIVISION	50 Allen S. Gregory, et al 62 Aubrey W. Randolph, et ux DATE: January 30 20_25 OPERATOR'S WELL NO. Scranage 1204 S-9H API WELL NO 47 033 53 COUNTY PERMIT
(IF GAS) PRODUCTION : LOCATION: ELEVATION: <u>1,247.6'</u> WAT DISTRICT: <u>Grant / Hackers Creek</u> SURFACE OWNER: <u>David K. Scranage</u> ROYALTY OWNER: <u>C.S. Gribble, et al</u> PROPOSED WORK: ⊠ DRILL □ CON ⊠ PERFORATE NEW FORMATION	LEASE NO:	ATE DPLUG OFF OLD FORMATION 7,080' TVD Chale ESTIMATED DEPTH: 26,408' MD hite hite

WW-6A1 (5/13)

Operator's Well No. Scranage 1204 S-9H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
	, , ,			

See Attached Sheets

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no wayOffice of Oil and Gas permit in no wayOffice of Oil and Gas permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	HG Energy II Appalachia, Likeronmental Protection
By:	Diane White Diane White
Its:	Agent

Page 1 of

					_		_																										-										
											16																			-	6 /									1204S-9H			
											LC066655	-																			LC008505									NUMBER	IEGACVIEASE		
							22		12-0447-0030-0004	12-0447-0030-0003	12-0447-0030-0002	TOD-0000-0000	12-04/7-0020-0001	12-0447-0030-0000														12-0447-0047-0000	12-0447-0046-0000	12-0447-0009-0005	12-0447-0009-0004	12-0447-0009-0002	12-0447-0009-0001	12-0447-0009-0000						ΤΑΧ ΜΑΡ			
											LC098171 FEE	Q100530000																			Q100925000									LEASE NUMBER			
HARLON H. FRUSH AND EMMAJEAN FRUSH, EACH IN HIS OWN RIGHT AND ASHUSBAND AND WIFE	DUMINION ENERGY IRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION INC	DOMINION ENERGY TRANSMISSION INC	DOMINION ENERGY TRANSMISSION, INC.		DOMINION ENERGY TRANSMISSION, INC.		DOMINION TRANSMISSION, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DUMINION IRANSMISSION, INC.		CNIX GAS COMPANY II C	DOMINION ENERGY TRANSMISSION, INC.		DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY			DOMINION ENERGY TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.		DOMINION ENERGY TRANSMISSION, INC.		DOMINION TRANSMISSION, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY	SOUTH PENN OIL COMPANY	C. S. GRIBBLE	GRANTOR/LESSOR			Scranage 1204 S-9H Lease Chain
N RIGHT HOPE NATURAL GAS COMPANY		HG ENERGY II APPAI ACHIA 11 C	HG ENERGY II APPALACHIA. I I C	HG ENERGY II APPALACHIA, LLC		HG ENERGY II APPALACHIA, LLC		DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	NOBLE ENERGY, INC.	עווא שאט עעויוראווז בבט אווט וועטבב בוובווט ו, וווט.		NOBLE ENERGY, INC.	CNX GAS COMPANY LLC		CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSULIDATED GAS SUPPLY CURPORATION		HOPE NATI IRAL GAS COMPANY	HG ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC		HG ENERGY II APPALACHIA, LLC		DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY	SOUTH PENN OIL COMPARY	GRANTED LESS	CEIVI f Oil } 0 f	ED and Ga 2025 nent of Protect	s
NOT LESS THAN 1/8		MINERAL DEED	ASSIGNMENT (68%)	FARMOUT AGREEMENT	THIRD AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	SECOND AMENDMENT TO MEMORANDUM OF	MERGER/NAME CHANGE	ASSIGNMENT	ASSIGNMENT		PARTIAI ASSIGNMENT (32%)	LIMITED PARTIAL ASSIGNMENT (50%)	FARMOUT AGREEMENT	FIRST AMENDMENT TO MEMORANDUM OF	MEMORANDUM FARMOUT AGREEMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE	ASSIGNMENT		CONFIDMATORY DEED	NOT LESS THAN 1/8	ASSIGNMENT (68%)	FARMOUT AGREEMENT	THIRD AMENDMENTTO MEMORANDUM OF	FARMOUT AGREEMENT	SECOND AMENDMENT TO MEMORANDUM OF	MERGER/NAME CHANGE	ASSIGNMENT	ASSIGNMENT	PARTIAL ASSIGNMENT (32%)	LIMITED PARTIAL ASSIGNMENT (50%)	MEMORANDUM FARMOUT AGREEMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE	ASSIGNMENT	CONFIRMATORY DEED	ASSIGNMENT	NOT LESS THAN 1/8	ROYALTY		04/	11/:
799		1627	1637	1601		1601		WVSUS	UNGT	1000	150/	1576	1543	1524		1522	58	51	1130	44.00	500	776	1637	1621		1601		WVSOS	1600	1584	1576	1543	1522	58	51	1136	903	204	121	DEED BOOK			
215			1081			581			760	246	0/2	125	1235	491		33	362	ce/	705	250	179	259	1081	1295		581			692	942	125	1235	33	362	795	250	179	402	152	PAGE			

HG Energy II Appalachia, LLC Scranage 1204 S-9H Lease Chain

47033**3** 1/2089

	24																				/ 19	_																		17	_					
	LC066686																				LC066667																			LC067678						
12-0448-0017-0003	12-0448-0017-0002	12-0448-0017 0001	12-0448-0017-0000	12-0447-0041-0000													2		12-0447-0031-0001	12-0447-0031-0000	12-0447-0017-0000	12-0447-0016-0000	12-0447-0015-0000															12-0447-0013-0004	12-0447-0013-0003	12-0447-0013-0002	12-0447-0013-0001	12-0447-0013-0000				
	Q100834000																				Q100798000																			Q100627000						
CNX GAS COMPANY LLC	DOMINION TRANSMISSION INC	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION			CENTRAL PILISBURGH CUAL CURP, BI JUHN G. HMBERLARE, VICE-			DOMINION FNERGY TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.		DOMINION TRANSMISSION, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	DOMINION ENERGY TRANSMISSION, INC.		DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY	WIFE	POWELL, A WIDOW; JUNIUS K. MUSSER AND CARRIE E. MUSSER, HIS	RANDOLPH, HIS WIFE; ZETHRA A. DAVISSON, A WIDOW; GRACE	HIS WIFE; LEE RANDOLPH, A WIDOWER; J. B. RANDOLPH AND MILDRED	AND LINA LEE SMITH, HIS WIFE; D. B. RANDOLPH AND OPAL RANDOLPH,	DUPINION ENERGY I KANSPISSION, INC.	DOMINION ENERGY I KANSMISSION, INC.		DOMINION ENERGY TRANSMISSION, INC.		DOMINION TRANSMISSION, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY
NORI E ENERGY INC	CNX GAS COMPANY LLC AND NOBLE ENERGY INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	CNX GAS COMPANY LLC	DOMINION I RANSMISSION, INC.		CUNSULIDATED GAS TRANSMISSION CURPURATION			HO ENERGI II AFFALACHIA, LEC		HG ENERGY II APPALACHIA. LLC	HG ENERGY II APPALACHIA, LLC		DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC		CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY					רוס בועבתסד וו אריראראטדווא, בבט			HG ENERGY II APPALACHIA, LLC		DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION
ASSIGNMENT	PARTIAL ASSIGNMENT (32%)	LIMITED PARTIAL ASSIGNMENT (50%)	FARMOUT AGREEMENT	EIBST AMENIDMENTTO MEMODANIDUM OF	MERGER/NAME CHANGE		ASSIGNMENT		NOT LESS THAN 1/8		ACCIONMENT (BROK)	THIRD AMENDMENTTO MEMORANDUM OF FARMOUT AGREEMENT	FARMOUT AGREEMENT	SECOND AMENDMENT TO MEMORANDUM OF	MERGER/NAME CHANGE	ASSIGNMENT	ASSIGNMENT	PARTIAL ASSIGNMENT (32%)	LIMITED PARTIAL ASSIGNMENT (50%)	FARMOUT AGREEMENT	FIRST AMENDMENT TO MEMORANDUM OF	MEMORANDUM FARMOUT AGREEMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE	ASSIGNMENT	CONFIRMATORY DEED	NUT LESS THAN 1/8		Off	fice i	WANNE WY		ASSIGNMENT ASTREPTIENT	THIRD AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	SECOND AMENDMENT TO MEROPRANDUM OF	MERGER/NAME CHANGE	ASSIGNMENT	ASSIGNMENT	PARTIAL ASSIGNMENT (32%)	LIMITED PARTIAL ASSIGNMENT (50%)	MEMORANDUM FARMOUT AGREEMENT				
1584	1576	1543	1524	7761	200	10	1100	36 L L	1020	1001	1637	1621	1601		WVSOS	1600	1584	1576	1543	15/24		1522	58	51	1136	903	9//	1				T001	1631	1631	1601		WVSOS	1600	1584	1576	1543	1522	80	51	1136	1100
942	125	1235	491	دى	205	200	705	250	569	TOOT	1081	1295	581			692	942	125	1235	491		33	362	795	250	179	282	0				1001	1081	1205	581			692	942	125	1235	300	202	56/ 56/	101	250

5 25 26 LC066760 LC066759 p/o 12-0447-0040-0000 p/o 12-0447-0040-0000 12-0448-0017-0005 12-0440-001/-0004 Q100964000 Q101102000 STOUT, HIS WIFE; ORA A. STOUT, WIDOW; LEOLA SMITH STOUT, WIDOW; VAN HORN AND H. O. VAN HORN, HER HUSBAND; IVA H. STOUT, WIDOW; DOMINION ENERGY TRANSMISSION, INC. BENJAMIN M. STOUT, JR. AND ANN S. STOUT, HIS WIFE; ROBERT E. STOUT STOUT AND EVELYN G. STOUT, HIS WIFE; PAUL J. STOUT AND LOCIS MARY STOUT WOLFE AND EVERETT W. WOLFE, HER HUSBAND; JOHN E. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. DOMINION TRANSMISSION, INC. NOBLE ENERGY, INC. IESSIE L. KENNEDY AND S. G. KENNEDY, HER HUSBAND; KATHRYN B. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. AND JEAN M. STOUT, HIS WIFE; AND AUDREE H. STOUT, WIDOW EVELYN G. STOUT, HIS WIFE; PAUL J. STOUT AND LOCIS STOUT, HIS AND EVERETT WOLF, HER HUSBAND; IVA H. STOUT; JOHN E. STOUT AND VANHORN AND H. O. VANHORN, HER HUSBAND; MARY STOUT WOLF DOMINION TRANSMISSION, INC. ANN S. STOUT, HIS WIFE; ROBERT E. STOUT AND JEAN M. STOUT, HIS WIFE; ORA A. STOUT; LEOLA SMITH STOUT; BENJAMIN M. STOUT, JR. AND JESSIE L. KENNEDY AND S. G. KENNEDY, HER HUSBAND; KATHRYN B. DOMINION ENERGY TRANSMISSION, INC. DOMINION TRANSMISSION, INC. DOMINION TRANSMISSION, INC. ONX GAS COMPANY LLC NG TRANSMISSION CORPORATION DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC NX GAS COMPANY LLC CNX GAS COMPANY LLC **OBLE ENERGY, INC.** OMINION TRANSMISSION, INC. OPE NATURAL GAS COMPANY DOMINION TRANSMISSION, INC. ING TRANSMISSION CORPORATION OMINION TRANSMISSION, INC ONSOLIDATED GAS TRANSMISSION CORPORATION CONSOLIDATED GAS SUPPLY CORPORATION OPE NATURAL GAS COMPANY VIFE; AND AUDREE H. STOUT **DNSOLIDATED GAS TRANSMISSION CORPORATION DNSOLIDATED GAS SUPPLY CORPORATION** DOMINION ENERGY TRANSMISSION, INC. HG ENERGY II APPALACHIA, LLC CONSOLIDATED GAS TRANSMISSION CORPORATION CNX GAS COMPANY LLC AND NOBLE ENERGY, INC. HOPE NATURAL GAS COMPANY HG ENERGY II APPALACHIA, LLC DOMINION ENERGY TRANSMISSION, INC. HG ENERGY II APPALACHIA, LLC **NOBLE ENERGY, INC.** CNX GAS COMPANY LLC DOMINION TRANSMISSION, INC. CNG TRANSMISSION CORPORATION CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION HG ENERGY II APPALACHIA, LLC HG ENERGY II APPALACHIA, LLC **NOBLE ENERGY, INC.** ONX GAS COMPANY LLC CNX GAS COMPANY LLC CNG TRANSMISSION CORPORATION CONSOLIDATED GAS SUPPLY CORPORATION **NOBLE ENERGY, INC. VOBLE ENERGY, INC.** CNX GAS COMPANY LLC DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC AND NOBLE ENERGY, INC. IOPE NATURAL GAS COMPANY ASSIGNMENT MERGER/NAME CHANGE SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT ASSIGNMENT (68%) NOTLESS THAN 1/8 RECEIVED the Of Oil and MEMORANDUM FARMOUT AGREEMENT CONFIRMATORY DEED ASSIGNMENT (68%) SECOND AMENDMENT TO MEMORANDUM OF PARTIAL ASSIGNMENT (32%) IMITED PARTIAL ASSIGNMENT (50%) ARMOUT AGREEMENT FIRST AMENDMENT TO MEMORANDUM OF MERGER/NAME CHANGE MERGER/NAME CHANGE ASSIGNMENT NOT LESS THAN 1/8 ASSIGNMENT (68%) THIRD AMENDMENT TO MEMORANDUM OF ASSIGNMENT ASSIGNMENT PARTIAL ASSIGNMENT (32%) FIRST AMENDMENT TO MEMORANDUM OF MERGER/NAME CHANGE MERGER/NAME CHANGE ASSIGNMENT CONFIRMATORY DEED ARMOUT AGREEMENT ASSIGNMENT IMITED PARTIAL ASSIGNMENT (50%) ARMOUT AGREEMENT MEMORANDUM FARMOUT AGREEMENT ARMOUT AGREEMENT **IERGER/NAME CHANGE** Gas MAR 06 2025 vv Department of vironmental Protection **WVSOS WVSOS** 1600 1543 1576 1584 1600 1621 1601 1621 1637 1524 1522 1136 1601 903 1524 1136 1576 1543 1522 E06 51 ģ 1584 275 ы 5 1235 1295 58 692 1295 1235 942 125 491 795 362 250 179 581 692 3 49 362 75 179 250 795 942 125

									/ 33																				28															_
							99,999,444		LC066805	-																																		_
						10			12-0467-0045-0000	p/o 12-0468-0010-0000																t			12-0447-0042-0000	12-0467-0028-0000														
									Q100672000	0.0000																			ΟΟΛΕΤ / ΟΟΤ Ο															_
DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC.		DOMINION ENERGY TRANSMISSION, INC.	DOMINION TRANSMISSION, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.		DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY	IALBUTT, SINGLE, IKUMAN E. GUKE & EILEEN W. GUKE, HIS WIFE		TALBOTT HAMSTEAD & DAVID S. HAMSTEAD, HER HUSBAND, FRANCES	HUSBAND; D. B. TALBOTT & BERNICE C. TALBOTT, HIS WIFE, RUTH	HUSBAND AND WIFE; STELLA PRINCE AND RUDOLPH PRINCE, HER	EDISON O. LAW & BETSEY LAW, EACH IN THEIR OWN RIGHT AND AS	DOMINION ENERGY TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.		DOMINION ENERGY TRANSMISSION, INC.		DOMINION TRANSMISSION, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.		DOMINION TRANSMISSION. INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	RUSSELL D. BISHOP AND OVAL G. BISHOP, HIS WIFE; AND DEVERT. BISHOP, SINGLE	DOMINION ENERGY TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.		DOMINION ENERGY TRANSMISSION, INC.	DUMINIUN I RANSMISSIUN, INC.	DOMINION TRANSMISSION INC	
HG ENERGY II APPALACHIA, LLC HG ENERGY II APPALACHIA, LLC		HG ENERGY II APPALACHIA, LLC	DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC		CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	חטרב ואזו טחאב שאט עטריוראועז						HG ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC		HG ENERGY II APPALACHIA, LLC		DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC		CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HG ENERGY II APPALACHIA, LLC			HG ENERGY II APPALACHIA, LLC	DOMINION ENERGY TRANSMISSION, INC.		
ASSIGNMENT (68%)	THIRD AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	MERGER/NAME CHANGE	ASSIGNMENT	ASSIGNMENT	PARTIAL ASSIGNMENT (32%)	LIMITED PARTIAL ASSIGNMENT (50%)	FARMOUT AGREEMENT	FIRST AMENDMENT TO MEMORANDUM OF	MEMORANDUM FARMOUT AGREEMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE	ASSIGNMENT	CONFIRMATORY DEED		NOT LESS THAN 1/8					ASSIGNMENT (68%)		THIRD AMENDMENT TO MEMORANDUM OF	FARMOULAGREEMENT	SECOND AMENDMENT TO MEMORANDUM OF	MERGER/NAME CHANGE	ASSIGNMENT	ASSIGNMENT	PARTIAL ASSIGNMENT (32%)	LIMITED PARTIAL ASSIGNMENT (50%)	FARMOUT AGREEMENT	FIRST AMENDMENT TO MEMORANDUM OF	MEMORANDUM FARMOUT AGREEMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE P 0 2 3 2	ASSIGNMENT HO A 20	NOT LESS THAN 1/8 HO POPULATION	ASSIGNMENI (68%) D C Ea		THIRD AMENDMENTTOMEMORANDURO	FARMOUT AGREEMENT	SECOND AMENDMENT TO MEMORANDUM OF		
1637	1601	1601	WVSOS	1600	1584	1576	1543	1524		1522	58	51	1136	903		781	200000				1637	TZUT	1621	TUGT	2002	WVSOS	1600	1584	1576	1543	1524		1522	58		1			1201		1601		×	1600
1081	1295	581		692	942	125	1235	491		33	362	795	250	179	1-10	28					TROT	1200	1 205	TOC			692	942	125	1235	491		33	362	795	250	739	TRUT	1001	1 205	581			692

62	250	795	362	33	491	1235	125	010	242	692		581		1295	TOOT	181	179	250	795	362	33	8	491	1235	105	CP6	697	100		581		1295	1081		20	179	250	795	362	33	1235	125	942	692	
975	1136	51	58	1522	1524	1543	1576	1501	400T	1600	MVSOS	1601		1621	1001	776	903	1136	51	58	1600	7707	1524	1543	1676	1587	1600	SUSAM		1601		1621	1637		782	903	1136	51	58	1522	1543	1576	1584	1600	WVSOS
NOT LESS THAN 1/8	ASSIGNMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE	MEMORANDUN BARMOUT AGREEMENT	FIRST AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENS	I IMITED DARTAI ASSETSIMENTED%)	DADTAL ACCOMPANIENT 20%) TO T		ASSIGNMENTIO	ASSIGNMENT & C	MERGER/NAMECHANGE S	SECOND AMENŬMENT TO MEMORÂNDUM OF FARMOUT AGREEMENT	THIRD AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	ASSIGNMENT (68%)	NOT LESS THAN 178	CONFIRMATORY DEED	ASSIGNMENT	MERCER/NAME CHANGE				FIRST AMENDMENT TO MEMORANDOM OF EA PMOLIT AGREEMENT	I MITTED DADTIAL ASSIGNMENT (50%)			ASSIGNIMENT	ASSIGNITEN I MEDGEDANAME CHANGE		SECOND AMENDIMENT TO MEMORANDON OF FARMOUT AGREEMENT	THIRD AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	ASSIGNMENT (68%)		NOT LESS THAN 1/8	CONFIRMATORY DEED	ASSIGNMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE	MEMORANDUM FARMOUT AGREEMENT	LIMITED PARTIAL ASSIGNMENT (50%)	PARTIAL ASSIGNMENT (32%)	ASSIGNMENT	ASSIGNMENT	MERGER/NAME CHANGE
CONSOLIDATED GAS SUPPLY CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CNG TRANSMISSION CORPORATION	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC			NUBLE ENERGY, ING.	NX GAS COMPANY LLO AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	HG ENERGY II APPALACHIA, LLC	DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPAI ACHIA. I I C		HG ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC		FORECLIDATED CAS CURRENT				DOMINION I RANSMISSION, INC.	CNX GAS COMPANY LLC			NOBLE ENERGY, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	HG ENERGY II APPALACHIA, LLC	DUMINIUN ENERGY IRANSMISSION, INC.	HG ENEBGY II APPALACHIA. LLC		HG ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC		HOPE NATURAL GAS COMPANY	CONSOLIDATED GAS SUPPLY CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CNG TRANSMISSION CORPORATION	DOMINION TRANSMISSION, INC.	CNY GAS COMPANY LLC	NORI FENERGY INC.	CONX GAS COMPANY 11 C AND NOBLE ENERGY, INC.			DOMINION ENERGY TRANSMISSION, INC.
OCIE LEWIS	TED GAS SLIPPLY CORPORATION	RATION				JN, INC.		DN, INC.	CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	SSION, INC.					ND AND WIFE; LAURA J.	IN COUNTY BANK			CORPORATION	ION	DOMINION TRANSMISSION, INC.		DN, INC.		DN, INC.	TC		DOMINION TRANSMISSION, INC.			DOMINION ENERGY TRANSMISSION INC	DOMINION ENERGY TRANSMISSION, INC.	DAV SWISHER SINGLE-L WILSON SWISHER AND FDNA M. SWISHER. HIS	MALEY MARY & RISH AND FARIF RISH HER HISBAND	WILLS, FIAM 3. 2000 FAME 2001, MELL 2001, MEL									NUBLE ENERGY, INC. DOMINION TRANSMISSION, INC.
							0100398000	0101138000	00000TTOTO																Q100962000																	Q100839000			
						12-046/-004/-0000	12-0467-0047-0001	12-0467-0047-0002	12-0467-0047-0003	12-0467-0048-0000															12-0468-0030-0000														0,	4/	1	12-0468-0021-0000	21)2	25
							I C066712		LC0/0344																LC066664																	LC066827		_	
								/43																	44																	45	2		

581	1295	1081		600	250	CR/	362	33		491	1235	125	942	692			581	1005	1001	TONT	332	250	66/	362	33		491	1235	125	942	692		ŭ	TOC	1705	1001	TRUL		555	250	795
1601	1621	1637		977	1136	51	58	1522		1524	1543	1576	1584	1600	SOSVW		1601	1001	170T	103/	933	1136	51	58	1522		1524	1543	1576	1584	1600	WVSOS		TNGT	1001	1701	163/		981	1136	51
SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT				NOT LESS THAN 1/8 CO R	ASSIGNMENT O O READ	MERGER/NAME CHANGE	MERGER/NAME CHANGE	MEMORANDUM MARMOUT AGREEMENT	FIRST AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	LIMITED PARTIAL ASSIGNMENT (50%)	PARTIAL ASSIGNMENT (32%)	ASSIGNMENT	ASSIGNMENT	MERGER/NAME CHANGE	SECOND AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	THIRD AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	ASSIGNMENT (68%)	NOT LESS THAN 1/8	ASSIGNMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE	MEMORANDUM FARMOUT AGREEMENT	FIRST AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	LIMITED PARTIAL ASSIGNMENT (50%)	PARTIAL ASSIGNMENT (32%)	ASSIGNMENT	ASSIGNMENT	MERGER/NAME CHANGE	SECOND AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	THIRD AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENI	ASSIGNMENT (68%)		NDT LESS THAN 1/8	ASSIGNMENT	MERGER/NAME CHANGE
HG ENERGY II APPALACHIA, LLC		HG ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC	CONSOLIDATED GAS SUPPLY CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CNG TRANSMISSION CORPORATION	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC		CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY. INC.	HG ENERGY II APPALACHIA. LLC	DOMINION ENERGY TRANSMISSION, INC.		HG ENERGY II APPALACHIA, LLC		3 ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC	CONSOLIDATED GAS SUPPLY CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CNG TRANSMISSION CORPORATION	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC		CNX GAS COMPANY LLC	NOBLE FNERGY. INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	HG ENERGY II APPALACHIA, LLC	DOMINION ENERGY TRANSMISSION, INC.		HG ENERGY II APPALACHIA, LLC		HG ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC				CONSOLIDATED GAS TRANSFILSSION CON STATUST CNG TRANSMISSION CORPORATION
DOMINION ENERGY TRANSMISSION INC.				HARRISON COLINTY BANK	PLY CORPORATION	BATION				DOMINION TRANSMISSION INC.							POMINION ENERGY TRANSMISSION INC.		DOMINION ENERGY TRANSMISSION, INC.			IPPI Y CORPORATION	RATION											DOMINION ENERGY TRANSMISSION. INC.		DOMINION ENERGY TRANSMISSION, INC.		ALLEN S. GREGORY AND ETHEL I. GREGORY, HIS WIFE; A. G. HARDMAN AND IDA LEE HARDMAN, HIS WIFE; HARRIET DAVIS AND HOMER DAVIS, HER HUSBAND; CATHERINE WESTFALL AND ALBERT G. WESTFALL, HER HUSBAND; ALTA QUEEN AND DELBERT QUEEN, HER HUSBAND; MAMIE	WOLFE, DIVORCED; NELLE R. WOLFE, WIDOW; IRENE B. KNICELEY AND ROY R. KNICELEY. HER HUSBAND		CONSOLIDATED GAS SUPPLY CORPORATION
													Δτυυδόζυνυ																	nnnetennt D											
											19/1001		12-0468-0066-0000																12-048/-000/-0000	12-0488-0001-0000	12-1488-UUU2-UUU2							0.4/4	1 1 1	0	
													LC066662																	LC076697								04/*	<u>⊢ / ;</u>	2) /
													48															5		/ 49											

362	33	491	1235	125	642	200	760		581		1295	1081	517	101	250	127		795		362	33	154	101	T C +	1235		C71	692	170		521	100	499	1295	558	1081	220
58	1522	1524	1543	1576	1584		TONOT	WVSOS	1601		1621	1637	HARRISON 976	LEWIS 318	HARRISON 1136	LEWIS 425	WVSOS	HARRISON 51	SOSVW	HARRISON 58	HARRISON 1522	LEWIS 672		HAKKIDUN 1224	HARRISON 1543		HAKKISUN 1576	HARISON 1600	I FWIS 722	SUS/VV		TOOT NOCIVUEL	LEWIS 723	HARRISON 1621	LEWIS 734	HARRISON 1637	LEWIS 736
MERGER/NAME CHANGE	MEMORANDUM FARMOUT AGREEMENT	FIRST AMENDMENT TO MEMORANDUM OF				0		MERGER/NAME CHANGE C	SECOND AMENDMENT TO REMORATION OF		FARMOUT AGREEMENT	ASSIGNMENT (68%)		NOT LESS THAN 1/8		ASSIGNMENT		MERGER/NAME CHANGE		MERGER/NAME CHANGE		MEMORANDUM FARMOUT AGREEMENT	FIRST AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT		LIMITED PARTIAL ASSIGNMENT (50%)					MERGER/NAME CHANGE	SECOND AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	THIRD AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT		ASSIGNMENT (68%)
DOMINION TRANSMISSION. INC.			CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC AND NUBLE ENERGY, INC.	NOBLE ENERGY, INC.	HG ENERGY II APPALACHIA, LLC	DOMINION ENERGY TRANSMISSION, INC.		HG ENERGY II APPALACHIA, LLC		HG ENERGY II APPAI ACHIA, LLC		CONCEIVALED CAS SOLLEL COMPANY		CONSOLIDATED GAS TRANSMISSION CORPORATION		CNG TRANSMISSION CORPORATION		DOMINION TRANSMISSION INC.		CNX GAS COMPANY ILC		CNX GAS COMPANY LLC		NOBLE ENERGY, INC.		CNX GAS COMPANY LLC AND NUBLE ENERGY, INC.		HG ENERGY II APPALACHIA, LLC	DOMINION ENERGY TRANSMISSION, INC.		HG ENERGY II APPALACHIA, LLC		HG ENERGY II APPAI ACHIA. LLC		HG ENERGY II APPALACHIA, LLC
	ION		DN, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC				DOMINION ENERGY TRANSMISSION, INC.					AUBREY W. RANDULPH AND MAKGAKEI C. KANDULPH, HUSBAND AND WI						CNG TRANSMISSION CORPORATION		DOMINION TRANSMISSION, INC.			CNY GAS COMPANY LLC		DOMINION TRANSMISSION, INC.		NOBLE ENERGY, INC.	DOMINION TRANSMISSION, INC.					DOMINION ENERGY TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.
-		Q100237000																							0100591000												
-		12-0488-0013-0000																					12-0488-0011-0000	12-0488-0011-0001	12-0488-0011-0002	12-0488-0011-0003	12-0488-0011-0004	12-0488-0011-0005									
		1 C070282																							LC079791	W079791				_							
		ED	00																							62											

04/11/2025



HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

4703306089

February 25, 2025

Cragin Blevins WV DEP Division of Oil & Gas 601 57th Street Charleston, WV 25304

RE: Drilling Under Roads – Scranage 1204 S-9H Grant District, Harrison County West Virginia

Dear Mr. Blevins -

HG Energy II Appalachia, LLC, is submitting the attached application for a new well work permit for the Scranage 1204 well pad. As an authorized representative, I certify HG Energy II Appalachia, LLC, has the right to drill, stimulate, extract, produce and market the oil, gas or condensate for all leases through which the Scranage 1204 laterals will drill through including all roads crossed under as identified on the attached survey plat.

Should you have any questions or desire further information, please contact me at dwhite@hgenergyllc.com or 304-420-1119.

Very truly yours,

Diane White

Diane C. White

Enclosures

Office RECEIVED Of Oil and Gas MAR 06 200 WV Department of Environmental Protection

Horizontal Natural Gas Well Work Permit **Application Notice By Publication**

Notice is hereby given:

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: The Exponent Telegram Newspaper

Public Notice Date: Wednesday, November 6th & Wednesday, November 13th, 2024

The following applicant intends to apply for a horizontal natural well work permit which disturbs three acres or more of surface excluding pipelines, gathering lines and roads or utilizes more than two hundred ten thousand gallons of water in any thirty day period.

Applicant: HG Energy II Appalachia, LLC Well Number: Scranage 1204 S-9H

Address: 5260 Dupont Road

Parkersburg, WV 26101

Business Conducted: Natural gas production.

Location -

50000	West Virginia		County:	Harrison
District:	Grant		Quadrangle:	Mt Clare 7.5'
UTM Coor	dinate NAD83 Northing:	4334261.3		-
UTM coord	dinate NAD83 Easting:	558406.1		
Watershed	Lost Creek			

Coordinate Conversion:

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/llutm_conus.php

Electronic notification:

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx to sign up.

Reviewing Applications:

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Object may be requested by calling the office or by sending an email to DEP.comments@wv.gov. calling the office or by sending an email to DEP.comments@wv.gov. MAR 06 2025

Submitting Comments:

Submitting Comments: Comments may be submitted online at <u>https://apps.dep.wv.gov/oog/comments/comment</u> Review, Office of Oil and Gas, 601 57th Street, SE Charleston, WV 25304. Please reference the county of all number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx

04/11/2025

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification: 02/07/2025

API No. 47-	-
Operator's Well No.	Scranage 1204 S-9H
Well Pad Name: Sc	ranage Well Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:


State:	West Virginia	UTM NAD 83	Easting:	558406.1
County:	Harrison	UTMINAD 03	Northing:	4334261.3
District:	Grant	Public Road Ac	cess:	Rices Run Road
Quadrangle:	Mount Clare	Generally used t	farm name:	Scranage
Watershed:	Lost Creek			

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification	
that the Operator has properly served the required parties with the following:	OOG OFFICE USE
*PLEASE CHECK ALL THAT APPLY	ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO	RECEIVED/
SEISMIC ACTIVITY WAS CONDUCTED	NOT REQUIRED
□ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ■ NO PLAT SURVEY WAS CONDUCTED	□ RECEIVED
■ 3. NOTICE OF INTENT TO DRILL or □ NOTICE NOT REQUIRED BECAUSE	RECEIVED/
NOTICE OF ENTRY FOR PLAT SURVEY	NOT REQUIRED
WAS CONDUCTED or	
□ WRITTEN WAIVER BY SURFACE OWNER	
(PLEASE ATTACH)	
(PLEASE ATTACH) Office RECEIVED Of Oil and G	RECEIVED
MAR UP 20	
Environmente	_
 5. PUBLIC NOTICE 6. NOTICE OF APPLICATION 6. NOTICE OF APPLICATION 	RECEIVED
	A set of the

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.



Certification of Notice is hereby given:

Well Operator:	HG II Appalachia, LLC		Address:	5260 Dupont Road
By:	Diane White			Parkersburg, WV 26101
Its:	Agent		Facsimile:	304-863-3172
Telephone:	304-420-1119		Email:	dwhite@hgenergyllc.com
	NOTARY SEAL OFFICIAL SEAL NOTARY PUBLIC SIATE OF WEST VIRGINIA Mark J Schall HG Energy LLC 5260 DUPONT ROAD PARKLRSBURG WV 26105 MY COMMERSION TXPIRE NOVIMER 2, 2020	6	ribed and swo	the prices 17 th day of February, 2025. Notary Public prices $1/2/2026$

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

Office RECEIVED Of Oil and Gas MAR 06 2025 Environmental Protection

API NO. 47-OPERATOR WELL NO. Scranage 1204 N-11H to S-10H

Well Pad Name: Scranage 1204

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

WW-6A

(9-13)

	* [*]	-	
Noti	ce Time Requirem	ent: notice shall be provided no later tha	n the filing date of permit application.
Date	of Notice:	Date Permit Application Filed: 1/19/	2023
Noti	ce of:	· .	
		Y CERTIFICATE OF APP	ROVAL FOR THE
1	PERMIT FOR AN		AN IMPOUNDMENT OR PIT
	WELL WORK	CONSTRUCTION OF	
Deli	very method pursu	ant to West Virginia Code § 22-6A-10	
	TATAON	REGISTERED METH	OD OF DELIVERY THAT REQUIRES A
	PERSONAL SERVICE	MAIL RECEI	PT OR SIGNATURE CONFIRMATION of the application, the applicant for a permit for any well work or for a t as required by this article shall deliver, by personal service or by
regiss sedir the s oil a desc oper more well impo have prov prop subs reco prov Cod wate	tered mail or by any nent control plan req urface of the tract or nd gas leasehold bein ribed in the erosion a ator or lessee, in the e coal seams; (4) The work, if the surface oundment or pit as de a water well, spring ide water for consum osed well work active ection (b) of this sec rds of the sheriff req vision of this article to e R. § 35-8-5.7.a rec er purveyor or surfac	method of delivery that requires a recurre to uired by section seven of this article, and to which the well is or is proposed to be loca- ing developed by the proposed well work, it and sediment control plan submitted pursus event the tract of land on which the well pre- covers of record of the surface tract or tra- tract is to be used for the placement, constr- ascribed in section nine of this article; (5) A or water supply source located within one aption by humans or domestic animals; and ity is to take place. (c)(1) If more than threa- tion hold interests in the lands, the applica- uired to be maintained pursuant to section to the contrary, notice to a lien holder is not puires, in part, that the operator shall also p e owner subject to notice and water testing	The application, the application for a personal service or by t as required by this article shall deliver, by personal service or by or signature confirmation, copies of the application, the erosion and the well plat to each of the following persons: (1) The owners of record of fated; (2) The owners of record of the surface tract or tracts overlying the f the surface tract is to be used for roads or other land disturbance as ant to subsection (c), section seven of this article; (3) The coal owner, roposed to be drilled is located [sic] is known to be underlain by one or acts overlying the oil and gas leasehold being developed by the proposed ruction, enlargement, alteration, repair, removal or abandonment of any Any surface owner or water purveyor who is known to the applicant to thousand five hundred feet of the center of the well pad which is used to d (6) The operator of any natural gas storage field within which the eventuation or other co-owners of interests described in ant may serve the documents required upon the person described in the eight, article one, chapter eleven-a of this code. (2) Notwithstanding any as provide the Well Site Safety Plan ("WSSP") to the surface owner and any as provided in section 15 of this rule.
1 I	Application Notice	☑ WSSP Notice ☑ E&S Plan Notice	 ☑ Well Plat Notice is hereby provided to: 6 2025 □ COAL OWNER OR LESSED vironmental or notection Name: NA Address:
			COAL OWNER OR LESSED Vironment
	URFACE OWNER	e (pad, road, water)	Name: NA
Nar	Iress: 633 Rices Run R		Address:
Aut	Lost Creek, WV :	26385	
Nar	ne:		COAL OPERATOR
Ado	lress:		Name: <u>NA</u> Address:
Nar	URFACE OWNER ne: lress:	(s) (Road and/or Other Disturbance)	□ SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s) Name:
			Address:
	ne:		
Add	dress:		OPERATOR OF ANY NATURAL GAS STORAGE FIELD
	TREACE OWNER	(s) (Impoundments or Pits)	Name: BHE GT&S - Attn: Jamie Moore
No.	UN ACD O WILLIE		Address:925 White Oaks Blvd Bridgeport, WV 26330
hA	dress:		*Please attach additional forms if necessary
			Tripace anach annhuman tormo tradocerenj

*Please attach additional forms if necessary

3.3.0OPERATOR WELL NO. Scremage 1204 N-1H to S-10H Well Pad Name: Scranage 1204

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) attrise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and Cifice qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-Environm and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items



703306

04/11/2025

APINO 47 OPERATOR WELL NO. Scranage 1204 N-1H to S-10H Well Pad Name: Scranage 1204

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operation? Conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply openating a permanent of secretary outlining the measures and timetables to be used in establishing a permanent supply. The total in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <u>http://www.dep.wv.gov/oil-and-gas/Horizontal-</u> <u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

(1) The proposed well work will constitute a hazard to the safety of persons;

(2) The plan for soil erosion and sediment control is not adequate or effective;

- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office Of Oil and Gas

MAR 06

WV Department of Environmental Protection

04/11/2025

OPERATOR WELL NO. Scranage 1204 N-1H to S-10H Well Pad Name: Scranage 1204

API NO.

API NO. 47-

OPERATOR WELL NO. Screnage 1204 N-1H to S-10H Well Pad Name: Scranage 1204

4703306

Notice is hereby given by:

TTT 11	0	HG Energy II Appalachia, LLC
Well	I merator.	HG Lifely in Appalaonia, Leo

Address: 5260 Dupont Road

Telephone:	- 304-420-1119	
Email:	dwhite@hgenergyllc.com	Diane White

Parkersburg, WV 26101

Facsimile: 304-863-2172

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Cassidy Boardman 5260 Dunport Rd Parkersburg, WV 26101 My Commission Expires July 31, 2027	Subscribed and sworn before me this <u>10th</u> day of <u>January</u> , 2023 <u>Corridge Boardon</u> N My Commission Expires 7/31/2027	otary Public

RECEIVED Office Of Oil and Gas

MAR 06 2025

WV Department of Environmental Protection

W	W-6A3
(1/	(12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least	st SEVEN (7) days but no more tha	n FORTY-FIVE (45) days prior to			
entry Date of Notice: Date of Planned Entry	4703306089				
Delivery method pursuant to West Virginia Code § 22-64	A-10a				
	ETHOD OF DELIVERY THAT RI CEIPT OR SIGNATURE CONFIL				
on to the surface tract to conduct any plat surveys required p but no more than forty-five days prior to such entry to: (1) T beneath such tract that has filed a declaration pursuant to sec owner of minerals underlying such tract in the county tax rec and Sediment Control Manual and the statutes and rules rela	ursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry in to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams eneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any wher of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the eccretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to hable the surface owner to obtain copies from the secretary.				
Notice is hereby provided to:					
SURFACE OWNER(s)	□ COAL OWNER OR LE	SSEE			
Name: David K Scranage (LLC (pad, road, royalty owner)	Name: NA				
Address: 633 Rices Run Road	Name: <u>NA</u> Address:				
Lost Creek, WV 26385					
Name:					
Address:	MINERAL OWNER(s)				
Name	Name: ** See Attached List				
Name:,, Address:	Address:	<u></u> 8			
//ddi055.	*please attach additional forms if ne	cessary			
Notice is hereby given: Pursuant to West Virginia Code § 22-6A-10(a), notice is here a plat survey on the tract of land as follows: State: West Virginia	-	l operator is planning entry to conduct			
State: West Virginia County: Harrison	Public Road Access:	Rices Run Road			
District: Creat	Watershed:				

county.	Harrison	r dono reoda reoobbi	
District:	Grant	Watershed:	Lost Creek
Quadrangle:	Mt. Clare 7.5"	Generally used farm name:	Scranage
			2 B
Coming of the	state Frazion and Sadiment Control Manual and	the statutes and rules related to o	il and gas exploration and production

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarter Docated at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to oil and gas explorated drilling may be obtained from the Secretary by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

			MAN	
Notice is here	by given by:		Department of	
Well Operator: HG Energy II Appalachia, LLC		Address:	5260 Dupont Read	
Telephone:	304-420-1119		Parkersburg, WV 26101	
Email:	dwhite@hgenergyllc.com	Facsimile:	304-863-3172	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF INTENT TO DRILL</u>

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: 10/07/2022 Date Permit Application Filed: 10/21/2022

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND ECERTIFIED MAIL DELIVERY RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name:	David K Scranage	Name:	ø		2
Address:	633 Rices Run Road	Address:			
	Lost Creek, WV 26385		2	•	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTM NAD 83.	Easting:	558306.8	
County:	Harrison	UTIVI IVAD 65.	Northing:	4334265.4	
District:	Grant	Public Road Ac	cess:	Rice Run Road @ SR 46	• *
Quadrangle:	Mt. Clare WV 7.5'	Generally used t	farm name:	David Scranage	
Watershed:	Lost Creek			•	

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

by given by:		Office RECENC		
HG Energy II Appalachia, LLC	Authorized Representative:	Diane White Oil ED		
5260 Dupont Road	Address:	5260 Dypont Road Gas		
Parkersburg, WV 26101		WParkersburg WV 26101		
304-420-1119	Telephone:	11r 304 920 4119		
dwhite@hgenergyllc.com	Email:	dwhite@hgenefgyljc.com		
304-863-3172	Facsimile:	304-863-3172 304-863-3172		
	HG Energy II Appalachia, LLC 5260 Dupont Road Parkersburg, WV 26101 304-420-1119 dwhite@hgenergyllc.com	HG Energy II Appalachia, LLC Authorized Representative: 5260 Dupont Road Address: Parkersburg, WV 26101 Telephone: 304-420-1119 Telephone: dwhite@hgenergyllc.com Email:		

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.



WW-6A5 (1/12)

04/11/2025

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE OF PLANNED OPERATION**

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 10/14/2022 Date Permit Application Filed: 10/17/2022

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	×
DIMUNITER	ormome

RETURN RECEIPT REQUESTED

□ HAND DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name:	David K Scranage	Name:	
Address:	633 Rice Run Road	Address:	
	Lost Creek, WV 26385		

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	Easting:	558306.8	
County:	Harrison	UTM NAD 83 Northing:	4334265.4	
District:	Grant	Public Road Access:	Rice Run Road @ SR 46	
Quadrangle:	Mt. Clare WV 7.5'	Generally used farm name:	David Scranage	а Е. С
Watershed:	Lost Creek	,		

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-andgas/pages/default.aspx.

Well Operator:	HG Energy II Appalachia, LLC	Address:	5260 Dupont Roa	d .	
Telephone:	304-420-1119		Parkersburg, WV	26101	
Email:	dwhite@hgenergyllc.com	Facsimile:	304-863-3172	Office Of Oil	•
				and Gas	

Oil and Gas Privacy Notice:

MAR 06 2 The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties on the manual course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Apple requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Michael J. DeMers1900 Kanawha Boulevard East • Building Five • Room 109
Charleston, West Virginia 25305-0440 • (304) 558-0444Deputy Secretary of Transportation

Stephen T. Rumbaugh, P.E. Secretary of Transportation Commissioner of Highways

February 24, 2025

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the 1204 Scranage Well Pad, Harrison County Well Sites: Scranage 1204 N-1H Scranage 1204 N-2H Scranage 1204 N-3H Scranage 1204 N-4H Scranage 1204 N-5H Scranage 1204 N-6H Scranage 1204 S-7H Scranage 1204 S-8H Scranage 1204 S-9H Scranage 1204 S-10H Scrange 1204 S-11H Scranage 1204 S-12H

Dear Mr. Martin,

This well site will be accessed from a DOH permit #04-2022-0694 which has been issued to HG Energy II Appalachia, LLC for access to the State Road for a well site located off Harrison County Route 44/5 SLS MP 0.36.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated March 6, 2023. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Lacy D. Pratt^{Of} Oil and Gas Central Office **9&G** Coordinator

WV Department of Environmental Protection

Cc: Diane White HG Energy II Appalachia, LLC OM, D-4 File

E.E.O./AFFIRMATIVE ACTION EMPLOYER

HG Energy II Appalachia, LLC List of Frac Additives by Chemical Name and CAS # Scranage 1204 Well Pad (N-1H to S-12H)

Chemical Name	CAS #	Multiple CAS #'s
		•
Pro Shale Slik 405	Mixture	68551-12-2
		7647-14-5
		12125-02-9
		64742-47-8
Pro Hib II	Mixture	68412-54-4
-		68607-28-3
		107-21-1
		111-76-2
		67-56-1
		107-19-7
Silica Sand and Ground Sand	Mixture	14808-60-7
		1344-28-1
		1309-37-1
		13463-67-7
Hydrochloric Acid 22 DEG BE	7647-01-0	
PROGEL - 4.5	64742-96-7	
BIO CLEAR 2000	Mixture	25322-68-3
		10222-01-2
SCALE CLEAR SI 112	107-21-1	
PROBREAK 4	Mixture	57-50-1
		107-21-1
		RECEIVED Office Of Oil and
Sulfamic Acid	5329-14-6	
		MAR 0 6 20
PRO - Flow - 102-N	Mixture	67-63-0 WV Department
		68439-45-Zenvironmentar
		2687-96-9
PROGEL - 4	9000-30-0	

WW-6A7 (6-12)

OPERATOR: HG Energy II Appalachia, LL	WELL NO: Scranage 1204 S-9H
PAD NAME: Scranage 1204	
REVIEWED BY: Diane White	SIGNATERE: Diane White
WELL RESTRICTIO HORIZONTAL	ALL
Well Restrictions	
Perennial Stream, Lake, Pond, Reservoir	
DEP Waiver and Permit Condition	
▲ At Least 300 Feet from Pad and LOD (in Naturally Producing Trout Stream; OR	cluding any E&S Control Feature) to any
DEP Waiver and Permit Condition	ns
At Least 1000 Feet from Pad and LOD (Groundwater Intake or Public Water Sup	including any E&S Control Feature) to any oply; OR
DEP Waiver and Permit Condition	ons
At Least 250 Feet from an Existing Wate Drilled; OR	er Well or Developed Spring to Well Being
Surface Owner Waiver and Reco	rded with County Clerk, OR
DEP Variance and Permit Condit	ions
At Least 625 Feet from an Occupied Dw	elling Structure to Center of the Pad; OR
Surface Owner Waiver and Reco	rded with County Clerk, OR
DEP Variance and Permit Condit	ions
At Least 625 Feet from Agricultural Bui of the Pad; OR	ldings Larger than 2500 Square Feet to the Center
Surface Owner Waiver and Reco	rded with County Clerk, OR
DEP Variance and Permit Condit	ions

04/11/2025

