





See col. operation in this district

**Reed & Horne**  
 NAME OF WELL OPERATOR  
 4100 West Va.  
 REGISTRY NUMBER  
 March 1936 28  
 WELL AND LOCATION  
 Ten Mile District  
 Harrison County  
 Well No. (Number or SCAND) 2701  
 Serial 12111111111111111111  
 Date

OPERATOR OF THE WELL OR OPERATOR, AND NAME OF THE OWNER OR OPERATOR, AND THE OPERATOR AND NAME OF THE OWNER OF THE WELL, SHALL SIGN AND FILE THIS AFFIDAVIT OF REGISTRATION IN THE OFFICE OF THE STATE ENGINEER AT THE TIME OF THE REGISTRATION OF THE WELL.

**AFFIDAVIT**

STATE OF WEST VIRGINIA

County of Harrison

**Burt Mitchell** and **Alpha Jordan**  
 being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling of oil and gas wells and were employed by **Reed & Horne**, well operators, and participated in the work of plugging and filling the above well, that said work was commenced on the day of Dec. 1936, 1936, and that the well was plugged and filled in the following manner:

Runner in steel and was plugged. Removed 2" tubing and filled hole with clay to 2414'-and placed steel plug. Removed 5 1/16 casing which was set at 2404'-and filled hole with clay to 2350'-above garden a stray sand and placed cement plug.  
 Installed permanent bridge 4 1950'-30' below big injun sand and filled hole with clay to 1705'-above big injun sand and placed wood plug. Removed 5 7/8 casing which was set at 1754'-  
 Installed permanent bridge at 1455'-30' below salt sand and filled hole with clay to 1410'-above salt sand and placed cement plug.  
 Installed bridge and place plug at 80'-and fill of hole with clay to 70'-30' below pittsburgh coal seam, then filled with cement to 470'-above pittsburgh coal seam, then filled with clay to the surface of.

Description of cement. Concrete cement to be created near the hole when plug removed.

AND WHERE NECESSARY MAY BE IN WRITING AND NECESSARILY HAVE THE OPERATOR OF THE WELL OR OPERATOR OF THE WELL SIGN AND FILE THIS AFFIDAVIT OF REGISTRATION IN THE OFFICE OF THE STATE ENGINEER AT THE TIME OF THE REGISTRATION OF THE WELL.

and that the work of plugging and filling said well was completed on the day of Dec.

1936.

And further deposes and says:

*M.A. 125-A*  
*Burt Mitchell*  
*Alpha Jordan*  
*W. Frank Thompson*  
 State Engineer

to and subscribed before me this 24 day of March, 1936.

By Commission Expires



**PRELIMINARY DATA SHEET NO. 1**

Well No. \_\_\_\_\_ Well No. 1

**J. K. Reed & Co. Jones** Company of **Salom, S. Va.**  
 District-Parish on the District-Parish Parish

containing **200** acres. Location **Ten Mile** District, in **Harrison** County, West Virginia

The surface of the above tract is owned in fee by \_\_\_\_\_ address, and the mineral rights are owned by \_\_\_\_\_ of \_\_\_\_\_

The oil and gas privileges are held under lease by the above named company, and this well is drilled under patent No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Division on \_\_\_\_\_ 1936.

Direction of surface at top of well, **1177** feet

The number of feet of the different steel casings used in the well.

Feet	Size	Material	Weight	Notes
1700	4-in.	5-8/16"	200	steel casing
200	4-in.	5"	200	steel casing
	4-in.	5-7/8"	200	steel casing
				part of _____
				surface of _____
				is casing perforated at _____ feet to _____ feet
				is casing perforated at _____ feet to _____ feet
				that was encountered at _____ feet, that was _____ feet, and at _____ feet
				then, therefore _____ feet, and at _____ feet

There were used as follows: \_\_\_\_\_

Approved: *J. K. Reed & Co. Jones*  
*Michael*  
 State Engineer