

Section	Depth	Character	Top of Oil Layer or Water	Top	Bottom	Thickness	Notes	
Pittsburgh Coal	1016			1022		7	165	
Masson Sand	2116			2195		79	1118	
Little Limestone	2230			2240		10		
Big Injun	2290			2422		132	2476	
Thirty Foot	2956			2975		19		
	Oil			2962				
Total Depth								4975

The well was drilled to a depth of 2962 feet. The well was shut at
 2962 feet. The well was shut at 2962 feet. The well was shut at 2962 feet.

The well was drilled to a depth of 2962 feet. The well was shut at
 2962 feet. The well was shut at 2962 feet. The well was shut at 2962 feet.

The well was drilled to a depth of 2962 feet. The well was shut at
 2962 feet. The well was shut at 2962 feet. The well was shut at 2962 feet.



STATE OF WEST VIRGINIA
 COUNTY OF HARRISON
 In the Matter of the Estate of
 ROBERT B. MOORE
 Adm. of Will.
 vs.
 J. J. MOORE
 Executor.

AFFIDAVIT

STATE OF WEST VIRGINIA

COUNTY OF HARRISON

Harvey E. Gooding

and
 Percy M. Hill

do hereby depose and say that they are experienced in the work of plugging
 and filling wells and were employed by Hand & Moore well operator,
 and participated in the work of plugging and filling the above well that said work was commenced on the
 18th day of July 1936 and that the well was plugged and filled in

Removed 2" Tubing, filled with clay 2975'
 placed wood plug 2930'-2975' and
 cemented 2910'-2975' setting thirty foot sand. Continued filling with clay
 placed wood plug 2600'-2507' cemented 2507'-2507' setting hole
 over the fifty foot sand. SET PERMANENT BRIDGE 2552'-30' below the
 top of bridge cement on top of bridge. Continued filling
 with clay 2250'-2107' cemented
 2250' sand above the big logan, placed wood plug 2084'-2095' cemented
 2084' setting hole above the big logan. Continued filling with clay
 1855'-1805' placed wood plug 1805'-1805' cemented
 1805' sand above the big logan, placed wood plug 1505'-1505' cemented
 1505' sand above the big logan. Set a permanent bridge at 1052'-2' above
 top of bridge, filled with clay to 1000' placed wood plug 1000'-1000'
 cemented 1000' setting hole above the big logan. Continued filling
 with clay to 1200' set a permanent bridge at 1052'-2' above
 a permanent bridge at 1052'-2' above the pittsburg. Con-
 tinued filling with clay to 1700' placed wood plug 1700'-1700' and continued
 filling hole to the surface.

Deponent of affidavit, J. J. Moore, was created over the hole as die riped
 in section 17 of the paper and under 1700' hole.

Subscribed and sworn to before me on the above day and date at the County of Harrison, State of West Virginia.

Notary Public
 J. J. Moore
 18th July 1936

Percy M. Hill

HAR-311A

NOT LOCATED