



484A

~~202A~~

Clark District, Harrison County, W. Va.

By Reserve Gas Co., Clarksburg, W. Va.

On 220 acres, on Limestone Creek.

Elevation, 1157' L.

Drilling commenced Oct. 12, 1908; completed Jan. 29, 1909.

Deepened in 1922.

Shot Sept. 29, 1922, at 3121-3133'.

No fresh or salt water recorded.

13" casing, 80'; 10", 235'; 8 $\frac{1}{4}$ ", 960' (pulled); 6-5/8", 1554';

5-3/16", 2174'; 2" tubing, 3147'.

Casing not cemented.

Coal was encountered at 54-60'.

Oil and gas well.

Abandonment reported to Dept. of Mines Jan. 12, 1937.

Record to RCT 2-1-37.

	Top.	Bottom.
Pittsburgh Coal	54	- 60
Little Dunkard Sand	470	- 500
Big Dunkard Sand	560	- 560
First Salt Sand	800	- 920
Second Salt Sand	935	- 1000
Maxton Sand	1220	- 1245
Little Lime	1410	- 1430
Big Lime	1440	- 1500
Big Injun Sand (gas, 1523')	1500	- 1610
50-Ft. Sand	2015	- 2080
30-Ft. Sand	2100	- 2130
Gordon Stray Sand	2160	- 2185
Gordon Sand	2210	- 2230
Fourth Sand	2280	- 2315
Fifth Sand (gas, 2424-2431')	2423	- 2435
Speechley Sand (oil 3123'; gas, 3123')	3120	- 3131
Total depth		3147

284

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. HAR-484-A

Oil or Gas Well Oil & Gas  
(Kind)

Company Reserve Gas Company  
 Address Clarksburg, W. Va.,  
 Farm T. T. Thompson Acres 220  
 Location (waters) Limestone Creek  
 Well No. 139 Elev. 1157'  
 District Clark County Harrison  
 The surface of tract is owned in fee by.....  
 Address.....  
 Mineral rights are owned by.....  
 Address.....  
 Drilling commenced October 12, 1908  
 Drilling completed Jan'y 29, 1909. (Deepened 1922)  
 Date shot 9-29-1922 Depth of shot 3121-3133  
 Open Flow /10ths Water in..... Inch  
 /10ths Merc. in..... Inch  
 Volume..... Cu. Ft.  
 Rock Pressure..... lbs..... hrs.  
 Oil..... bbls., 1st 24 hrs.  
 Fresh water None recorded feet..... feet  
 Salt water None recorded feet..... feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16.....			Kind of Packer.....
13.....	80	80	
10.....	235	235	Size of.....
8 3/4.....	960	None	
6 5/8.....	1554	1554	Depth set.....
5 3/16.....	2174	2174	
3.....			Perf. top.....
2.....	3147	3147	Perf. bottom.....
Liners Used.....			Perf. top.....
			Perf. bottom.....

CASING CEMENTED..... SIZE..... No. FT..... Date  
 Not cemented  
 COAL WAS ENCOUNTERED AT 54 FEET 72 INCHES  
 FEET..... INCHES..... FEET..... INCHES  
 FEET..... INCHES..... FEET..... INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Pittsburgh Coal			54	60			
Little Dunkard Sand			470	500			
Big Dunkard Sand			560	660			
First Salt Sand			800	920			
Second Salt Sand			935	1000			
Maxon Sand			1220	1245			
Little Lime			1410	1430			
Big Lime			1440	1500			
Big Injun Sand			1500	1610	Gas	1523	
Fifty Foot Sand			2015	2080			
Thirty Foot Sand			2100	2130			
Gordon Stray Sand			2160	2185			
Gordon Sand			2210	2230			
Fourth Sand			2280	2315			
Fifth Sand			2423	2435	Gas	2424-2431	
Speechley Sand			3120	3131	Oil Gas	3123 3123	
		Total Depth		3147			

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date..... **January 12.** ....., 19 **37**.

APPROVED **Reserve Gas Company** ....., Owner

By..... *[Signature]* .....,  
 (Title) **Asst. General Supt.**