



- New Location
- Drill Deeper
- Abandonment

Company Pittsburgh & W. Va. Gas Co.  
 Address Clarksburg W.Va.  
 Farm John A. Harbert et ux  
 Tract \_\_\_\_\_ Acres 120 Lease No. 6675  
 Well (Farm) No. 1 Serial No. 2142  
 Elevation (Spirit Level) 1018 V.A.  
 Quadrangle Clarksburg N.W. 41  
 County Harrison District: Eagle  
 Engineer F.S. Matthews  
 Engineer's Registration No. 1022  
 File No. V-126P-82 Drawing No. \_\_\_\_\_  
 Date Dec 6, 1943 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. HAR-797-A  
Was 1033 - 70386

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

634

WELL RECORD

Ab  
Permit No. 797-A

Oil or Gas Well **Gas**  
(KIND)

Company **Pittsburgh & West Va. Gas Company**  
 Address **Clarksburg, West Va.**  
 Farm **John A. Harbert** Acres **120**  
 Location (waters) **Ohio, W.V. 4-1**  
 Well No. **2112** Elev. **1018' VA**  
 District **Eight** County **Harrison**  
 The surface of tract is owned in fee by **John C. Harbert**  
 Address **Brown, West Va.,**  
 Mineral rights are owned by **Clay Harbert et al.**  
 Address **Hubertport, W.Va.**  
 Drilling commenced **February 21, 1907**  
 Drilling completed **May 18, 1907**  
 Date shot \_\_\_\_\_ Depth of shot \_\_\_\_\_  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<b>Anchor</b>
10	<b>393'</b>	<b>393'</b>	Size of <b>6-1/2" x 4"</b>
8 1/4	<b>1200'</b>	<b>Pulled!</b>	
6 3/8	<b>1518'</b>	<b>1518'</b>	Depth set <b>2271'</b>
5 3/16			
3	<b>2630'</b>	<b>2630'</b>	Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT **140** FEET **24** INCHES  
**135** FEET **24** INCHES **135** FEET **24** INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand	Brown	Soft	0	8			
lime	white	Soft	8	53	Water	15'	
slate	"	Soft	53	63			
lime	Black	Hard	63	98			
slate	white	Soft	98	105			
lime	"	Hard	105	140			
Coal			140	142			
lime	white	Hard	142	175			
slate	Black	Soft	175	185			
Fg. Coal			185	192			
slate	Black	Soft	192	197			
lime	white	Hard	197	207			
sand	"	"	207	232			
slate	"	Soft	232	260			
lime	Black	Hard	260	275			
slate	"	Soft	275	300			
Red Rock	Red	"	300	300			
lime	white	Hard	300	395			
slate	Black	Soft	395	420			
Red Rock	Red	"	420	430			
lime	Grey	Hard	430	455			
slate	white	Soft	455	530			
L. Dunkard Sand	White	Hard	530	595			
slate	Black	Soft	595	615			
sand	white	"	615	625			
slate	Black	"	625	642			
lime	white	"	642	712			
Big Dunkard Sand	Wh.	Hard	712	742			
slate	Black	Soft	742	842			
lime	white	"	842	880			
Gas Sand	"	Hard	880	933			
slate	Black	Soft	933	1028			
Salt Sand	white	Hard	1028	1336	Water	1123'	
Coal			1336	1377			
slate	Black	Soft	1377	1399			
Red Rock	Red	"	1399	1411			
slate	white	"	1411	1423			
Little Lime	"	Hard	1423	1437			
slate	Black	Soft	1437	1458			
Red Rock	Red	"	1458	1472			

0

JAN 1944  
DEPARTMENT OF MINES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Big Lime	White	Hard	1472	1539			
Big Injan	"	"	1539	1615			
Slate-Shells	"	"	1615	1768			
Sand	"	"	1768	1795			
Slate	"	Soft	1795	1850			
Lime	"	Hard	1850	1865			
Slate	"	Soft	1865	1900			
Slate&Shells	"	Hard	1900	1950			
Lime	"	"	1950	1970			
Slate&Shells	"	"	1970	2000			
Lime	"	"	2000	2015			
Sand	Dark	Broken	2015	2025			
Slate	White	Soft	2025	2050			
Lime	"	Hard	2050	2060			
Slate&Shells	"	"	2060	2070			
Slate	"	Soft	2070	2085			
Slate&Shells	"	Hard	2085	2120			
Fifty Foot Sand	White	"	2120	2150			
Slate	Dark	Soft	2150	2158			
Slate&Shells	White	Hard	2158	2180			
Slate	"	Soft	2180	2212			
Thirty Foot Sand-Wh.	"	Hard	2212	2234	Gas	2216'	
Slate	Red	Soft	2234	2250			
Garden Stray	White	Hard	2250	2273			
Slate	"	Soft	2273	2283	Gas	2380'	
Garden Sand	"	Hard	2283	2400			
Slate	"	Soft	2400	2415			
Sand	Black	Hard	2415	2440			
Slate	"	Soft	2440	2450			
Slate&Shells	White	"	2450	2575	Gas	2576'	
Sand	Black	"	2575	2578			
Slate	"	"	2578	2622			
Total Depth				2622'			

June 25, 1941.

Date....., 194.....

PITTSBURGH & WEST VA GAS COMPANY.

APPROVED....., Owner

By..... (Title)

Record of Well No. 2142 Located on John A. Herbert Farm Jan 27 1927  
Esper District Harrison County West Va State  
 Division D District No. 11 Drilled under well Order 723  
 Rig built by John Craig Began 19 Completed Feb 19 1927  
 Well drilled by Jan Hartman Began Feb 21 1927 Completed May 18 1927  
 Depth of Well 2622 feet Size of Hole 6 5/8 Producing Gas

CASED WITH

REMARKS

Elev. 1018 G.L.

AMOUNT	SIZE	KIND	
16'	13 1/4"	Wood	
193'	10"	Old	
1280'	8 1/4"	New	Reclaimed
1518'	6 5/8"		

COAL VEINS <sup>160</sup>Maple Grove <sup>185</sup>164 <sup>1334</sup>172 <sup>1327</sup>Coal?

FORMATIONS

FORMATION	COLOR	OPEN OR CLOSE HARD OR SOFT	TOP	BOTTOM	REMARKS GAS-OIL-WATER (THICKNESS OF PAY)
Little Lambert			550	595	
Big "			712	762	
Salt Sand			880	923	
Salt "			1008	1260	
Salt Sand			1290	1344	
Big Limestone			1472		
Big Limestone			1539	1615	1201535
Highly fossiliferous			2120	2150	
Thinly "			2212	2234	" 2216
W. on Keith			2250	2272	
W. on Keith			2283	2400	" 2380
Round			2415	2457	
W. on Keith Sand			2575	2578	" 2576

(104) Brown - Lumberport

FIRST PRESSURE TEST IN \_\_\_\_\_ CASING

REMARKS

30 Sec. \_\_\_\_\_ lbs.

1 Min. \_\_\_\_\_ "

2 " \_\_\_\_\_ "

5 " \_\_\_\_\_ "

10 " \_\_\_\_\_ "

15 " \_\_\_\_\_ "

30 " \_\_\_\_\_ "

Rock Pressure \_\_\_\_\_ " in \_\_\_\_\_

Taken \_\_\_\_\_ 19 \_\_\_\_\_

By \_\_\_\_\_

WELL TUBED AND PACKED \_\_\_\_\_ 19 \_\_\_\_\_

VIZ: - *Used 2630 ft. of 3" Tubing*  
*6 5/8 x 4 Anchor Packer*  
*359' of 3" Tubing Anchor*

FIRST PRESSURE TEST IN \_\_\_\_\_ TUBING

REMARKS

30 Sec. \_\_\_\_\_ lbs.

1 Min. \_\_\_\_\_ "

2 " \_\_\_\_\_ "

5 " \_\_\_\_\_ "

10 " \_\_\_\_\_ "

15 " \_\_\_\_\_ "

30 " \_\_\_\_\_ "

Rock Pressure \_\_\_\_\_ " in *May 31-1913-120 #*

Taken \_\_\_\_\_ 19 \_\_\_\_\_

By \_\_\_\_\_

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES: