



New Location
 Drill Deeper
 Abandonment

Company PITTSBURGH & W.VA. GAS CO.
 Address CLARKSBURG, W.VA.
 Farm R. M. ROGERS
 Tract _____ Acres 80 Lease No. 7160
 Well (Farm) No. ONE Serial No. 2293
 Elevation (Spirit Level) 1074'
 Quadrangle CLARKSBURG S.W. 2⁴
 County HARRISON District EAGLE
 Engineer Kenneth B. Moore
 Engineer's Registration No. _____
 File No. V 158 P 21 Drawing No. _____
 Date 5-4-48 Scale 1" = 300'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAR-1192-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1037

WELL RECORD

Permit No. 119-4

Oil or Gas Well **"GAS"**
(KIND)

Pittsburgh & West Va Gas Company.
 Company Clarksburg, West Va.
 Address R. H. Rogers
 Farm 80 Acres
 Location (waters) Clarksburg S/W. 2-1
 Well No. 2295 Elev. 1074'
 District Eagle County Harrison
 The surface of tract is owned in fee by Hugh H. Rogers
91 Grant Street Address Uniontown, Penna.,
 Mineral rights are owned by Hugh H. Rogers
91 Grant Street Address Uniontown, Pa.
 Drilling commenced July 16, 1909.
 Drilling completed September 4th, 1909
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	524'	524'	Size of
8 1/4	1019'	51'	
6 3/8	1286'	1286'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate	Dark	Soft	0	80			
Lime	White	Hard	80	100			
Red Rock	Red	Soft	100	170			
Lime	White	Hard	170	270			
Slate	Dark	Soft	270	300			
Lime Shells	White	Hard	300	350			
Slate	Dark	Soft	350	400			
Slate	White	Soft	400	460			
Dunkard Sand		Hard	460	525			
Lime	White	"	525	575			
Lime	Dark	"	575	620			
Slate	"	Soft	620	640			
Gas Sand	White	Hard	640	730			
Slate	Black	Soft	730	740			
1st. Salt Sand	Dark	Hard	740	760			
Slate	White	Soft	760	763			
2nd. Salt Sand	"	Hard	763	955	Water	780-790'	
Slate	Dark	Soft	955	1040			
Slate&Shells	"	Soft	1040	1110			
Lime	White	Hard	1110	1125			
Red Rock	Red	Soft	1125	1155			
Lime	White	Hard	1155	1175			
Lime	Red	Hard	1175	1180			
Slate	"	Soft	1180	1248			
Little Lime	Dark	Hard	1248	1268			
Pencil Cave	Black	Soft	1268	1280			
Big Lime	White	Hard	1280	1382			
Big Injun	"	Hard	1382	1482	Gas	1415'	
Slate&Shells	"	Hard&Soft	1482	1900			
30 Ft. Sand	Light	Hard	1900	1920			
Slate&Shells	White	Hard&Soft	1920	1975			
30 Ft. Sand	Gray	Hard	1975	2030			
Slate	Red	Soft	2030	2042			
Gordon Stump	White	Hard	2042	2047			
Slate	"	Soft	2047	2052			
Gordon Sand	"	Hard	2052	2065			
Slate	Red	Soft	2065	2120			
Red Rock	Red	Soft	2120	2165			

MAY 19 1910
 WEST VIRGINIA
 DEPARTMENT OF MINES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
4th. Sand	Gray	Hard	2165	2235			
Slate	White	Soft	2235	2364			
5th. Sand	"	Hard	2364	2371	Gas	2366'	
.....							
Total Depth.....							2371

October 28th, 1947

Date _____, 19____

PITTSBURGH & WEST VA GAS COMPANY.

APPROVED _____

Owner

By _____

W. M. Martin

(Title)

Record of Well No. 2293 Located on P.M. Rodgers Farm May 19 1909
Eagle District Harrison County West Va State
 Division R District No. 11 Drilled under well Order 1003
 Rig built by John Crain Began 19 Completed June 24 1909
 Well drilled by G. E. Groves Began July 17 1909 Completed Sept 4 1909
 Depth of Well 1074 feet Size of Hole 6 5/8 Producing Gas
 Elev. 1074' G.L.

CASED WITH

REMARKS

AMOUNT	SIZE	KIND	
524'	10"	Steel	
1019'	8 1/4"	"	Reclaimed 968 ft. 8 1/4 Aug 31-1909
1286'	6 5/8"	"	
2269'	3"	"	

COAL VEINS

FORMATIONS

FORMATION	COLOR	OPEN OR CLOSE HARD OR SOFT	TOP	BOTTOM	REMARKS GAS-OIL-WATER (THICKNESS OF FAT)
<u>Little Sandstone</u>			460	513	Oil 500
<u>Gas sand</u>			640	700	Water 130
<u>Silt</u>			720	975	
<u>Big Limestone</u>			1210	1382	
<u>Big Limestone</u>			1382	1482	Gas 1421
<u>Thirty Foot</u>			1975	2030	" 1448
<u>Howled sand</u>			2165	2235	
<u>Silt</u>			2264	2371	" 2366
<u>Total Depth (Water)</u>				2369	T.D.?

(104) Brown Lumberport

FIRST PRESSURE TEST IN 3 x 6 ⁵/₈ CASING

REMARKS

30 Sec. 10 lbs.

1 Min. 20 "

2 " 30 "

5 " 60 "

10 " 140 "

15 " 180 "

30 " 250 "

60 " 350 "

Rock Pressure 460 " in

Taken Sept 6 19 09

By

*Cap. 24 Pro 6 ⁵/₈
1,042,160 Cu ft.*

WELL TUBED AND PACKED Sept 6, 19 09

VIZ: 2369 ft. 3" Tubing
1-6 ⁵/₈ x 3" Neater Anchor Packer
10 ft. 205 ft. 3" Anchor
1-3" P. & L. Collar Nipple above Packer

FIRST PRESSURE TEST IN 3" TUBING

REMARKS

30 Sec. 30 lbs.

1 Min. 50 "

2 " 70 "

5 " 130 "

10 " 220 "

15 " 220 "

30 " 625 "

Rock Pressure 780 " in

Taken Sept 6 19 11

By

May 31, 1913 P. P. 340^{ff}

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES: