



Surface Ellis Hanna et ux.

New Location _____
 Drill Deeper _____
 Abandonment

Company A. M. Snider
 Address Hundred, W. Va.
 Farm D. F. Haggerty
 Tract 1 Acres 17A Lease No. _____
 Well (Farm) No. 3 Serial No. _____
 Elevation (Spirit Level) 1370'
 Quadrangle Clarksburg
 County Harrison District Tennite
 Engineer A. L. Headley
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date 8-2-1948 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAR-1233-A

⊕ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 — Denotes one inch spaces on border line of original tracing.

D. F. HAGGERTY NO. 3 WELL.

Tennile District, Harrison County, W. Va.

By A. M. Snider, Hundred, W. Va.

Abandoned under permit Har-.....-A?

On.....acres.

Elevation,' L.

Drilling completed Oct. 22, 1900.? (commenced?)

8 $\frac{1}{2}$ " casing, 383'; 6 $\frac{5}{8}$ ", 1953'; 5x5 $\frac{1}{2}$ " liner, 450'.

Coal was encountered at 530-535'.

.....well. Record to Dept. of Mines stamped Aug. 19, 1948.

Record to RCT from Mrs. Griffith Sept. 23, 1948. Old File No. 1018.

| | Top. | Bottom. |
|-----------------|------|---------|
| Pittsburgh Coal | 530 | - 535 |
| Dunkard Sand | 1025 | - 1075 |
| Big Lime | 1890 | - 1958 |
| 50-Ft. Sand | 2490 | - 2530 |
| Gordon Sand | 2730 | - 2758 |
| 5th Sand | 2896 | - 2904 |
| Total depth | | 2922 |

1233A



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1518

WELL RECORD

Ab 1233-A
Permit No. _____

Oil or Gas Well _____
(KIND)

Company G. M. Snider
 Address Hamlet W. Va.
D. E. Hoggerty
 Farm _____ Acres _____
 Location (waters) g
 Well No. 200 Elev. _____
 District 200 County Harrison
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced 10-22-1900
 Drilling completed _____
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|----------------|
| Size | | | |
| 16 | | | Kind of Packer |
| 13 | | | |
| 10 | | | Size of |
| 8 1/4 | | 383 | |
| 6 5/8 | | 1952 | Depth set |
| 5 3/16 | | | |
| 3 | | | Perf. top |
| 2 | | | Perf. bottom |
| Liners Used | | | Perf. top |
| 5 1/2 | | 450 | Perf. bottom |

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 530 FEET 60 INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|-------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Pgh Coal | | | 530 | 535 | | | |
| Shale | | | 1025 | 1075 | | | |
| By Lime | | | 1890 | 1958 | | | |
| 50 ft | | | 2490 | 2530 | | (C) | |
| Gordon | | | 2730 | 2758 | | | |
| 5th | | | 2896 | 2904 | | | |
| Total Depth | | | | 2922 | | | |

