

0.73 Miles

Longitude 80 70



$$\frac{A. 112}{0.73} = 5.632$$

$$\frac{2.486}{0.73} = 3.40$$

Surface owned by Gaynor Wise  
 Address: Mr Gaynor Wise, RFD No 1, Salem, W Va.  
 Coal owned by Melvin G. Sperry & West Virginia Coal & Coke Co  
 Address: Mr Melvin G. Sperry, PO Box 126, Clarksburg, W Va  
 Address: West Virginia Coal & Coke Co, Elkins, W Va.

New Location  
 Drill Deeper  
 Abandonment

On 800 MAP No 8 Sgs. 620 E 3.

NOT LOCATED

MINERVA WALKER NO. 2 WELL.

1569A

Union District, Harrison County, W. Va.

By William Moses, Salem, W. Va.

Abandoned under permit Har-.....-A?

On.....acres.

Elevation, .....' L.

Drilling completed Oct. 11, 1916.

10" casing, 346'; 8 $\frac{1}{4}$ ", 1554'; 6 $\frac{5}{8}$ ", 2170'; 5 $\frac{3}{16}$ ", 2732'; all left in.

Coal was encountered at 692-698'.

Gas well. Record to Dept. of Mines stamped Oct. 7, 1952.

Record to RCT from Mrs. Griffith Dec. 10, 1952. O.F.No.1438.

	Top.	Bottom.
Pittsburgh Coal	692	- 698
Big Dunkard Sand	1145	- 1185
Salt Sand	1840	- 1920
Maxton Sand	1925	- 1960
Big Lime	2105	- 2165
Big Injun Sand	2165	- 2270
Squaw Sand	2275	- 2320
Gantz Sand	2475	- 2505
30-Ft. Sand	2671	- 2690
Gerden Stray Sand	2749	- 2778
Total depth		2778



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1438

WELL RECORD

Permit No. HAR-1525-A

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company William Moses  
 Address Salem, W. Va.  
 Farm Minerva Walker Acres \_\_\_\_\_  
 Location (waters) \_\_\_\_\_  
 Well No. Two Elev. \_\_\_\_\_  
 District Union County Harrison  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed Oct. 11, 1916  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10		346	Size of
8 1/4		1554	
6 1/2		2170	Depth set
5 3/16		2732	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 692 FEET 72 INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pgh Coal			692	698			
Big Dunkard			1145	1185			
Salt.			1640	1920			
Maxon			1925	1960			
Big Lime			2105	2165			
Big Injun			2165	2270			
Squaw			2275	2320			
Gantz			2475	2505			
30 Ft.			2671	2690			
Gordon & Stray			2749	2778			
Total Depth				2778			

