



- New Location ..
- Drill Deeper ..
- Abandonment ..

Formerly Hope Natural Gas Co. Well N° 3255

|   |                            |
|---|----------------------------|
| Company <u>LURAY LAND INC.</u>          |                            |
| Address <u>POINT PLEASANT, WEST VA.</u> |                            |
| Farm <u>W.M. STROTHER</u>               |                            |
| Tract _____                             | Acres <u>80</u>            |
| Lease No. _____                         |                            |
| Well (Farm) No. <u>1</u>                | Serial No. _____           |
| Elevation (Spirit Level) <u>1220'</u>   |                            |
| Quadrangle <u>CLARKSBURG</u>            |                            |
| County <u>HARRISON</u>                  | District <u>COAL</u>       |
| Engineer <u>H.P. SUTER</u>              |                            |
| Engineer's Registration No. <u>1805</u> |                            |
| File No. _____                          | Drawing No. _____          |
| Date <u>3 JUNE 1959</u>                 | Scale <u>1" = 40 POLES</u> |

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

**WELL LOCATION MAP**

FILE NO. HAR-1729-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



1596

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Clarksburg  
Permit No. 1729 A

WELL RECORD

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Hope Natural Gas Company  
 Address Clarksburg, West Virginia  
 Farm W.M. Strother Acres 70  
 Location (waters) (Hope)  
 Well No. 3255 Elev. 1220  
 District Coal County Harrison  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced Mar. 29, 1915  
 Drilling completed June 18, 1915  
 Date Shot 6-18-15 From Fifth To \_\_\_\_\_  
 With 3-4-43 Fifth  
Fourth  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 WELL ACIDIZED \_\_\_\_\_  
 WELL FRACTURED \_\_\_\_\_

| Casing and Tubing | Used in Drilling | Left in Well   | Packers              |
|-------------------|------------------|----------------|----------------------|
| Size              |                  |                | Kind of Packer _____ |
| 16                |                  |                |                      |
| 13                |                  |                |                      |
| 10                | <u>255'7"</u>    | <u>255'7"</u>  | Size of _____        |
| 8 1/4             | <u>1204'5"</u>   | <u>Pulled</u>  |                      |
| 6 5/8             | <u>1694'4"</u>   | <u>1694'4"</u> | Depth set _____      |
| 5 3/16            | <u>2349'1"</u>   | <u>2349'1"</u> |                      |
| 3                 |                  |                | Perf. top _____      |
| 2                 | <u>2474'5"</u>   | <u>Pulled</u>  | Perf. bottom _____   |
| Liners Used       |                  |                | Perf. top _____      |
|                   |                  |                | Perf. bottom _____   |

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
 ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
 Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

| Formation               | Color | Hard or Soft | Top  | Bottom    | Oil, Gas or Water  | Depth | Remarks |
|-------------------------|-------|--------------|------|-----------|--------------------|-------|---------|
| <b>Pittsburgh Coal</b>  |       |              | 200  | 205       |                    |       |         |
| <b>Dunkard Sand</b>     |       |              | 575  | 795       |                    |       |         |
| <b>Salt Sand</b>        |       |              | 1000 | 1290      |                    |       |         |
| <b>Maxon Sand</b>       |       |              | 1495 | 1515      |                    |       |         |
| <b>Injun Sand</b>       |       |              | 1665 | 1745      |                    |       |         |
| <b>Gantz Sand</b>       |       |              | 2060 | 2075      |                    |       |         |
| <b>Fifth Foot Sand</b>  |       |              | 2100 | 2125      |                    |       |         |
| <b>Thirty Foot Sand</b> |       |              | 2165 | 2190      | <b>Gas at 2169</b> |       |         |
| <b>Stray Sand</b>       |       |              | 2329 | 2365      |                    |       |         |
| <b>Gordon Sand</b>      |       |              | 2367 | 2392      |                    |       |         |
| <b>Fourth Sand</b>      |       |              | 2394 | 2435      | <b>Gas at 2396</b> |       |         |
| <b>Fifth Sand</b>       |       |              | 2586 | 2601      | <b>Gas at 2588</b> |       |         |
| <b>Total Depth</b>      |       |              |      | 2733 S.L. |                    |       |         |

MAR 26 1960



