



Surf: Hattie Fowler, Rt#1, Wallace, W.Va. 5.04S
 Coal: Mountaineer Coal Co., 1.0W
 Box 1632, Fairmont, W.Va.

New Location
 Drill Deeper
 Abandonment

MAY 15 1962
 Map N49 S2 E6

1.0 W
 5.04 S

Company SOUTH PENN OIL CO.
 Address PARKERSBURG, W. Va.
 Farm W. C. FOWLER
 Tract _____ Acres 55[±] Lease No. 37276
 Well (Farm) No. 5 Serial No. _____
 Elevation (Spirit Level) 1122.20' ground
 Quadrangle CENTERPOINT
 County HARRISON District SARDIS
 Engineer A. C. Hillent
 Engineer's Registration No. 2534
 File No. 1342 Drawing No. _____
 Date April 25, 1961 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAR-177A-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



10705

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle CENTERPOINT

Permit No. 1774A

WELL RECORD

Oil or Gas Well _____
(KIND)

Company SOUTH PENN OIL COMPANY
Address P. O. Box 1280, Parkersburg, W. Va.
Farm W. C. Fowler Acres 55
Location (waters) Mad Lick Run
Well No. 5 Elev. 1122.20'
District Sardin County Harrison
The surface of tract is owned in fee by Hattie Fowler
Rt. #1 Address Wallace, W. Va.
Mineral rights are owned by Benny Bellamy
Address Wallace, W. Va.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Cone</u>
13			Size of
10	<u>160'</u>	<u>NONE</u>	Depth set
8	<u>1395'</u>	<u>NONE</u>	<u>2750'</u>
6 3/8	<u>2130'</u>	<u>2130'</u>	Perf. top
5 3/16	<u>2765'</u>	<u>2765'</u>	Perf. bottom
2 1/2" x 4 1/2"	<u>264'</u>	<u>264'</u>	Perf. top
2			Perf. bottom
Liners Used			

Drilling commenced 4/21/07
Drilling completed 6/15/07
Date Shot 5/4/17 noon 3015' To
With 10 qts. and 20 qts.
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____
WELL FRACTURED _____

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 920 FEET 60 INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

RESULT AFTER TREATMENT _____
ROCK PRESSURE AFTER TREATMENT _____
Fresh Water _____ Feet _____ Salt Water _____ Feet _____

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Conductor				10			
Fgh. Coal			920	925			
Bunkard			1395	1475			
Salt Sand			1650	1985			
Maxton Sand			2050	2075			
Big Linn			2140	2190			
Big Injun			2190	2290			
Fifty Feet			2760	2790			
Thirty Feet			2870	2900			
Gordon Sand			3005				
TOTAL DEPTH				3025	Oil	3016	

APR 1961
RECEIVED
West Virginia
Dept. of Mines

AUG 2 1908

(over)

WIG FOWLER nos J - SOUTH PENN OIL Co - HAR-1774A

