



New Location X  
 Drill Deeper [ ]  
 Abandonment [ ]

Company SPARTAN GAS COMPANY  
 Address KANAWHA VALLEY BLDG., CHARLESTON, W. VA.  
 Farm S.L. CLENDENIN ET AL.  
 Tract \_\_\_\_\_ Acres 287 Lease No. \_\_\_\_\_  
 Well (Farm) No. ONE Serial No. S-17  
 Elevation (Spirit Level) 701.0  
 Quadrangle KENNA ~~W~~ WC  
 County JACKSON District RIPLEY  
 Engineer Robert A. Hyde  
 Engineer's Registration No. 646  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date NOVEMBER 8, 1940 Scale 1 INCH = 660 FEET

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. JAC-107

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

6-6 192

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D

Permit No. Jac-107  
Kenna Quad.

Gas Well

Company	Spartan Gas Company	CASING & TUBING
Address	518 Kanawha Valley Bldg., Charleston	16 21-0
Farm	S. L. Clendenin, et al ACRES 287	13-3/8 133 pulled
Location	Dog Fork	10-3/4 720 "
Well No.	1 ELEV. 706	8-5/8 1932-7
District	Ripley - Jackson County	7 4889-4
Surface & Mineral	Sanford L. Clendenin, et al, Kenna, W.Va.	2 4934
Commenced	Nov. 12, 1940	Perf. top - 4928
Completed	Jan. 26, 1941	" bot.- 4934
Shot	Not shot	
Open Flow	50/10ths Merc. in 7" 24#	7" casing cemented with
Volume	11,039,000 c.f.	20 sacks cement 1/19/41
Rock Pressure	1660 lbs. 14 hrs.	
Water	-	

Surface	0	10	
Rock	10	20	
Red Rock	20	40	
Sand	40	55	
Blue Slate	55	140	
Red Rock	140	155	
Blue Slato	155	200	
Red Rock	200	225	
Sand	225	240	
Red Rock	240	260	
Sand	260	275	
Blue Slate	275	320	
Red Rock	320	360	
Slate	360	400	
Sand	400	410	
Slate	410	440	
Red Rock	440	460	
Slate	460	580	
Sand	580	600	
Slate	600	615	
Sand	615	640	
Black Slato	640	715	
Sand	715	820	Water to drill 760
White Slate	820	985	
Sand	985	1015	
Black Slate	1015	1125	
Sand	1125	1170	
Sl. & Shells	1170	1370	
Sand <i>Salt Sand</i>	1370	1777	HFW 1375
Big Lime	1777	1840	
Slate	1840	1850	
Injun Sand	1850	1895	
Slate	1895	1920	
Hard Shells	1920	1950	
Sl. & Shells	1950	2307	
Brown Shale	2307	2314	
Borea Sand	2314	2325	
Sl. & Shells	2325	2830	
Slate	2830	3530	
Brown Shale - 441	3530	3560	
Shells	3560	3825	
Brown Shale	3825	4105	
Slate	4105	4245	
Shale - brown	4245	4281	
White Slate	4281	4508	
Brown Shale	4508	4836	
Cornif. Lime - 463	4836	4935	
Oriskany	4935	4948	Gas 4938-4948 SLM @ 4951
Total Depth	4948	4948	Casing point.

475