



*abandoned
Sept 47*

*1.98-W
~~2.02-W~~
2.26-S
3.21-S*

New Location X
 Drill Deeper
 Abandonment

Company United Carbon Co.
 Address Charleston, W. Va.
 Farm Elizabeth W. Perkins et al.
 Tract Acres 122 Lease No. 2428
 Well (Farm) No. Nine Serial No. 950
 Elevation (Spirit Level) 894.5
 Quadrangle Kenna C
 County Jackson District Wash.
 Engineer C. B. Wilson
 Engineer's Registration No. 494
 File No. _____ Drawing No. _____
 Date May 13, 41 Scale 1" = 660'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. JAC-159

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6-1922

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Jac-159

Gas Well

Kenna Quad.

Company

United Carbon Company

Casing & Tubing

Address

United Carbon Bldg., Charleston, W. Va. 13-3/8

455 00

Farm

E. W. Perkins Acres 122

10 1/2 946 946

Location

Sugar Creek

8-5/8 2013 2013

Well No.

9

Elev. 894.5

7 5107 5107

District

Washington Jackson County

2-3/8 5245

Surface

Fisher Heirs, Advent, W. Va.

Mineral

E. W. Perkins, J.S. Conley, Union Bldg.,

Charleston, W. Va.

Casing Cemented

Commenced

June 11, 1941

8-5/8 560 8/11/41

Completed

Oct. 14, 1941

7 212 9/26/41

Shot

10/14/41 Depth 5217-5250'

Flow

30/10ths Water in 7"

Volume

2,317,000 Cu. Ft.

Rock Pressure

1780 lbs. 24 hrs.

Salt Water

1586 Ft.

Soil		0	6	Shale	bn	4785	4900
Clay		6	30	Slate	wh	4900	4945
Sand		30	110	Shale	bn	4945	5000
Rock	rd	110	125	Slate & Shells		5000	5045
Slate		125	155	Shale	bk	5045	5091 - MARCELLUS
Sand		155	175	Corniferous Lime		5091	5212 - 463
Rock	rd	175	185	Oriskany		5212	5250
Slate		185	220	Lime		5250	5259
Sand		220	245	Sand	<i>Field</i>	5259	5267
Rock	rd	245	280	Lime		5267	5281
Slate		280	400	Total Depth	<i>495</i>		5281
Rock	rd	400	410	Drilled by - Nichols & Kiffer, Contrs.			
Lime		410	465	Drillers - C.G. Helper			
Sand		465	480	J.B. Snider			
Slate		480	490	Hole filled to 5255' and shot with 80 Qts.			
Sand		490	530	of Glycerine			
Rock	rd	530	540				
Slate		540	555				
Rock	rd	555	685				
Slate		685	700				
Lime		700	720				
Rock	rd	720	740				
Slate		740	770				
Lime		770	790				
Rock	rd	790	840				
Slate		840	865				
Slate	bk	865	870				
Slate	wh	870	937				
Sand		937	960				
Slate		960	963				
Sand		963	1035				
Slate		1035	1093				
Sand		1093	1160				
Slate & Shells		1160	1220				
Sand		1220	1495				
Slate & Shells		1495	1515				
Slate		1515	1555				
Salt Sand		1555	1797	Gas	1560-1564	Show	
Slate		1797	1800	Water	1586	Hole Full	
Maxon Sand		1800	1855				
Little Lime		1855	1875				
Big Lime		1875	2030				
Injun Sand		2030	2088				
Slate		2088	2090				
Lime		2090	2135				
Slate & Shells		2135	3745				
Shale	bn - 441	2745	3773	Gas	3758	Show	
Slate & Shells		3775	4020				
Shale	bn	4020	4340				
Slate	wh	4340	4785				