



New Location

Drill Deeper

Abandonment

(THIS MAP REPLACES
MAP DATED 12-19-41)

LOC. 1.7 M. S.E. OF SANDYVILLE

Company COLUMBIAN CARBON CO.
AND U.F. GAS CO.
Address BOX 873 CHARLESTON W.VA.
Farm C.W. TOLLEY ET AL
Tract _____ Acres 165 Lease No. WU-65J
Well (Farm) No. ONE Serial No. _____
Elevation (Spirit Level) 729.0
Quadrangle RIPLEY NW -5- C
County JACKSON District RAVENSWOOD
Engineer J. J. [Signature]
Engineer's Registration No. 772
File No. _____ Drawing No. 191
Date OCT. 22, 1942 Scale 1" = 660

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. Jac 285 P

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Jac 285-R
Ripley Quad. N.W.
Company

Gas Well
CASING & TUBING

Address	Columbian Carbon Co. United Fuel Gas Co.		
Farm	and Everett Starcher et al	16	109'8 Same
Location	Box 873, Charleston, W.Va.	13 3/8	635'1 Pulled
Well No	C.W. Tolley et al Acres 165	10 1/2	1157' Pulled
District	Trace Fork of Sand Creek	8 4/8	2062'2 Pulled
Surface	1 (GW-692) Elev. 733.4 DF	6 5/8	4945'3 Pulled
Mineral	Raewenswood Jackson County		
Commenced	C.W. Tolley et al, Ripley, W.Va.		Coal at 1798' show
Completed	Same (165 A)		
Date shot	12-10-42		
Volume	4-29-43		
Rock Pressure	4-28-43 Depth 5006' to 5046' SLM		
Fresh Water	with 266 2/3# gelatin		
Salt Water	158 MCF		
	350# 72 hrs.		
	105' H.F. 580'H.F.		
	1342' H.F.		

Red Rock	0	30	Lime	1436	1441
Blue Slate	30	35	Sand & Slate	1441	1650
Red Rock	35	45	Lime	1650	1674
Slate	45	53	Slate & Sand	1674	1820
Red Rock	53	63	Big Lime	1820	1946
Slate	63	100	Big Injun Sand	1946	2033
Sand	100	110	Slate	2033	2049 SLM
Red Rock	110	122	Lime	2049 SLM	2056
Slate	122	129	Slate & Shells	2056	2390
Red Rock	129	210	Sand - <i>Core</i>	2390	2405
Blue Slate	210	240	Slate-Shells	2405	3657
Red Rock	240	249	Brown Shale - <i>44</i>	3657	3695
Slate	249	280	Slate	3695	3908
Red Rock	280	300	Brown Shale	3908	4200
Blue Slate	300	320	Slate, White	4200	4625
Red Rock	320	330	Brown Shale	4625	4635
Slate & Shells	330	337	Slate	4635	4670
Sand	337	353	Brown Shale	4670	4898 SLM
Slate	353	367	Corniferous - <i>44</i>	4898 SLM	5006 SLM
Red Rock	367	383	Oriskany	5006 SLM	5067
Blue Slate	383	395	Lime	5067	5076
Red Rock	395	402	Oriskany <i>held</i>	5076	5097 SLM
Blue Slate	402	435	Lime	5097 SLM	
Red Rock	435	452	TOTAL DEPTH	5097 SLM 5092	DLM
Slate	452	473	Pays 5008-5011'		
Sand	473	484	CEMENT RECORD: 12-30-42 Aquagelled 13 3/8"		
Slate	484	503	casing. Ran 16 bags Aquagel and 1 bale		
Red Rock	503	513	Fibrotex. Good Cir. Returns 430'		
Blue Slate	513	535	1-11-43 Aquagelled 10 1/2" casing. Ran 21		
Red Rock	535	545	bags Aquagel and 50# Fibrotex.		
Sand	545	597	2-8-43 Aquagelled 8 5/8" casing. Ran 25		
Red Rock	597	620	bags aquagel and 50 # Fibrotex. Good		
Blue Slate	620	634 SLM	Cir. while mixing. Returns 1650'.		
Shells	634 SLM	639	3-24-43 Aquagelled 6" casing. Ran		
White Slate	639	708	75 bags Aquagel and 4 bales Fibrotex.		
Red Rock	708	717	Ran 4 sacks Superior Cement in dump		
Slate	717	760	bailer		
Red Rock	760	778			
Slate	778	787			
Sand	787	794			
Slate, Hard	794	835			
Sand	835	862			
Slate	862	1088			
Red Rock	1088	1096			
Blue Slate	1096	1147			
Shell	1147	1154			
Slate	1154	1270			
Sand	1270	1326			
Slate	1326	1342			
Sand	1342	1423			
Slate	1423	1436			