

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 02, 2015

## WELL WORK PERMIT Re-Work

This permit, API Well Number: 47-3500487, issued to COLUMBIA GAS TRANSMISSION, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 7295

Farm Name: AYLERS, ARTHUR

API Well Number: 47-3500487

Permit Type: Re-Work
Date Issued: 06/02/2015

Promoting a healthy environment.

## PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

- 00487

WW-2	2A
(Rev.	6-07)


1). Date: 2/5/15 2.) Operator's Well Number Ripley 7295 State County Permit 47-3.) API Well No .:

STATE OF WEST VIRGINIA



	DEPARTMENT OF EN			그는 나이 없어 그리면 있으면 그래요?		GAS /
	NOTICE A	ND APPLICA	TION FOR A W	ELL WORK I	PERMIT	G.
4) Surfac	e Owner(s) to be served	: /	,5) (a) Coal Oper	rator		g
(a) Na			Name	not operated		
Addre		N//	Address			<del></del>
	Sandyville, WV 25275	d,	_			
(b) Na	me		(b) Coal Ow	ner(s) with De	claration	— <del></del>
Addre	ss		Name	not operated		
			Address			
4004			¥ E.	-		
(c) Na			_ Name	·		
Addre	SS		Address			
6) Inspect	Or Jamie Stevens		(c) Coal Les	see with Decla	aration	
Addres			Name			
	Kenna, WV 25248		 Address			
Teleph	one 304-206-7775			-		-
1.9)		PERSONS NA	MED ABOVE TA	KE NOTICE T	HAT:	
Include	ed is the lease or leases or	other continuing	contract or contract	cts by which I ho	old the right to ex	tract oil and gas
<u>OR</u>				0/10 / // 0 /		( )
	ed is the information require					
annlication	ertify that as required und , a location plat, and accon	er Chapter 22-6 nanving docume	ents pages 1 through	nh on the al	served copies c	ies by:
application	Personal Servi	ce (Affidavit attac	ched)	g., o.,o a.		
			al receipt attached	)		
		tice of Publication				
	ave read and understand 0	hapter 22-6 and	35 CSR 4, and I	agree to the te	rms and condition	ons of any permit
	er this application. ertify under penalty of law	that I have nore	anally avaminad a	nd am familiar i	with the informat	tion submitted on
this applica	ation form and all attachme	ents and that ha	onally examined a sed on my inquiry	of those individ	duals immediatel	v responsible for
obtaining t	ne information, I believe that	at the information	is true, accurate a	ind complete.		
	m aware that there are sig	nificant penalties	for submitting fals	e information, ir	ncluding the poss	sibility of fine and
imprisonm	ent.	Mall Operator	Calumbia Can Transmin	sion II C	0	
		Well Operator By:	Columbia Gas Transmis  James E. Amos		m El	100-
		Its:	Senior Well Services Eng			
		Address	1700 MacCorkle Ave. SE			
			Charleston, WV 25325-	1273		
		Telephone	304-483-0073			
Subscribed	d and sworn before me this	10 th day of	Februar	y	20/5	
mas	in Marie Ole	Louin		0 Notary F	blics VEST	OFFICIAL SEAL NOTARY PUBLIC
My Comm	ssion Expires 3/2	2/2015			I Walder of the	STATE OF WEST VIRGINIA MARY MARIE CLENDENIN
	Privacy Notice	1			THE PRE	LIMBIA GAS TRANSMISSION CORPORATION
The Office of	Oil and Gas processes your po	rsonal information.	such as name, addre	ss and phone num	ber, as a part of ou	SANDYVILLE, WV 25275 Freego latoryx pluties rch 22, 201:
Your person	al information may be disclosed	I to other State age	ncies or third parties i	n the normal cours	se of business or as	s needed to comply

information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov



WW-2A1 (Rev. 1/11)

Operator's Well Number Ripley 7295

## INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

47-035-00487-7

3500487W

Book/Page

W. E. Hupp, et al

Columbia Gas Transmission, LLC

Storage Lease 52783

84 / 519

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application he reby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following: Received

- WV Division of Water and Waste Management
- WV Division of Natural Resources
- WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be ac guired from the appr opriate aut hority before the affected activity is initiated.

Well Operator:

By: Its:

Columbia Gas Transmission, LLC

James E. Amos

Senior Well Services Engineer

Office of Oil & Gas

MAR 3 0 2015

06/05/2015

WW - 2B (Rev. 8/10) 2500487W

## **STATE OF WEST VIRGINIA** DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operato	or: Colum	nbia Gas	Transmission, LL	C 307032	Jackson	Ravenswood	Sandyville
				Operator ID	County	District	Quadrangle
2) Operator's V	Vell Numb	er: Riple	y 7295 (existing we	II)	3) Elevation:	669	
4) Well Type: (a	a) Oil	or Ga	as X				
(t	o) If Gas:	Produ	iction/ Und	lerground Sto	rage X		
			<u>x</u> / S				
<ul><li>6) Proposed To</li><li>7) Approximate</li></ul>	otal Depth fresh wa	: 4871 (exist ter strata	Oriskany  Feet F depths: 290' (as reported by	Formation at F			
9) Approximate	coal sea	m depths	s: none reported b	y driller in 1945			
10) Approximat	te void de	pths,(coa	al, Karst, other):	none reported b	y driller in 1945		
11) Does land (	contain co	al seam	s tributary to acti	ive mine? <u>ne</u>	o		
12) Describe pro Clean wellbore usi	•		nd fracturing metho	ods in detail (a	ttach additiona	I sheets if nee	eded)
Casing and tubing	a listed belo	w are exi				· XVX	A LUNCH
13)	<u> </u>		ASING AND TUE	SING PROGR	AM	ENT MULL	Jave Jave
•	PECIFIC	· · · · · · · · · · · · · · · · · · ·		FOOTAGE	INTERVALS	(VCEMEN	VI GOOD
	<u>Size</u>	<u>Grade</u>	Weight per ft	For Drilling	<u>Left in Well</u>	Fill -up (Cu.	.Ft.) +395
Conductor	16			16	16	no record of	cement
Fresh Water	13.375		48	590	590	cmt'd but no record	d of amount
Coal	10.75			1139	0	N/A	
Intermediate	8.625		24	2004	2004	cmt'd but no record	d of amount
Production	4.5	J-55	12.6	4871	4871	cmt'd but no record	d of amount
Tubing							. /
Intermediate #2	7		22	4757	4757	cmt'd but ac record	Received
Packers: Kind	d:					MA	AR 30 2016
Size				_			
Dep	oths Set						06/05/201

1)

D

Red Rock

Slate Shells Slate, Black

Slate Shell

TOTAL DEPTH

apr 47-035

Permit - JAC - 487 Company - United Carbon Company Form - W. E. Hupp et al Well No. 1-1293 Location - Ravenswood District, Jackson County Commenced - May 26, 1945 Completed - August 11, 1945 Elevation - 675.3

Casing Record: 16" 16' 13 3/8" 48# 590' 10 3/4" 32.75# 113819" Pulled 8 5/8" 24# 2004 7" OD 22# 2 3/8"

Fornation Red Rock Shell 110 70 Red Rock 110 130 Slate, Blue Shell 130 150 150 200 Red Rock 200 230 Slate, Blue 230 290 Sand Siale, Blue 290 300 300 315 Red Rock

315 340 Shell 340 350 Red Rock 350 375 375 Swid Shell Red Rock 400 420 Slate , Red Rock Sand 550 Slate, Black 550 590 Lime, Sandy Slate 615 700 Sand Slate, Blue 700 710 710 725 Red Rock 725 740 Sand

800

975 990

1075 Lime Shell 1090 1240 Slate Shell 1240 1252 Slate, Black 1252 1262 Line 1262 Sand 1325 Slate & Shells 1360 1360 1405 Sand 1405 Slate 1450 Sand 1485 1570 Slate 1570 Salt Sand 1700 1855 Big Lime Slate, White Injun Sand 1855 1878 1878 1994 1994 2330 Slate Shell

2330 Shale, Brown 2340 Berca Shell 3600 2350 Slate & Shells 3600 3650 Shale, Brown Slate & Shells 3650 3860 4080 3860 Shale, Brown 4080 4520 Slate, White 4520 4745 Shale, Brown Corniferous Lime 4854 4854 4871 Oriskany Sand 4871

Water at 2901 1265' Hole full

48541 6/10 H 2º 103N 48561 12/10 W 2" 146H

Final open flow 17,437,000 Cu. Ft. Ratural

24 hour rook pressure 1740#.

Received Office of Oil & Gas

MAR 30 2015

F-19835

06/05/2015

WW-9 Rev. 5/10

	Page		of	,
API Number 47 -	035	9	00487	F.
Operator's Well N	o. Ripley 7:	295		/

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE
Operator Name Columbia Gas Transmission, LLC OP Code 307032
Watershed Mud Run of Sandy Creek Quadrangle Sandyville
Elevation 669 County Jackson District Ravenswood
Description of anticipated Pit Waste: no earthen pit to be utilized
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No X
Will a synthetic liner be used in the pit? N/A . If so, what mil.?
Will a synthetic liner be used in the pit? N/A  Proposed Disposal Method For Treated Pit Wastes:  Land Application  ANY WELL EFFLUENT M  BE CONTAINED IN TANKS  OIS POSED OF PROPERLY.
Land Application  Vinderground Injection (UIC Permit Number 34-105-2-3619, 34-009-03761, 34-121-2459
Reuse (at API Number)
Off Site Disposal (Supply form WW-9 for disposal location)  X Other (Explain Pinegrove Landfill - Amanda, OH
Drilling medium anticipated for this well? Air, freshwater, oil based, etc. freshwater
-If oil based, what type? Synthetic, petroleum, etc
Additives to be used? biocide, surfactant
Will closed loop system be used ? yes  Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. not anticipated
-If left in pit and plan to solidify what medium will be used? Cement, lime, sawdust
-Landfill or offsite name/permit number? IF NEEDED: Pinegrove Landfill - Amanda, OH
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.  Received  Office of Oil & Gas
Company Official (Typed Name) James E. Amos
Company Official Title Senior Well Services Engineer
Company Official Title Community 2015
Subscribed and sworn before me this 10 th day of February, 20 15
Drang Marie Clendenin  Notary Public STATE OF WEST VIRGINIA MARY MARIE CLENDENIN
My commission expires 3/22/2015  My commission expires 3/22/2015  Occumble Gas Transmission corporation RR 2 BOX 138 SANDVILLE, WY 25275 My commission expires March 22, 2015

		L	EGEND		
Property Boundary			Diversion (1(111111)	MARIE LA	
Rond = = = = = =	=====		Spring		
Existing Fence — X —	× — × —		Wet Spot		
Planned Fence /	-//-		Drain Pipe with size in inch	nes 13	
Stream	7	<del></del>	Waterway $\longleftrightarrow$	$\leftarrow$	
Open Ditch	··		Cross Drain		
Rock & SS & SS	•		Artificial Filter Strip XX	******	
North N	•		Pit: cut walls	<b>)</b>	
Buildings			Pit: compacted fill walls	7	
Water wells W			Area for Land Application	of Pit Waste	
Drill site					
Proposed Revegetation Treatmer	nt: Acres Disturbed	< 0.5	Prevegetation	<sub>n pH</sub> 6	
_					
Lime 2	_ Tons/acre or to cor	rect to pH _			
Fertilizer (10-20-20 or e	equivalent) 500	lbs/a	cre (500 lbs minimum)		
Mulch 2		Tons/ac	re		
		<del></del>			
		Seed	Mixtures		
Area I				Area II	
Seed Type	lbs/acre		Seed Type	lbs/acre	
Orchard Grass	20		Orchard Grass	20	
Ledino Clover	10		Ledino Clover	10	
Annual Rye	20		Annual Rye	20	•
Attach: Drawing(s) of road, location,pit	and proposed area fo	or land appli	cation.		
Photocopied section of involved	7.51 tonographic sha	at			
Photocopied section of involved	7.5 topograpine sne	ci.			
$\overline{}$	<del></del>	0.	-		
Plan Approved by:	mass.x	Stove	M.		
Comments:	notion Wh	ell	Protion by	eult.	
Comments:	har ha	in it.	a haline		
- Portales		VII THOR	w propertification	1	
Was not	-		7/05	Received	Can
Title:	<u> </u>	-\/	, Date:	90/50ffice of Oil &	CLSE
Field Reviewed? (	) Yes	$\langle X \rangle$	_) No	MAR 30 2015	

3500487W

■800

**200** 

WV DEP Reclamation Plan - Overview - Existing road surface and culverts to be maintained - BMPs to be utilized per WV DEP guidelines Ripley 7295 Stimulation - Kanpa n 2015 Goodle Ripley well 7295

Google earth meters 06/05/2015

Received Office of Oil & Gas MAR 3 0 2015





Received Office of Oil & Gas MAR 3 0 2015

