



New Location    
 Drill Deeper    
 Abandonment

Company COLUMBIAN CARBON Co.   
 Address Box 873 CHARLESTON W.VA.   
 Farm C.D. EICKELBERRY   
 Tract \_\_\_\_\_ Acres 268 Lease No. WU113   
 Well (Farm) No. 1 Serial No. 958   
 Elevation (Spirit Level) 647.0   
 Quadrangle RIPLEY-3 - 299 - 168   
 County JACKSON District RAVENSWOOD   
 Engineer C.A. Brantley   
 Engineer's Registration No. 653   
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_   
 Date 2/20/47 Scale 1" = 660'

STATE OF WEST VIRGINIA   
 DEPARTMENT OF MINES   
 OIL AND GAS DIVISION   
 CHARLESTON

WELL LOCATION MAP   
 FILE NO. JAC-554

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

*Deep Hall*

Longitude 81 00



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. JAC-554 D

Oil or Gas Well dry hole  
(KIND)

Company Columbian Carbon Company  
Address Box 873, Charleston 23, W. Va.  
Farm C. D. Eickleberry, et al Acres 268  
Location (waters) Straight Fork  
Well No. 1-A - GW-958 Elev. 617. G  
District Ravenswood County Jackson  
The surface of tract is owned in fee by W. A. Eickleberry  
Box 1227 Address Akron 10, Ohio  
Mineral rights are owned by C. D. Eickleberry, et al  
(For further addresses contact C.C.C.)  
Address

Drilling commenced 8-1-17  
Drilling completed 10-13-17  
Date Shot not shot From To

With  
Open Flow /10ths Water in Inch  
/10ths Merc. in Inch  
Volume dry hole Cu. Ft.  
Rock Pressure lbs. hrs.  
Oil bbls., 1st 24 hrs.  
Fresh water 150' 170' 1034' feet feet  
Salt water 1705' feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16" 65#	33'	33'	Kind of Packer
13 3/8" 118#	601' 7"	pulled	Size of
10 3/4" 35#	1139' 1"	pulled	Depth set
8 3/4" 21#	2000' 3"	pulled	
8 3/4" 7"	1534' 7"	1534' 7"	
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date  
see reverse side

COAL WAS ENCOUNTERED AT 521 FEET 21 INCHES  
FEET INCHES FEET INCHES  
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			0	25			
Slate			25	45			
Sand			45	80			
Slate			80	96			
Red Rock			96	117			
Blue slate			117	126			
Red Rock			126	140			
Sand			140	155	F. Water	150'	2-16" blr.
Red Rock			155	174			
Slate			174	200			
Sand			200	260			
Slate			260	282			
Red Rock			282	328			
Slate			328	350			
Red Rock			350	385			
Slate			385	468	F. water	470'	5-16" blr.
Sand			468	521			
Coal			521	523	Coal		
Sand			523	534			
Slate			534	605			
Sand			605 DLM				
			601 SLM	610			
Slate			610	650			
Sand			650	671			
Red Rock			671	688			
Slate			688	710			
Red Rock			710	746			
Slate			746	835			
Sand			835	854			
Red Rock			854	859			
Slate & Shells			859	993			
Sand			993	1003			
Slate			1003	1010			
Sand			1010	1044	F. water	1034'	1-13" blr.
Slate			1044	1062			
Sand			1062	1072			
Sand			1072	1077			
Slate			1077	1114			
Sand			1114	1128			

↓ Deepened

(over)

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Black Slate			1128	1204			
Sand			1204	1222			
Slate			1222	1233			
Sand			1233	1344			
Slate			1344	1545			
Sand			1545	1572			
Slate			1572	1596			
Sand			1596	1607			
Lime			1607	1618			
Slate			1618	1652			
Sand			1652	1710			
Gritty Lime			1710	1734			
Slate			1734	1830			
Sand			1830	1840	S. Water	1705'	1-10" blr.
Slate			1840	1905			
Slate & Shells			1905	2010			
1997'SLM-1977'DLM							
Slate			2010	2213			
Shells			2213	2222			
Slate			2222	2500			
Slate & Shells			2500	2720			
Slate			2720	3314			
Slate & Shells			3314	3637			
Brown Shale			3637	3710			
Slate			3710	3740			
Brown Shale			3740	3862			
Slate			3862	4305	gas	3740-3862'	show
Brown Shale			4305	4483 DLM			
				4491 SLM			
Corniferous Lime			4491 SLM	4582 SLM			
<del>4483</del> 4572'DLM-4582'SLM							
Oriskany Sand			4582 SLM	4631			
Lime			4631	4667			
TOTAL DEPTH - - - - -				4667'			
CEMENT RECORD:							
8-14-47	13-3/8" casing - ran 17 sacks Aquagel and Fibertex - Returns O.K.						
8-19-47 -	10-3/4" casing - ran 19 sacks Aquagel and Fibertex - Returns O.K.						
9-2-47	8-5/8" casing - Aquagelled -						
10-3-47	7" casing - ran 50 sacks Aquagel and Fibertex. Returns O.K.						

Date October 13, 19 47

APPROVED Columbian Carbon Company, Owner

By R. B. Anderson, Ass't Sup't

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D

Permit No. Jac 554		Impossible Drlg. Job		
Ravenswood Quad.		CASING & TUBING		
Company	Columbian Carbon Company			
Address	Box 873, Charleston 23, W.Va.	16	28'6	Same
Farm	C.D. Eickelberry Acres 268	13 3/8	663'10	3
Location	Straight Fork	10 1/2	619'5	30'10
Well No.	1 ( GW-958) Elev. 647'			
District	Ravenswood Jackson County			Coal at 520' 24"
Surface	C.D. Eickelberry et al			
	214 Grant St., W.Newell, W.Va.			
Mineral	(For further addresses contact Col. Carbon Co.)			
Commenced	6-17-47			
Completed	7-3-47			
Not shot				
Fresh Water	470' 10 blrs. 1 hr.			

Red Rock	0	25
Slate	25	45
Sand	45	80
Slate	80	90
Red Rock	90	115
Slate	115	123
Red Rock	123	140
Slate	140	160
Red Rock	160	170
Slate	170	210
Sand	210	255
Slate	255	280
Red Rock	280	290
Slate	290	310
Red Rock	310	335
Slate	335	355
Red Rock	355	385
Slate	385	408
Red Rock	408	455
Slate	455	470
Sand	470	520
Coal	520	522
Sand	522	531
Slate & Shells	531	606
Sand	606	640
Slate	640	676
Red Rock	676	700
Slate	700	720
Red Rock	720	748
Slate	748	770
Sand	770	790
Slate	790	841
Sand	841	860
Red Rock	860	875
Slate	875	900
Red Rock	900	922
Slate	922	980
Sand	980	1010
Slate	1010	1030
Total Depth		1030

IMPOSSIBLE DRILLING JOB - HOLE PLUGGED AND ABANDONED July 26, 1947  
RIG SKIDDED AND A NEW HOLE DRILLED.

CEMENT RECORD: 6-27-47 13 3/8" casing. Ran 17 sacks aquagel with Fibertex.  
Circulation and returns.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Impossible  
Oil or Gas Well Drlg. job  
(KIND)

Permit No. JAC-554

Company Columbian Carbon Co  
Address Box 873, Charleston 23, W. Va.  
Farm C. D. Eickleberry Acres 268  
Location (waters) Straight Fork  
Well No. 1 - GW-958 Elev. 617' G  
District Ravenswood County Jackson  
The surface of tract is owned in fee by C. D. Eickleberry, et al  
211 Grant St. Address W. Newell, W. Va.  
(for further addresses contact C.C.C.)  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16"	28'6"	28'6"	Kind of Packer
18" 5/4"	663'10"	663'10"	
			Size of
8 1/4"			Depth set
6 5/8"			
5 3/16"			Perf. top
3"			Perf. bottom
2"			Perf. top
Liners Used			Perf. bottom

Drilling commenced 6-17-47  
Drilling completed 7-3-47  
Date Shot not shot From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume impossible drlg. job Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 470' feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED	SIZE	No. Ft.	Date
see reverse side			
COAL WAS ENCOUNTERED AT 520 FEET 24 INCHES			
FEET	INCHES	FEET	INCHES
FEET	INCHES	FEET	INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			0	25			
Slate			25	45			
Sand			45	80			
Slate			80	90			
Red Rock			90	115			
Slate			115	123			
Red Rock			123	140			
Slate			140	160			
Red Rock			160	170			
Slate			170	210			
Sand			210	255			
Slate			255	280			
Red Rock			280	290			
Slate			290	310			
Red Rock			310	335			
Slate			335	355			
Red Rock			355	385			
Slate			385	408			
Red Rock			408	455			
Slate			455	479			
Sand			470	520	F. water	470'	10 blrs. 1 hr
Coal			520	522			
Sand			522	531			
Slate & Shells			531	606			
Sand			606	610			
Slate			610	676			
Red Rock			676	700			
Slate			700	720			
Red Rock			720	748			
Slate			748	770			
Sand			770	790			
Slate			790	841			
Sand			841	860			
Red Rock			860	875			
Slate			875	900			
Red Rock			900	922			
Slate			922	980			
Sand			980	1010			
Slate			1010	1030 Total	Depth		



