

Latitude

38 50

814730

Longitude

1.895
0.22W
= 0
0655 7.5'
loc
1/16 7/20
1989

Topo Location

7.5' Loc. _____ 15' Loc. 1.895
_____ (calc.) 246W

Company _____

Farm _____

15' Quad Ravenswood SE
(sec.) _____

7.5' Quad Cottagesville

District _____

WELL LOCATION PLAT

County 035 Permit 615

L.M.

Latitude 38 50

Longitude 81° 45'

W. G. Casto

1.98-S
2.56-W



W. Va. ROUTE No. 97
RUN

EVANS

60a

Nellie Sayre King
200a

Walter Hunt

S. G. King

David King

Coal & Surface:
Nellie Sayre King
Rt. #1, Box 72
Evans, West Virginia.

2.00 S.
2.52 W.

- New Location...
- Drill Deeper...
- Abandonment...

7-C (H-4) 566 W 42

Company South Penn Oil Company
 Address Parkersburg, W. Va.
 Farm Nellie Sayre King
 Tract _____ Acres 260 Lease No. 14-AB-57
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) ~~750.00~~ 768.43'
 Quadrangle Ravenswood - SE Co. Hager ville
 County Jackson District Ripley
 Engineer Wm. S. Hayes
 Engineer's Registration No. 1429
 File No. _____ Drawing No. _____
 Date JUNE 15, 1948 Scale 1" = 1000'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. JAC-615

+ Denotes location of well on United States
Tonographic Maps, scale 1 to 62,500, lat-
itude and longitude lines being represented
by border lines as shown.

- Denotes one inch spaces on border line
of original tracing.

TRACING BOOTH
27-T (1231-6196) 170 Deep Well

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Jac 615 R
Ravenswood Quad.

Dry Hole
CASING & TUBING

Company	South Penn Oil Company		
Address	Union Trust Bldg., Parkersburg, W. Va.		
Farm	Nellie Sayre King	Acres 260	16 53
Location			13 3/8 814
Well No.	1-R	Elev. 768.43	10 1/2 1212
District	Ripley	Jackson County	8 5/8 2072
Surface	Nellie Sayre King, Route No. 1, Box 72		
	Evans, W. Va.		7 4701
Mineral	Same		
Commenced	Aug. 20, 1948		
Completed	March 12, 1949		
Not shot			
Water	905' l hbl. per hr.; 1680' H.F. 1927-1932; 2418' l hbl. per hr.		

Red Clay	0	40	Shale	4455	4622
Red Rock	40	202	Corniferous Lime - 463	4622	4720
Gray Slate	202	235	Oriskany	4720	4750
Red Rock	235	270	Lime - Held. & Salina	4750	5423
Gray Lime	270	305	Sand - Newburg	5423	5432
Red Rock	305	340	Lime - McKenzie	5432	5675
Broken Lime	340	375	Sand - Keokuk	5675	5725
Red Rock	375	403	Slate & Shell	5725	5770
Gray Slate	403	415	Red Rock	5770	5897
Red Rock	415	430	Green Slate	5890	5949
White Slate	430	470	Sand	5949	5999
Broken Lime	470	545	Red Rock	5990	6045
Gray Slate	545	587	Sand	6045	6067
Lime	587	600	Red Rock	6067	6078
Sand	600	620	Gray Slate	6078	6099
Lime	620	650	Clinton Sand	6099	6177
Slate	650	705	Slate & Shell	6177	6225
Red Rock	705	729	Medina Sand	6225	6236
Lime	729	742	Queenston Shale - Juniata	6236	
Blue Slate	742	750	Total Depth	Sand Line	6276
Red Rock	750	790			
Slate	790	798	Gas 3465 show		
Lime	798	811	Gas 4736-4739 8/10 W 1/4"		
Sand	811	844			
Dark Slate	844	850			
White Slate	850	896			
Sand	896	914			
Red Rock	914	931			
Gray Slate	931	946			
White Slate	946	986			
Red Rock	986	1018			
Slate	1018	1075			
Sand	1075	1092			
Slate	1092	1105			
Sand	1105	1215			
Slate	1215	1220			
Broken Sand	1220	1324			
Slate & Shells	1324	1485			
Sand	1485	1502			
Slate & Shell	1502	1570			
Sand	1570	1640			
Slate & Shell	1640	1656			
Sand - Salt Sand	1656	1785			
Big Lime	1785	1914			
Slate } 340	1914	1920			
Sand - Injun	1920	2043			
Lime	2043	2098			
Slate & Shell	2098	2141			
Lime	2141	2191			
Slate & Shell	2191	2410			
Berea	2410	2423			
Slate & Shell	2423	3810			
Br. Shale - 441	3810	4056			
Slate & Shell	4056	4455			

6236
768
5468

5423 5423
768 4720
4655 703

4622 4720 4750
768 768 768
3854 3952 3982