

New Location..
 Drill Deeper.....
 Abandonment.....

9 NW (G-5)

Too Close to Jac-893 to Plot

Company B.H. Putnam (operator)
 Address Rox 647 Marietta Ohio
 Farm Todd Milhoan
 Tract _____ Acres 132 Lease No. _____
 Well (Farm) No. 2 Serial No. _____
 Elevation (Spirit Level) 939'
 Quadrangle Belleville - SW
 County Jackson District Grant
 Engineer Robert R. Anderson
 by O. Meredith
 Engineer's Registration No. 296
 File No. Aug 30 48 Drawing No. _____
 Date _____ Scale 1 in = 30 Poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. JAC-904

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6 0 235

Deep Well ✓



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Bellouville

WELL RECORD

Permit No. JAC-904

Oil or Gas Well Gas
(KIND)


Company B. H. Putnam, Operator
 Address 512 Third Street, Marietta, Ohio
 Farm Hodd Millhoan Acres 132
 Location (waters) Ohio River
 Well No. #2 Elev. 939
 District Grant County Jackson
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced 8/29/55
 Drilling completed 10/27/55
 Date Shot _____ From _____ To _____
 With _____
 Open Flow 1000 /10ths Water in _____ Inch
MCF /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13	790		
10	1163	20	Size of
8 1/4	2042	2042	
6 1/2			Depth set
5 3/16	4496	4496	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 5 1/2 SIZE 4252 No. Ft. 10/15/55 Date

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	5			
Rock	Red		5	15			
Sand			15	40			
Slate	Red		40	60			
Rock			60	90			
Slate			90	105			
Rock	Red		105	195			
Lime		Hard	195	215			
Rock	Red		215	327			
Slate			327	365			
Sand	White		365	425			
Rock	Red		425	475			
Sand			475	507			
Rock	Red		507	535			
Slate	White		535	605			
Sand			605	626			
Slate			626	650			
Sand			650	680			
Slate			680	765			
Sand	White		765	789			
Slate	Black		789	804			
Sand	White		804	809			
Rock	Red		809	900			
Slate			900	955			
Rock	Red		955	990			
Slate	White		990	1060			
Sand			1060	1080			
Slate	Black		1080	1100			
Rock	Pink		1100	1112			
Slate			1112	1163			
Sand			1163	1230			
Slate	Black		1230	1321			
Sand			1321	1385			
Slate			1385	1403			
Sand			1403	1460			
Slate & Shells			1460	1540			
Sandy Slate			1540	1565			
Slate & Shells			1565	1670			



Formation	Color	Hard or Soft	Top /	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			1670	1750			
Slate			1750	1765			
Lime - <i>Big</i>		Hard	1765	1800			
Slate			1800	1845			
Slate & Shells			1845	2000			
Lime			2000	2065			
Slate & Shells			2065	2255			
Shale	Brown		2255	2271			
Berea Sand			2271	2275			
Slate & Shells			2275	3400			
Shale	Brown - 441		3400	3500			
Lime			3500	3520			
Slate & Shells			3520	3685			
Shale	Brown		3685	3906			
Slate			3906	4255			
Shale	Brown		4255	4420			
Lime Corniferous - 443			4420	4526			
Criskany Sand			4526	4529			

475

Date December 21, 1955
 APPROVED B. W. Putnam Operator, Owner
 By B. W. Putnam Supt.
 (73115)