


4840 OrisKANY

Plot Log Card CSD/ 38.52-30 (7/2) LATITUDE 38-55 (15)(71/2) 4 (15) IAMES FERGUSON 70 YAC 1900 -2 3100 -3 EL. 919.41 N3730W O.L. KING LAMRENCE WESTHAVER ETAL 3, 950 1 1113/4 Ac. 3200, LLOYD STEPHENS FRED BUSH CERTIFICATE NEW LOCATION I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining RECONDITION laws of West Virginia." DRILL DEEPER Minimum degree of accuracy is one part in 200 frank & Barker LL5#289 ABANDONMENT Signed. KAISER EXPLORATION & MINING CO. STATE OF WEST VIRGINIA ADDRESS PO BOX 537 RIPLEY W. VA.
FARM_ LAWRENCE WESTHAVER ETAL. DEPARTMENT OF MINES OIL AND GAS DIVISION CHARLESTON 1113/4 LEASE NO. 2431 ACRES DEK-52 SCRIAL NO. WELL LOCATION MAP 919.41 QUADRANGLE COTTAGEVILLE 7/2 RAVENSWOOD 15 FILE NO. JAC - 1446 UNION COUNTY JACKSON POINT OF PROVEN ELEVATION FRED BUSH WELL Nº | EL 774 MAPS. SCALE 1 TO 62.500 LATITUDE AND LONGITUDE LINES BEING REPRESENTED BY BORDER LINES AS SHOWN. 47 -035
DENOTES ONE INCH SPACES ON PORDER LINE OF ORIGINAL TRACING SCALE /"=50CFT. APRIL 25, 1978 1978

Or ELANG 4840

NORTH PIPLEY 342 JUN 7







OIL & GAS CIVISION OF MINES

Oil and Gas Division

WELL RECORD 13			Rotary_X		
Quadrangle Cottageville Permit No. JAC - 1446 (47 - 035 - 16	446)		Cable Recycling Water Floor		
Permit No. OAC - 1440			Disposal	(Kind)	
				(Kind)	
Company KAISER EXPLORATION & MINING CO.	Casing and	Used in	Left	Cement fill up	
Address PO Box 537 Ripley, WV 25271 Farm Lawrence Westhaver Acres 111.75	877A F =	Drilling	in Well	Cu. ft. (Sks.)	
Location (waters) Log Lick Run	Size			POPAL missisteria	
Well No. DEK #52 Elev. 919.41	20-16		Philipping Andrews		
District Union County Jackson	Cond.				
The surface of tract is owned in fee by	13-10"		<u> </u>		
Lawrence Westhaver, Sr.	9 5/8	245	245	100 Sacks	
Address 13001 Old Stagegoach Road Laurel, MD 20810 Mineral rights are owned by Lawrence Westhaver,	8 5/8				
Mineral rights are owned by Lawrence Westhaver,	Sy7.	2469	2469	75 Sacks	
Address Same as above	5 1/2				
Drilling Commenced June 6, 1978	4 1/2	4838	4838	150 Sacks	
Drilling Completed <u>June 13, 1978</u>					
Initial open flow 10 MCE/D cu. ft. bbls.	2		4748		
Final production 100_MCEDxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Liners Used	}			
Well openhrs. before test 1740 RP. 6	Days				
Well treatment details:	Attach copy of c	ementing rec	ord. Hall	iburton	
Perforated from 4749' to 4751' with 16 shots. Treated Oriskany Sand with 675 bbls					
of treated water, 180,000 SCF of nitrogen, 15,000 lbs of 80/100 and 30,000 lbs of					
20/40 sand. Treated at an average pressure of 3800 psi at 14BPM.					
	ommodelle til statelligar i seg sen sommodelle selske som en	cs. Assignment western from the specific participate of the management	objective contraction and the contraction of the co		
COM TO THE METER AND THE PROPERTY OF THE PROPE	oonalooptileessaksi - ooytuskiitessäkkiituot toitaalooosiin-noon -aanoosiihassaksugaaddiskiitijikaaa				
	Directoristical contractoristic contractoristi contractoristi contractoristi contractoristi contractoristi contractoristi cont			en e	
Coal was encountered at None Feet Inches					
Fresh waterFeet				Feet	
Producing Sand Oriskany Sand	Depth	4721	to 4752	the Commission of the Commissi	

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Surface	O CO	producti historiali ristrati ristratura con strumente internationi in mattatiani. 2 li f	
Sand & Shales	24	198	
Sand	198	222	
Shale	222	310	
Red Rock	370	367	45 C 4 C 4 C 4 C 4 C 4 C 4 C 4 C 4 C 4 C
Shale	367	419	
Red Rock	419	530	•
Broken Sand	530	592	
Red Rock	592	691	
Sand	691	723	
Shale	723	784	
Broken Sand	784	860	
Red Shale	860	904	
Shale	904	978	
Red Rock	978	1212	
Sand	1212	1304	
Shale	1304	1385	
Sand · · · · · · · · · · · · · · · · · · ·	1385	1447	
Shale	1447	1571	
Shale and Market Market Shale and the Shale	1571	1661	
Sand	1661	1707	
Bi Shale be a second and Again and	1707	1830	924
Sand	1830	1912	
Big Lime	1912	1966	
AND PROPERTY OF THE PROPERTY O	lanen errenne e		

(over)

^{*} Indicates Electric Log tops in the remarks section.

		AND	Secretary of the secret
Formation Color Hard or Soft	Top Feet 13	Bottom Feet	Oil, Gas or Water * Remarks
Shale Injun Sand Shale Coffee Shale Berea Sand Shale Brown Shale Shale Marcellus Shale Onondaga L. S. Oriskany Sand Helderberg L. S.	1966 1994 2124 2437 2457 2460 3619 4087 4503 4644 4721 4752	1994 2124 2437 2457 2460 3619 4087 4503 4644 4721 4752	
Total Depth	4852		
	12 T		
	And particular and pa		
	Sport and the sp		
	ANALOGO CONTRACTOR CON		 A second of the control of the control
•	1		en en la companya de
Service Community of the Community of th	**************************************		to the best to the second of the
	WAS CONTRACTOR OF THE CONTRACT		and the state of the second of
	CONTRACTOR OF THE CONTRACTOR O		すった 計 ・ 主記組
			· 大量型
	12 Community	•	
	not interest to the second of		다 가는 사람들이 되었다. 그 사람들은 사람들이 되었다. - 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은
		: 11	
			e du 1947 Aug Alliega
THE PROPERTY OF THE PROPERTY O			

Date December 1 , 178

APPROVED Kaiser Exploration & Mining Co. Owner

By (Title)

Operations Manager

DEC 0 1 1989

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVSION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

copy to be	retained required) s	by the Well	l Operator a	y mailed to the nd the third c ch coal opera	opy (and extra tor at their RECEIVED
Farm name:	WESTHAVER,	LAWRENCE	Operator	Well No.:DEK-5	
LOCATION:	District: Latitude:	UNION 5520 Feet	South of 38	OTTAGEVILLE ounty: JACKSON Deg. 52 Min. 3 Deg. 45 Min. 0	U Sec.
Well Type:	OIL	GAS X			
Company: D	t Z Box 5:	d Gus 38 WV 25550	or Own	perator <u>None</u> er	
Agent: Ka Inspector: Permit Issu	Jerry Teshel	ost Jr bock	Coal O	peratorer	
			AFFIDAVIT		
STATE OF WE County of	st virginia Jackson	ss:			
ru-cue wor	k or braddi	ng and rilli	ing oil and g	say that they a as wells and we ator, and parti-	re employed by
work of plon the 3	ugging and list day	filling the of <u>July</u>	above well, , 19 <u>%7</u> ,	ator, and partithat said work and that the we	was commenced ll was plugged
TY	PE	FROM	TO	PIPE REMOVED	LEFT
		4550	4300		
300' Clas	55.9	2725	2425	2714' 41/2" (59	2124'
100.1 Class	s_A	1800	1700	1750' 7"059	719'
100' Cla	55 A	250	150	8	245'
50 Cla	55 A	50	0	C	
Descri	ption of mo	nument: י״קי	sc; 41 tall;	filled w/cont & pro	polly ideal Test
and th the <u>4th</u>	at the worday of Au	k of pluggi	•	ng said well wa	' /
And furthur	deponents	saith not.	* Ka	nald W. Dus	t g.
Sworn and s My commissi	ubscribe be	fore me this		Dale to Durt	, 19 <u>89</u>
	on onparon,	3 3 9	<u> </u>	Notary Pul	elv-f
					JTT 0 3 1000





OIL & GAS DIVISION DEFT. OF MINES

Oil and Gas Division OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,	M:	ay 31, 1978	
Charleston, W. Va.	DATE		
Surface Owner Lawrence Westhaver, Sr.	company		& Mining Company
Address 13001 Old Stagecoach Rd., Laurel, MD 2		O. Box 537, Rip	ley, WV 25271
Mineral Owner Lawrence Westhaver, Sr.		ce Westhaver	Acres
Address Same as above	_ Location (water	Log Lick Run	
Coal Owner Same	Well NoDEK	#52	Elevation 979.47'
Address	_ DistrictUnio		CountyJackson
Coal OperatorNone	Quadrangle	ottageville	
Address	· 		
THIS PERMIT MUST BE POSTED AT THE WELL SITE			
Il provisions being in accordance with Chapter 22.			~
	INSPECTOR	5.	
or <u>drilling</u> . This permit shall expire if	TO BE NOTIFIED	Richard Morr	İS
	ADDRESS P.O. Bo	ox 372, Grantsv	ille, WV
Toberto for	240NF 354-725	50	
Deputy Director - Oil & Gas Division	PHONE		
GENTLEMEN:			
The undersigned well operator is entitled to drill upon th	e ahove named form	or tract of land for	e oil and man benium for
title thereto, (or as the case may be) under grant or lease	dated 5 May	10.71	Lawrence
Westhaver, Sr. made to Commonwealth Gas	and record	ed on the 22nd	day of May
19 71 in Jackson County, Book 118	Page 37	ed on the	day or
XXX NEW WELLDRILL DEEPER			
•			JRE OR STIMULATE
OIL AND GAS WELL ORIGINALLY DRILLER	U BEFORE JUNE	5, 1969.	
The enclosed plat was prepared by a registered engineer of the above date.	or licensed land sur	veyor and all coal o	wners and/or operators
The above named coal owners and/or operator are hereby to make by Section 3 of the Code, must be received by, or f	notified that any o	bjection they wish to	o make, or are required
Copies of this notice and the enclosed plat were mailed by			•
or coal owners at their above shown respective address		_ dav	before or on the
same day with the mailing or delivery of this copy to the De	partment of Mines	at Charleston, West V	Virginia.
DI EACE CHONTE CODING OF ATT	Very truly yours,	KAISER EXPLOR	ATION & MINING COMPAN
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	(Sign Name)	ZAP.	×
obolinolone hood bindorni io.	(4.8.	R A Pryce/0	perations Manager
			., P.O. Box 537
A. OIL & GAS CONSERVATION COMMISSION Addre	ss	Street	
WASHINGTON STREET, EAST Well Oper	rator	Ripley	
LFSTON, WFST VIRGINIA 25311	- Art All All Commission (Age of the Age of	City or Town	ne producer and a finish and the constitution of the production of the constitution of
		West Virginia	25271
		State	

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BLANKET BOND

JAC-1446 PERMIT NUMBER
47 035

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER T	O XXX DRILL	DEEPEN F	DA CADILDE COMPAGNI Y WORL		
DRILLING CONTRACTOR: (RESPONSIBLE AGENT			
NAMEF.W.A. Drilling Co.			NAME Kaiser Exploration & Mining Company		
ADDRESS Box 448 - Elkv	iew, WV	ADDRESS P.O. Box 537, Ripley, WV 252			
TELEPHONE 965-3379		TELEPHONE 372-28	327		
ESTIMATED DEPTH OF COMPROPOSED GEOLOGICAL FO					
		COMB STORAGE	E DISPOSAL		
			OOD OTHER		
			O I Hall		
TENTATIVE CASING PROGRA	AM:	gastilia.			
CASING AND TUBING SIZE 20 - 16	USED FOR DRILLING	LEFT IN WELL	CEMENT FILL UP OR SACKS - CUBIC FT.		
13 - 10		The state of the s			
9 - 5/8	250'	250'	100 sacks to surface		
8 - 5/8			700 040110 00 041 1400		
7	2500'	2500'	75 sacks = 625'		
5 ½ 4 ½	4840'	4840 '	125 15001		
3	-1040	7070	125 sacks = 1500'		
2			Perf. Top Perf. Bottom		
Liners		A Last Mill Mills Last	Perf. Top		
			Perf. Bottom		
APPROXIMATE FRESH WATE APPROXIMATE COAL DEPTHS IS COAL BEING MINED IN T	3None_anticipated	9	FEET		
TO DRILL:	And annual state of the state o				
	2 OE OC 1 2100 00 PPD24	arga i H			
OF PLAT.	5 OF OG - 1, \$100.00 PERM.	II FEE, PERFORMANCE BO	OND AND PERMANENT COPY		
TO DRILL DEEPER OR REDRI	ILL:				
SUBMIT FIVE (5) COPIES WELLS DRILLED PRIOR MUST ALSO BE SUBMITT	TO 1929, A PERMANENT C	INAL PERMIT NUMBER AN OPY OF THE PLAT AND T	D PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD		
TO FRACTURE - STIMULATE:					
BOND, FERMANENT PLA	I AND ORIGINAL WELL REC	CORD.	COPIES OG - 1, PERFORMANCE		
ING ORIGINAL PERMIT N	UMBER, AND PERFORMANCE	BOND.	9, FIVE COPIES OG - 1, SHOW-		
Required forms must be fit four (24) hours in advance.	ed within ninety (90) days of a	completion for bond release.	Inspector to be notified twenty-		
in autance.					
The following waiver must thereof.	be completed by the coal ope	erator if the permit is to be i	ssued within ten days of receipt		
WAIVER: I the undersigned, Ag	ent forned and place on our mine m	Coal Company, Owner	or Operator of the coal under		
			on. ell being drilled at this location,		
providing operator has	complied with all rules and regr	nave no objections to said we	ell being drilled at this location, , Chapter 22 of the West Virginia		
•			en e		
		Fo	or Coal Company		
			Official Title		