

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 28, 2013

#### WELL WORK PERMIT

#### Partial Plug Frac

This permit, API Well Number: 47-3502359, issued to HARD ROCK EXPLORATION, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martir

Chief

Operator's Well No: 340

Farm Name: ROBERTS, MICHAEL, ETAL

API Well Number: 47-3502359

Permit Type: Partial Plug Frac

Date Issued: 06/28/2013

#### PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum 20 mil thickness synthetic liner.

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

) Well Operato	r						
	Hard	Rock Exp	oloration, Inc.	494464205	Jackson	Grant	Liverpool, WV 7.5
				Operator ID	County	District	Quadrangle
) Operator's W	Vell Numb	er: <u>CS-3</u>	40		3) Elevation:	938'	_
Well Type: (a	a) Oil	or Ga	s <u>X</u>				
(b	o) If Gas:	Produ	ction X / Und	derground Sto	rage		
		Deep	/ S	Shallow X			
Proposed To Approximate	tal Depth fresh wa	: 7520' TMD ter strata	Lower Huron	Formation at F A - Surface Casing is	Proposed Total Set at 267' KB and	al Depth: <u>Lov</u> Cemented to surfa	ver Huron 2
Approximate	coal sea	m depths	S: None noted in	offset wells			
0) Approximat	e void de	pths,(coa	al, Karst, other):	None			( <sub>Ja</sub>
1) Does land o	contain co	oal seam	s tributary to act	tive mine? N	lo		Awy o
2) Describe pro	posed we	ll work an	d fracturing meth	ods in detail (a	ttach additiona	al sheets if ne	oded) H
valuable Dist	ntally Com	ploto I la b	ala Zana Can Att	1 10 101			1/ 11
lug back - Horizo	many Com	blere ob-li	iole Zone. See Atta	ached Description	n of well work.	LIA	
lug back - Horizo			order on	ached pescription	on of well work.	JAH3	Al Carried
Se		lork C	order on	allache	Jul International	Khandul	Mary Mary
3)	en	tral CA	Shy AND IDE	FOOTAGE	Jul International	KAMP S CEME	Manual C31
3)	e Non pau	tral CA	Plus DVOP	osal.	AM Nouth		
3) TYPE S	De No	tral CA ATIONS	Pus AND TUE	FOOTAGE	AM INTERVALS		
3) TYPE S Conductor	De No	tral CA ATIONS	Pus AND TUE	FOOTAGE	AM INTERVALS		I. Ft.) Divide
3) TYPE S Conductor Fresh Water	PECIFIC Size	ATIONS Grade	Pus AND TUE	FOOTAGE For Drilling	AM INTERVALS	Fill -up (Cu	i. Ft.) Divide
3) TYPE S Conductor Fresh Water Coal	PECIFIC Size	ATIONS Grade	Pus AND TUE	FOOTAGE For Drilling	AM INTERVALS	Fill -up (Cu	r. Ft.) Division
3) TYPE S Conductor Fresh Water Coal	PECIFIC Size 9 5/8"	ATIONS Grade	Weight per ft  17#  11.6#	FOOTAGE For Drilling  267'  2241'  7520	AM INTERVALS  Left in Well  267'	Already	/ Set
3)	PECIFIC Size  9 5/8"	ATIONS Grade  LS	Weight per ft  17#  11.6#	FOOTAGE For Drilling	AM INTERVALS  Left in Well  267'	Already	/ Set

**WW-2A** (Rev. 6-07)

I). Date:	March 6, 2013	

2.) Operator's Well Number

CS-340 County

Permit

3.) API Well No .:

State 47-

035

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

4) Surface Ow	ner(s) to be served:		5) (a) Coal Op	erator	= 1 21
(a) Name	Steven M. & Amanda J.	Thomas /	Name	None None	Jane ()()
Address	906 McGraw Run Road	1/	Address	1/1/1/	negre Go.
	Sandyville, WV 25275			Ww	/ /
(b) Name	Michael Roberts		(b) Coal C	wner(s) with Decla	aration
Address	1203 McGraw Run Road	1 1/	Name	(same as 4 a, b, and c	2)
	Sandyville, WV 25275	V	Address		
(c) Name	Neil Glen Thomas	/_	Name		
Address	14470 Parkersburg Road	1 ./	Address		
	Sandyville, WV 25275	V			
6) Inspector	Jamie Stevens		(c) Coal L	essee with Declara	ation
Address	HC 62 Box 1 C		Name	None	
	Kenna, WV 25248		Address		
Telephone	(304)206-7775		_		
	TO THE P	PERSONS NA	MED ABOVE T	AKE NOTICE THA	AT:
Included is t	he lease or leases or o	other continuing	contract or contr	acts by which I hold	the right to extract oil and gas
OR					
	he information require	d by Chapter 22	2, Article 6, Section	n 8(d) of the Code o	of West Virginia (see page 2)
					erved copies of this notice and
application, a loc	ation plat, and accom			ugh on the abov	e named parties by:
	Personal Service				
X			tal receipt attache	:d)	
A section	Publication (Not				State in the second second
		hapter 22-6 and	d 35 CSR 4, and	I agree to the term	s and conditions of any permit
issued under this		hat I have nore	conally evamined	and am familiar with	h the information submitted on
					als immediately responsible for
	ormation, I believe that				no miniculatory responsible for
					uding the possibility of fine and
imprisonment <sub>NOTAL</sub>					
7/ / / / / / / / / / / / / / / / / / /	ILLU UII C. THOTHE	Charles and complete and the	Hard Rock Explorat	ion, Inc.	
	State of West Virginia nission Expires Sept. 6, 2022	By:	pm 7 5	est	-
1244 MARTINS B	RANCH RD. CHARLESTON, WV 25312	Its:	President	0 '	- C- C-
and any		Address	1244 Martins Branch		AC TO
		Telephone	Charleston, WV 25 (304)984-9004	312	Colla
Subscribed and	sworn before me this	/ / .		r.f	7003 0119
Subscribed and	sworn belore the this	gleth day of	_/VI FIRE	77	2013
Wille	an DA	ishe		Notary Pub	olic MAR THERE ORDER
My Commission	Expires	9-6-20	250		000
Oil and Gas Privacy	Notice				C. C. C.
The Office of Oil and	d Gas processes your per	sonal information	such as name add	ress and phone number	as a part of our regulatory duties

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyofficer@wv.qov">depprivacyofficer@wv.qov</a>

WW-4A
Revised 6-07

1) Date: 4b 28 2013
2) Operator's Well Number
C5-340

Note: Plug back deep well for Application.

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Owner(s) to be served:

5) (a) Coal Operator

4) Surface Ow	ner(s) to be served.	(a) Coal Operator	Isufact Coalowne	8 . NO
(a) Name	Steven + Amanda Thomas	Name	Da Luc Car Acuto	al word .
Address	906 McGRAW Run		USUNGUE TOUR JOINE	no sugree of
	Sandy ville, WY 252		par	V
(b) Name	michael Roberts	(b) Coal Ow	mer(s) with Declaration	
Address	1203 Mc GARW Run Ru		Stevent Amanda Tho	mas
	Sandy ville, WY 2527	5 Address	906 MeGRAW 1	Run ROAD
			Sandyville, Wr	25275
(c) Name		Name	Michael Rober	15
Address	105	Address	1203 MeGRAW A	1.10
	10 KEN	ther.	Sandyville, wr	
6) Inspector	Jamie Stevens		see with Declaration	Neil Glen Thomas
Address	HC62 BOXIC	Name	NONE	14470 Partisburg Rac
	Kenna, Wr 25248	Address		Sandy ville WV 1517
Telephone				

#### TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator Hard Rock Exploration, Inc

NOTARY PUBLIC OFFICIAL SEAL

JOAN L. BEANE

Its:

State of West Virginia

My Commission Expires Sept. 6, 2022

Address

Telephone

Subscribed and sworn before me this 28th day of February 2013

My Commission Expires

My Commission Expires

Subscribed and sworn before me this 28th day of February 2013

Notary Public

My Commission Expires

Notary Public

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyoffier@wv.gov">depprivacyoffier@wv.gov</a>.

WW-4B Rev. 2/01  $http://www.dep.wv.gov/oil-and-gas/GI/Forms/Documents/plugging\ per...$ 

1) Date fcb28, 8 , 20 13
2) Operator's CS-340
3) API Well No. 47-035-02359

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


	APPLICATION FOR A PERMIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas _X_/ Liquid injection/ Waste disposal/
	(If "Gas, Production or Underground storage) Deep/ Shallow
5)	Location: Elevation 938 Watershed McGRaw Runof Lfk of sandy Ck
	District GRANT County Jackson Quadrangle Liverpool
6)	Well Operator Hard Rock Exploration 7) Designated Agent Jumes L. Stephens
	Address 1244 Martins Branch Rd Address 1244 Martins Branch Rd
	Charleston, WT 25312 Charleston, WT 253/2
8)	Oil and Gas Inspector to be notified 9) Plugging Contractor
	Name Jamie Stevens Name HARD Rock Exploration
	Address HC62 Box 1C Address 1244 Martins Branch Room
	Kenna, Wr 25248 Charleston, Wr 25312
R	enented 4112" is @ 5736'. Set or fill cement from 5210-5036' el hole to \$3500'.  un free point or bond log. Cut 41/2" csg as close to estimated ement top @ 3200'. SET Cement plug of at least 200' or plugging and top to be used as kick-off flug for torizontal operations.
- <del>*</del> -	Note if unable to pull 41/2" below 2300' contact Jamie Stevens and plug top section of hole per his requirements.
	Affication must be given to the district oil and gas inspector 24 hours before permitted can commence.
	( history 7 2013
Worl	order approved by inspector fumily fluctured Date

#### CS 340

Plug Back - Drill and complete Horizontally in Up hole zone.

RIH Set Solid Bridge plug inside 4.5" casing at approx. 5100' to plug off current producing formation. Ensure hole is dry. Shoot 4.5" casing at free point and Start pulling 4.5" casing out of hole. Spot 300' cmt plug above Solid BP. Pump Gel Spacer and an additional 600'- 800' cmt plug accross top of 4.5" casing and up into 6 1/4" hole. Finish pulling 4.5" casing. Allow Cement to cure. TIH with 6 1/4" bit and dress cmt. Using directional motor, kick off of cement, exit old hole and achieve separation from old wellbore. Drill vertical to KOP of 3680'TVD. Start building angle at 9.5deg/100' and land curve at 90 degrees at depth of 4640'MD and 4280'TVD. Drill lateral in Lower Huron Shale using air as drilling medium to depth of 7520'TMD and 4280'TVD with approximately 3500' of Vertical section. Tooh. Run 4.5" casing with open hole Mechanical packer / sleeve completion. Place 14stg open hole packer system from 4370'MD- 7520'MD (225' spacing per stg), Set Anchor packer at 2450' TVD -Set packers with Nitrogen, cement with 130 cu-ft of cement on top of anchor packer. Fracture with nitrogen gas.

NOTE: In the event that the existing 4.5" casing will not separate and pull freely at a depth that is sufficient to successfully kick off and exit existing wellbore, Hard Rock will at that time proceed in Plugging the CS 340 well to surface according to proper plugging procedures - before the service rig leaves the site.



Office of Oil one Gos

MAR 14 2013

MAR 14 2013

Environmental fronzenia

#### SURFACE OWNER WAIVER

County	Jackson	Operator	Hard Rock Exploration, Inc.	
		Operator well number	CS-340	

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW2-A

The well operator named on page WW2A is applying for a permit from the State to do oil or gas well work. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

## NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure a dequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

<u>List of Water Testing Laboratories</u>. The Office maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Chief to obtain a copy.

#### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application for a Well Work Permit on Form WW2-A, and attachments consisting of pages 1 through \_\_\_\_ including a work order on F orm WW2-B, as urvey plat, and as oil and erosion plan, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EVECUTION BY A NATURAL BERSON		FOR EVECUTION	DV A CORDOR	ATION ETC
FOR EXECUTION BY A NATURAL PERSON		FOR EXECUTION	BY A CORPORA	ATION, ETC.
Michael D. Koberto Date	3/1//3 Name	ny	ignou 1	113
Signature	By	- 0	16. 18 1 w	No.
Michael D. Koberts	Its		My	Date
Daint Name			The state of the s	4
Print Name	V	Signature	TWIO!	Date
			6.	06/28/2013

#### COAL OPERATOR, OWNER, OR LESSEE WAIVER

County Jackson	00.040	
Operator Hard Rock Exploration, Inc.	Operator's Well Number CS-340	
INSTRUCTIONS TO	COAL OPERATOR, OWNER, OR LESSEE	
any objection you wish to make or are r	essee named on page WW2-A. You are hereby required to make by WV Code 22-6-15, 16 or 17, make within fifteen (15) days after the receipt of this	ust be filed
Chief, Office of Oil and Gas Department of Environmental Protection 301 57 <sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0499 extension 1654	n .	
	WAIVER	
location has examined this proposed we location, the well location has been add	/ owner X/ lessee/ of the coal underlined location. If a mine map exists which covers the aled to the mine map. The undersigned has no object, provided, the well operator has complied with all and the governing regulations.	area of well ction to the
FOR EXECUTION BY A NATURAL PERSON  Michael O. Koley 6 Day	-7.7.2	ION, ETC.
Signature	By Its	Date
	Signature	Date
	SECENE.	o GOE
	SEC OHO.	-013

#### SURFACE OWNER WAIVER

County	Jackson	Operator	Hard Rock Exploration, Inc.	
		Operator well number	CS-340	

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW2-A

The well operator named on page WW2A is applying for a permit from the State to do oil or gas well work. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

## NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure a dequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

<u>List of Water Testing Laboratories</u>. The Office maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Chief to obtain a copy.

#### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application for a Well Work Permit on Form WW2-A, and attachments consisting of pages 1 through \_\_\_\_ including a work order on F orm WW2-B, a s urvey plat, and a s oil and erosion plan, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERSON	FOR EXECU	ITION BY A CORPORATION, ETC.
Cina de Como Date 3	Company Name	Office of 01 4 2013
Amanda Thomas	Its	Date
Print Name	Signatu	re Environment

#### COAL OPERATOR, OWNER, OR LESSEE WAIVER

County Jackson	00.040
Operator Hard Rock Exploration, Inc.	Operator's Well Number CS-340
INSTRUCTIONS TO C	OAL OPERATOR, OWNER, OR LESSEE
any objection you wish to make or are re-	ssee named on page WW2-A. You are hereby notified that quired to make by WV Code 22-6-15, 16 or 17, must be filed as within fifteen (15) days after the receipt of this application
Chief, Office of Oil and Gas Department of Environmental Protection 601 57 <sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0499 extension 1654	
	WAIVER
location has examined this proposed well location, the well location has been adde	/ owner X/ lessee/ of the coal under this well location. If a mine map exists which covers the area of well d to the mine map. The undersigned has no objection to the provided, the well operator has complied with all applicable and the governing regulations.
FOR EXECUTION BY A NATURAL PERSON	FOR EXECUTION BY A CORPORATION, ETC.
Amande Slemees Date Signature	Company Name By Its Date
	Signature Date

Office of MAR I A 2013

#### SURFACE OWNER WAIVER

County	Jackson	Operator	Hard Rock Exploration, Inc.
		Operator well number	CS-340

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW2-A

The well operator named on page WW2A is applying for a permit from the State to do oil or gas well work. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

## NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure a dequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies:
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

<u>List of Water Testing Laboratories.</u> The Office maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Chief to obtain a copy.

#### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application for a Well Work Permit on Form WW2-A, and attachments consisting of pages 1 through \_\_\_\_ including a work order on F orm WW2-B, a s urvey plat, and a s oil and erosion plan, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERSON			FO	ION, ETC.		
Ital Thomas	Date	3 5-13	Company Name		Office of Oil	and Gos
Signature			Ву			2013
Steve Thomas			Its		MAR 1 3	Date
Print Name					THE DEED	William Chry
Tilleranic				Signature	EM TODDIE	Date

### COAL OPERATOR, OWNER, OR LESSEE WAIVER

County Jackson					
Operator Hard Rock Exploration, Inc.		Operator	's Well Numb	er <u>CS-340</u>	)
INSTRUCTIONS	то со	AL OPER	RATOR, OWN	IER, OR LESS	EE
To the coal operator, owner, any objection you wish to make or a with the Chief of the Office of Oil a by the Office. Mail objections to:	are requ	ired to m	ake by WV C	ode 22-6-15, 1	6 or 17, must be filed
Chief, Office of Oil and Gas Department of Environmental Prote 601 57 <sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0499 extension 1654	ection				
		WAIV	ER		
location has examined this propose location, the well location has been work proposed to be done at this lo requirements of the West Virginia C	added cation, p Code and	to the mir provided,	ne map. The the well oper erning regulat	undersigned ha ator has compl ions.	as no objection to the
Signature			By		Date
				ignature	Date
	1			ngriature	Date
Ø.				Others o	CEIVEL Cus

#### SURFACE OWNER WAIVER

County	Jackson	Operator	Hard Rock Exploration, Inc.	
		Operator well number	CS-340	

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW2-A

The well operator named on page WW2A is applying for a permit from the State to do oil or gas well work. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

## NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have **FIFTEEN (15) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure a dequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

<u>List of Water Testing Laboratories.</u> The Office maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Chief to obtain a copy.

#### **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application for a Well Work Permit on Form WW2-A, and attachments consisting of pages 1 through \_\_\_\_ including a work order on F orm WW2-B, a s urvey plat, and a s oil and erosion plan, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERS	SON	FOR	EXECUTION BY	Y A CORPORAT	ION, ETC.
Aul Thomas	Date 3/5/13	Company Name		Sic On	013
Signature		Ву _	- C	118 ,	and the
NEIL THOMAS	. 7	Its		ces	Date
Print Name	0	_	Signature	- Walter	Date

### COAL OPERATOR, OWNER, OR LESSEE WAIVER

County_Jackson Operator Hard Rock Exploration, Inc.	operator's Well Number	CS-340	
Operator	porator o mon manipor		•
INSTRUCTIONS TO COA	L OPERATOR, OWNE	R, OR LESSEE	
To the coal operator, owner, or lesse any objection you wish to make or are requir with the Chief of the Office of Oil and Gas where the Office. Mail objections to:	ed to make by WV Cod	le 22-6-15, 16 or 17, n	nust be filed
Chief, Office of Oil and Gas Department of Environmental Protection 601 57 <sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0499 extension 1654			
	WAIVER		
The undersigned coal operator	cation. If a mine map ex the mine map. The ur rovided, the well operate the governing regulation	xists which covers the ndersigned has no obje or has complied with a	area of well ection to the all applicable
Mul Thomas Date 3	Company Name		
Signature	By Its		Date
	Sign	nature	Date
		OHICA OF OH OHO	13 20 <sub>e</sub>

#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Grace T. Browder	Mountaineer State Operations, LLC	% of 1/8	269/654
Earl Thompson	Mountaineer State Operations, LLC	% of 1/8	269/657
Okey Koontz and Ruth Ann Koontz	Mountaineer State Operations, LLC	% of 1/8	269/660
Carl Thompson and Vicki Thompson	Mountaineer State Operations, LLC	% of 1/8	269/666
Donald L. Thompson and Carolyn Thompson	Mountaineer State Operations, LLC	% of 1/8	269/669
Michael Thompson and Brenda Thompson	Mountaineer State Operations, LLC	% of 1/8	269/675
David Thompson and Lisa Thompson	Mountaineer State Operations, LLC	% of 1/8	269/672
Mountaineer State Operations, LLC	Hard Rock Exploration, Inc.	Misc Assignment	CS-340

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application he reby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources
- WV Division of Highways
- U.S. Army Corps of Engineers
- · U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be ac quired from the appr opriate aut hority before the affected activity is initiated.

Well Operator:

By: Its:

Hard Rock Exploration, Inc.

President

WW-2B1 (5-12)

V C   1 1 1 0 .	Nell	No.	CS-340
-----------------	------	-----	--------

## West Virginia Department of Environmental Protection Office of Oil and Gas

#### NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

Be advised, you have the right to sample and analyze any water supply at your own expense.

Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Laboratory Name Sampling Contractor

Standard Labs or Sturm Lab
Standard Labs or Sturm Lab

Well Operator

Hard Rock Exploration, Inc.

Address

1244 Martins Branch Road

Charleston, WV 25312

Telephone

(304)984-9004

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site.

Environmental Protection

#### NOTICE

#### WATER TESTING HARD ROCK EXPLORATION WELL NO. CS-340

Out side 2000 Testur anyway
Testur

THE FOLLOWING WATER SOURCES WERE IDENTIFIED WITHIN 2000' OF THE ABOVE PROPOSED WELL SITE:

Norma Jean Thompson 1043 McGraw Run RD. Sandyville WV 25275

Michael Roberts 1203 McGraw Run Rd. Sandyville WV 25275

TRUE LINE SURVEYING, INC. **6211 FAIRVIEW DRIVE HUNTINGTON, WV 25705** 

02-11-13

MAR 1 4 2013

My Department of Environmental projection 06/28/2013 WW-9 Rev. 5/10

My commission expires


	Page		of	
API Number 47	035	-		
Operator's Well N	lo. CS-340			


## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE


	oration, Inc.	OP Code	494464205	
Watershed McGraw Run of Left F	Fork of Sandy Creek	Quadrangle Liverpool, W	V 7.5'	
Elevation 938'	County Jacks	on Distri	ct Grant	
Description of anticipated Pit W	Vaste: Drill Cuttings			
Do you anticipate using more th	nan 5,000 bbls of water to	complete the proposed well work?	Yes	No X
Will a synthetic liner be used in	the pit? Yes	If so, what mil.? 10 or greater	30 ML	
X Unde X Reus Off S	Application erground Injection (UIC) e (at API Number 8704669. Site Disposal (Supply form	Permit Number UIC2D0190460, 341 3502970, 3502987, 3502999, 8704700, 8704698, 8 m WW-9 for disposal location)	3704703, 8704713 -	
-If oil based, what type Additives to be used? Soap, KC Will closed loop system be used Drill cuttings disposal method?	e? Synthetic, petroleum, e cl, or Clay Stay d? No Leave in pit, landfill, rem	r, oil based, etc. Air tc. noved offsite, etc. Leave in pit		
		rill be used? Cement, lime, sawdus		
on August 1, 2005, by the Offic	e of Oil and Gas of the W forceable by law. Violati	and conditions of the GENERAL est Virginia Department of Enviror ons of any term or condition of the	mental Protect e general peri	tion. I understand
provisions of the permit are entlaw or regulation can lead to entlaw or regulation can lead to entlaw application form and all attactobtaining the information, I be	y of law that I have pers hments thereto and that, elieve that the informatio formation, including the p	onally examined and am familiar based on my inquiry of those in is true, accurate, and complete.	with the info ndividuals in I am aware	rmation submitted


		LEGEND	
Property Boundary	-	Diversion Little 1111	шинини
Road = = = = =	=====	Spring -	
Existing Fence — 🛪 —	- × — × —	Wet Spot	
Planned Fence/_	_/_/_	Drain Pipe with size in inches	— @ →
Stream		Waterway C	$\Leftrightarrow$
Open Ditch	<del></del>	Cross Drain 77777	
Rock & Se Se	-	Artificial Filter Strip	XXXXXXXXXXXXXXX
North N	•	Pit: cut walls	WHE.
Buildings		Pit: compacted fill walls	France
Water wells		Area for Land Application of I	it Waste
Drill site		<u> </u>	
Proposed Revegetation Treatme	ent: Acres Disturbed 1.38	Prevegetation pl	5.5
Lime 3	Tons/acre or to correct to pl		
		1	
Fertilizer (10-20-20 or	equivalent) 500 lb	s/acre (500 lbs minimum)	
Mulch Hay/Straw/Pape	er (Paper at 1600 lbs/acre) Tons/	/acre	
	360	ed Mixtures	
Area Seed Type	I lbs/acre	Ar Seed Type	ea II lbs/acre
Red Top	15	Red Top	15
Orchard Grass	25	Orchard Grass	25
Perennial Rye/Crimson		Perennial Rye/Crimson	THE CAMERINA PROPERTY OF THE PARTY OF THE PA
Annual Rye	40	Annual Rye	40
Attach: Drawing(s) of road, location,pi		plication.	
Photocopied section of involve	d 7.5' topographic sheet.	1	
Plan Approved by:	(famit)	teveno	
Comments:	U		DECENTER GOT
			Office of On
		alasla	13 10 14 2013
Title:		1170120	MAL
		Date:	- Danothie Troles













#### ROAD PROFILE


HARD ROCK EXPLORATION
PROPOSED DRILL-DEEPER WELL # CS-340


GRANT DISTRICT, JACKSON COUNTY LIVERPOOL QUAD, WV 7.5'

FEBRUARY 11, 2013

TRUE LINE SURVEYING 6211 FAIRVIEW DR. HUNTINGTON, WV 25705

PAGE \_\_1\_ DF \_1







**Hard Rock Consulting, LLC** 

Hard Rock Land Services, LLC

February 27, 2013

Mr. Gene Smith
West Virginia Department of Environmental Protection
601 57<sup>th</sup> Street SE
Charleston, West Virginia 25304

RE: Permit for well CS-340

Dear Gene:

I am writing regarding fresh water casing protection for the above referenced well. Hard Rock Exploration respectively request this permit be issued allowing a deeper string of fresh water protection.

The new emergency rules act as a blanket policy and does not take several factors into consideration. The primary issue is that a lot of wells in the state of West Virginia are drilled on air, and the majority of operators with air drilling operations work diligently to reduce the amount of water in their operations. The new guidelines appear to be focused on fluid drilling and do not take into account wells being drilled on air. Our request is based on what we consider to be better engineering practices for air drilling operations.

The proper placement of the casing shoe must be considered; Hard Rock wants the ability to place the casing shoe in a rock, which has the mechanical integrity to ensure a proper seal at the casing shoe. If we follow the "new guidelines" most of the wells in our operational area would have the casing shoe placed in a red rock section and we would run casing 100 feet below the Pittsburgh Sand. Red rock has been proven to be a formation that is not stable with drilling operations; the rock is sensitive to time and the fluids that are produced from the intermediate hole. When the red rock is not covered we have seen sloughing and wash-outs during drilling operations.

Our proposed fresh water protection string set just above elevation does three things to ensure protection of fresh water and the minimization of pit fluids:

(1) It limits the time exposure on the fresh water aquifer and adds only a few hours of air drilling to the well.

(2) With the minimal time exposed and a casing shoe located in a mechanically sound rock it will ensure the cement will seal and form a good compressive barrier to future drilling operations.

(3) The last item, which is overlooked by the new standards, is pit volumes. The proposed fresh water casing placement will allow the majority of the 8 ¾ hole to be drilled on air. Using this method will permit Hard Rock to reduce fluids for drilling and decrease pit water volumes.

We also request that a cement record log from a cement service company be filed with our WR-35. We think that failure of either the cement quality or circulation should be a good measure of when to require additional logging and most fresh water protection strings are witnessed by the State Oil and Gas inspector for verification of a good cement job. Running a bond log under pressure should only be done if a known problem exists; the pressuring up of the casing string is detrimental to the newly established cement and could cause a micro-annulus problem. In addition, bond logs ran at the shallow depths with large internal diameter casings are very inaccurate if not ran under pressure. I think that the cement record log and the circulation of cement at surface will satisfy the "new guidelines".

I hope this request is considered and permits are issued in the very near future.

Sincerely,

James L. Stephens

President

Cc: Monica Stephens Bryan Tanner

Office of Oil and Gate

WAR 14 2013

Environmental Protection