

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 02, 2014

WELL WORK PERMIT

Vertical Well

This permit, API Well Number: 47-3503021, issued to DURST OIL & GAS CO., INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

Chief

James Martin

Operator's Well No: MILLS NO. 2

Farm Name: MILLS, GREGORY L.

API Well Number: 47-3503021 Permit Type: Vertical Well Date Issued: 06/02/2014

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours.
- 7. Well work activities shall not constitute a hazard to the safety of persons.

WW - 2B (Rev. 8/10)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

	or: Durst	Oil and	Gas, Inc	308453	Jackson	Ripley	57 Ripley
	20100	and the		Operator ID		District	Quadrang
2) Operator's V	Vell Numb	er:_G.MII	lls #2		3) Elevation:	736'	
) Well Type: (a) Oil	or Ga	as X				
(b) If Gas:	Produ	iction X / Un	derground Sto	orage		
		Deep	p/ S	Shallow X			
) Proposed To	otal Depth e fresh wa	: 4256' ter strata	Feet a depths: 250/500'	Formation at I	Proposed Tar Proposed Total	rget Depth: De	4106' vonian Shale
) Approximate	e coal sea	m depth:	s: NA				
			al, Karst, other):	NA			
					100		
1) Does land	contain co	oal seam	s tributary to ac	tive mine? N	IA		
0) 0	onneed we	Il work ar	nd fracturing meth	ande in detail (e		al abanta if a	andad)
2) Describe pro	ohosea we	ii work ar	id fracturing men	ious in detail (a	attach additiona	al sneets if the	edea)
 Describe pro rill, perforate, an 				ious iii detaii (a	attach additiona	ai sneets ii ne	eeded)
The second second				ious iii detaii (a	attach additiona	al sheets if he	eeded)
rill, perforate, and	d stimulate	Brown Sh	ale ASING AND TU	BING PROGR	RAM		4
rill, perforate, and		Brown Sha	ale ASING AND TU		RAM INTERVALS	GEME	nl May
rill, perforate, and	d stimulate	Brown Sha	ASING AND TU	BING PROGR FOOTAGE	RAM	S GEME	nl May
rill, perforate, and	SPECIFIC Size	Brown Sha	ASING AND TU	BING PROGR FOOTAGE For Drilling	RAM INTERVALS	GEME	Ment (A. Ft.)
3) TYPE Conductor	SPECIFIC Size 13"	Brown Sha	ASING AND TU	BING PROGR FOOTAGE For Drilling 40'	RAM INTERVALS Left in Well	Fill -dp/d	Ment (A. Ft.)
and TYPE S Conductor Fresh Water	SPECIFIC Size 13"	Brown Sha	ASING AND TU	BING PROGR FOOTAGE For Drilling 40'	RAM INTERVALS Left in Well	Fill -dp/d	M. Ft.)
TYPE S Conductor Fresh Water Coal	SPECIFIC Size 13" 9 5/8"	Brown Sha	ASING AND TU Weight per ft 32#	For Drilling 40' 675'	Left in Well 675'	Fill ap (c) Circ to s	M. Ft.) Surface to 600'
TYPE S Conductor Fresh Water Coal Intermediate	SPECIFIC Size 13" 9 5/8"	Brown Sha	ASING AND TU Weight per ft 32#	For Drilling 40' 675'	Left in Well 675' 2400' 2400'El	Circ to s	M. Ft.) Surface to 600'
TYPE S Conductor Fresh Water Coal Intermediate Production	SPECIFIC Size 13" 9 5/8"	Brown Sha	ASING AND TU Weight per ft 32#	For Drilling 40' 675'	AM INTERVALS Left in Well 675' 2400' 2400'EI	Circ to s 1800' fillup and Gas	M. Ft.) Surface to 600' to 2300'
3) TYPE Conductor Fresh Water Coal Intermediate Production Tubing	SPECIFIC Size 13" 9 5/8" 7" 4 1/2" d:	Brown Sha	ASING AND TU Weight per ft 32#	For Drilling 40' 675'	AM INTERVALS Left in Well 675' 2400' 2400'EI	Circ to s 1800' fillup and Gas	eurface to 600'

WW-2A1 (Rev. 1/11)

Operator's Well Number Greg Mills # Z

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Greg Mills	Durst Oil and Gas, Inc	1/8	263/254
Broome/Scarberry	Durst Oil and Gas, Inc	1/8	267/239

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application he reby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP. Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources
- WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and jurifier attents that all needed permits/approvals should be ac quired from the appropriate authority before the affected activity is initiated.

> Well Operator: By:Its:

WW-2	2A
(Rev.	6-07)

1). Date: 2.) Operator's Well Number Permit State County 47-3.) API Well No .: 035

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

(a) Name Address (b) Name Address	Greg Mills Lower Parchment Valley Ripley, WV 25271	y RD	_ Name Address		
(b) Name		y RD	Address		
	Ripley, WV 25271				
			-		
Address			_ (b) Coal Ow	ner(s) with Decla	aration
			Name		
			Address		
(c) Name			Name		
Address			Address		
6) Inspector	Jamie Stevens		(c) Coal Les	see with Declara	ation
Address			Name		
			Address		
Telephone	(304)208-7775				
10.000	TO THE F	PERSONS NAM	MED ABOVE TA	KE NOTICE THA	AT:
Included is th					the right to extract oil and gas
OR	ECSTRE & SEED DO			Charles and the same	
	e information require	d by Chapter 22	Article 6. Section 8	B(d) of the Code of	f West Virginia (see page 2)
					erved copies of this notice and
I certify ti	nat as required unde	er Chapter 22-6	of the <u>vvest virgini</u>	a Code i nave se	ived copies of this houce and
application, a loca				h on the abov	ve named parties by:
X		ce (Affidavit attac			
			al receipt attached)		
00.00		tice of Publicatio			
		hapter 22-6 and	35 CSR 4, and I	agree to the term	s and conditions of any permi
issued under this	application.				
I certify u	nder penalty of law	that I have person	onally examined ar	nd am familiar wit	h the information submitted or
this application for	orm and all attachme	ents, and that ba	sed on my inquiry	of those individua	als immediately responsible for
obtaining the infor	rmation, I believe tha	t the information	is true, accurate ar	nd complete.	W-12-11-12-12-12-12-12-12-12-12-12-12-12-
I am awa	re that there are sigr	nificant penalties	for submitting false	information, inclu	uding the possibility of fine and
imprisonment.		172 m m			
WARRAN OF THE PARTY OF THE PART	FFICIAL SEAL	the state of the s	Duret Oil and Gas, Inc	1	00
NO	TARY PUBLIC	By:	Langeld	W. De	* 4
	OF WEST VIRGINIA M. MEADOWS	Its:	PresidenV		10
49 ME	ADOWS DRIVE	Address	505 Cherry Lane		V
RAVENS	WOOD, WV 26164		Point Pleasant, WV 253	271	
My Commissio	n Expires Dec. 24, 2017	Telephone	(304)675-3064		
Subscribed and s	worn before me this	12 day of	May		2014
200000	mendow	22		Notification of	KED Gas
KUXIIIU X		ecem ber	24, 2017	- nt ()	I and Good
My Commission F	XUITES				
My Commission E		com ve	a 1, ac 1 1	Office or	il and Gas

with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contain DEP's Chief Privacy Officer at deportivacy officer (and the property of the privacy of the privac Your personal information may be disclosed to other

SURFACE OWNER WAIVER

County	Jackson	Operator	Durst Oil and Gas, Inc	
		Operator well number	Greg Mills #2	

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW2-A

The well operator named on page WW2A is applying for a permit from the State to do oil or gas well work. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT, WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure a dequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

<u>List of Water Testing Laboratories.</u> The Office maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Chief to obtain a copy.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application for a Well Work Permit on Form WW2-A, and attachments consisting of pages 1 through ____ including a work order on F orm WW2-B, as urvey plat, and as oil and erosion plan, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERS	SON FO Date 5-12-14 Company Name	RECEIVED RECEIVED Gas	ATION, ETC.
Signature Greg Mills	By Its	MAY 1 8 2014	Date
Print Name		Signature mental Protection	Date

WW-2B1	
(5-12)	

Well No.	Greg Mills #2
----------	---------------

West Virginia Department of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

Be advised, you have the right to sample and analyze any water supply at your own expense.

Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Laboratory Name Sturm Environmental

Sampling Contractor

same as above

Well Operator

Durst Oil and Gas, Inc.

Address

505 Cherry Lane

Point Pleasant, WV 25550

Telephone


(304)675-3064

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site.

ONE SOURCE MATTER WELL or sprince)

PECEIVED Gas

MAY 1 8 2014 MA Debattment of Environmental Protestion



WW-9 (5/13)

	Page	1	of 2	
API Number 47 -				
Operator's Wel	I No. Greg Mi	11 #2		


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Durst Oil and G	as, Inc	OP Code 308453	
Watershed (HUC 10) Mill Cree	K	Quadrangle Cottageville 7.5'	
Elevation 736'	County_Jackson	District_Ripley	
Will a six bassas I for I ill soni-	-2 V X N-	gs Water, Sel, anext. No If so, what ml.? ZO N	
Proposed Disposal Meti	nod For Treated Pit Wastes:		
Reuse Off Si	ground Injection (UIC Permit (at API Number_ te Disposal (Supply form WW-)
Will closed loop system be used	2		
		ased, etc. Air, Freshwater	
-If oil based, what type's	Synthetic, petroleum, etc.		
		offsite, etc. Leave in pit	
	Annual Control of the	used? (cement, lime, sawdust)	
		2.4 Amount of the factor of th	
on August 1, 2005, by the Office provisions of the permit are enfo law or regulation can lead to enfo I certify under penalty application form and all attach	of Oil and Gas of the West Virgorceable by law. Violations of orcement action. of law that I have personally ments thereto and that, based ieve that the information is tra	onditions of the GENERAL WATER POLLUT ginia Department of Environmental Protection. any term or condition of the general permit an examined and am familiar with the information my inquiry of those individuals immediate, accurate, and complete. I am aware that its of fine or imprisonment.	I understand that the d/or other applicable on submitted on this ately responsible for there are significant
Company Official Signature	+maldw &	0 14,	NOTARY PUBLIC
Company Official (Typed Name	5 1/111 5 1 1		ZELMA M. MEADOWS 49 MEADOWS DRIVE
Company Official Title Presi	dent	RECEIVERS	RAVENSWOOD, WV 26164 Commission Express Dec. 24, 2017
Subscribed and sworn before me	this 12 day of	May Office of Oll Brown 19014 MAY Department of Oll Brown 19014 Notary Publicment of Oll Brown 19014 Notary Publicment of Oll Brown 19014 Environmental Brown 19014	gl agtian 06/06/2014

06/06/2014

Form WW-9			Operato	r's Well No	Greg N	Aills #2
Proposed Revegetation Treatment: Acres Disturbed	<2	ac	Dominion		48	
Lime Tons/acre or to co		6.5	Prevegetation	m рн	1.0	
Fertilizer (10-20-20 or equivalent) 500		e (500 lbs m	inimum)			
Mulch 4	Tons/acre					
	Seed M	ixtures				
Seed Type Ibs/acre KY 31 Fescue		KY 31 F	Seed Type	Area II	lbs/acre	<u>-</u>
Attach: Drawing(s) of road, location,pit and proposed area for Photocopied section of involved 7.5' topographic sheet Plan Approved by: Comments:						
Title:		Date:	Office of C	JO/A IVED IN and G I 6 2014 Spartmen	nt of atastism	06/06/2





Point Pleasant, WV 25550

Surface Latitude - 38°49' 00.91" -

5,975

FORM IV-6

Point Pleasant, WV 25550