


LATITUDE 38 35'



LONGITUDE

31° 50'

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
 _____ (calc.) _____

Company Cairo Oil Co
 Farm W. H. Rambow
 Quad _____
 County Jackson
 District Union Union

WELL LOCATION MAP
 File No. 035-70034
 #43 in 1911 WVGES
 Jackson County Report

.....District, Jackson County, W. Va.

70034

Cairo Oil Co.

On Little Mill Creek, 1 mi. S. of mouth of Toms Run and 3/4 miles
southeast from schoolhouse.

Data furnished by W. H. Rambow.

Well begun Jan. 6, 1909, and completed March 23, 1909.

Elevation, 700'.

	Top.	Bottom.	Thickness ss.
Conductor	0	- 14	14
Red rock	14	- 35	21
Lime	35	- 67	32
Slate	67	- 72	5
Lime (little water)	72	- 78	6
Slate	78	- 88	10
Sand	88	- 118	30
Red rock	118	- 218	100
Lime	218	- 253	35
White slate	253	- 258	5
Lime	258	- 272	14
Red rock	272	- 287	15
Slate	287	- 297	10
Red rock	297	- 317	20
Lime	317	- 337	20
Sand	337	- 362	25
White slate	362	- 425	63
Shells	425	- 450	25
Hard lime	450	- 485	35
Red rock	485	- 551	66
Shaly	551	- 556	5
Red rock	556	- 600	44
Lime	600	- 605	5
Red rock	605	- 650	45
Slate	650	- 705	55
Hard lime	705	- 720	15
Sand	720	- 745	25
Slate	745	- 765	20
Sand	765	- 790	25
Slate	790	- 815	25
Red rock	815	- 835	20
Slate	835	- 850	15
White slate	850	- 860	10
Lime	860	- 865	5
Sand	865	- 935	70
Slate	935	- 940	5
Sand (salt water)	940	- 1055	115
Slate	1055	- 1085	30
Sand (three bailers of water)	1085	- 1120	35
Slate	1120	- 1204	84
Sand (5 bailers of water)	1204	- 1229	25
Slate	1229	- 1254	25
Sand	1254	- 1324	70
Slate	1324	- 1350	26
Sand	1350	- 1405	55
Slate	1405	- 1455	50
Lime	1455	- 1463	8
Sand (more water)	1463	- 1514	51

(OVER)

W. H. RAMBOW NO.....WELL. (Continued).

	Top.	Bottom.	Thickness.
Big Lime	1514	- 1567	53
Sand lime	1567	- 1579	12
Big Lime	1579	- 1614	35
Big Injun Sand	1614	- 1635	21
Break	1635	- 1656	21
Big Sand Water	1656	- 1671	15
Black slate	1671	- 1690	19
Slate	1690	- 1710	20
Sand	1710	- 1740	30
Slate	1740	- 1750	10
Sand	1750	- 1760	10
Slate	1760	- 1775	15
Sand (hole full of water at 1832')	1775	- 1840	65
Slate and shells	1840	- 2070	230
Black slate	2070	- 2090	20
Berea Sand	2090	- 2111	21
Slate and shells	2111	- 2313	202
Slate and shells	2313	- 2503	190
Total depth		2503	