



New Location
 Drill Deeper
 Abandonment

Company OKMULGEE SUPPLY CORP.
 Address OKMULGEE, OKLA.
 Farm ALBERT A. MYERS
 Tract _____ Acres 80 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 782.40
 Quadrangle CLENDENNIN
 County KANAWHA District ELK
 Engineer L. H. Dye
 Engineer's Registration No. 804
 File No. _____ Drawing No. _____
 Date 10-14-48 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-564-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

6-0 217

ALBERT MYERS NO. 1 WELL.

564A

Elk District, Kanawha County, W. Va.
 By Okmulgee Supply Corp., Okmulgee, Okla.
 Abandoned under permit Kan-.....-A?

On.....acres.

On Elk River.

Elevation, ' L.

Drilling completed in 1912.

Shot Oct. 5, 1912, at 1850-1865'; Feb. 27, 1913, at 1848-1863';

June 29, 1915, at 1848-1858'; Dec. 20, 1917, at 1850-1863';

and June 13, 1927, at 1848-1864'.

8 $\frac{5}{8}$ " casing, 470'; 7" O. D., 1601'; all left in.

Oil well. Record to Dept. of Mines not dated or stamped.

Record to RCT from Mrs. Griffith April 18, 1949. Old File No. 1375.

	Top.	Bottom.
Coal	385	- 390
Coal	450	- 455
Salt Sand	880	- 1410
Sand	1500	- 1535
Big Lime	1575	- 1755
Red sand	1765	- 1787
Squaw Sand (gas, 1849') (oil, 1850')	1848	-
Total depth		1873

Cement bridge placed in hole just above
 top of Squaw Sand to keep water off sand.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Completed no finishing report
1375

Ab 564-A

WELL RECORD

Permit No. _____ Oil or Gas Well _____ (KIND)

Company Okmulgee Supply Corporation
Address Okmulgee, Okla
Farm Albert Myers Acres _____
Location (waters) Elk River
Well No. 1 Elev. _____
District Elk County Kanawha
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4 - 8-5/8	470	470	Depth set
6 5/8 - 7" 00	1601	1601	
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced _____
Drilling completed 1912
Date Shot From 1850 To 1864
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT			
	FEET	INCHES	
	FEET	INCHES	
	FEET	INCHES	

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			385	390			
Coal			450	455			
Salt Sand			880	1410			
Sand			1500	1535			
Big Lime			1575	1755			
Red Sand			1765	1787			
Squaw Sand			1848				
Gas			1849				
Oil			1850				
Total Depth				1873			

(C)

CEMENT BRIDGE PLACED IN HOLE JUST ABOVE TOP OF SQUAW SAND TO KEEP WATER OFF SAND

SHOT RECORD

10/5/12	1850-1865
2/27/13	1848 1863
6/29/15	1848-1858
12/20/17	1850-1863
6/13/27	1848-1864