

PERIAL" TRACING CLOT

SALA

Elk District, Kanawha Gounty, W. Va.

By Everitt-Whiting, Inc., Okemah, Okla.

Abandoned under permit Kan-...-A?

On 102 acres.

Elevation, 882.35' L.

Drilling completed Sept. 12, 1916.

Shot Sept. 12, 1916, at 1922\$1972', with 100 qts.

7" O. D. casing, 1643'; 5½", 1776'; 2" tubing, 2050'; all left in.

Oil well. Record to Dept. of Mines stamped Jan. 29, 1949.

Record to RCT from Mrs. Griffith May 21, 1949. Old File Mo. 1387.

	Top.	Bottom.
Coal	185	- 190
Coal	240	- 245
Salt Sand	885	- 1495
Maxton Sand	1560	- 1565
Big Lime (gas, 1658)	1612	- 1771
Squaw Sand (gas, 1875')	1855	- 1907
Weir Sand (oil and gas, 1922 and 19361)	1917	- 2047
Total depth		2050



Completed no Inspection

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

WELL RECORD

Oil or Gas Well

Permit No.	()		Oil of Gas Well (KIND)				
Company Everitt - Whiting, Inc., Address Okemah, Okla.			Casing and Tubing	Used in Drilling	Left in Well	Packers	
Location (waters	R. J. Morris		10	and the second		Kind of Packer	
	County Kar ract is owned in fee by Address		13			Size of	
Mineral rights a	re owned byAddress	•	6% 7"0D 53/16 5-1/2"	1643	1643 1776	Depth set	
Drilling commen Drilling complet Date Shot	0		2	2050	2050	Perf. bottom Perf. top	
WithOpen Flow	/10ths Water in		CASING CEMEN	TED	SIZE	Perf. bottomNo. Ft	
Volume Rock Pressure Oil	lbs.		COAL WAS EN	COUNTERED	AT	FEETINC	CHES
	feet						CHES

Rock Pressure Oil Fresh water Salt water Formation	Color	feetfeet	hrsbbls., 1st 24 hrsfeet _feet	FEET	COUNTERED AT INCHES. INCHES. Oil, Gas	FEET	INCHES INCHES Remarks
Coal Coal Salt San Maxon Sa		Soft	185 240 885 1560	190 245 1495 1565			
Big Lime Gas Squaw Sa Gas Weir San Oil & Ga	nd d s		1612 1658 1855 1875 1917 1922 1936	1771 1907 2047			
Total De	pth		TOP	2050°			
912-16			1922	1972 100	Qts.		
S16418182	37A252627	300 30 111 23 23 23 23 23 23 23 23 23 23 23 23 23					
Formation	STITOLES	Soft	job	Bottom	or Water	Found	Remarks