



#1	4.72	S
	0.33	W
#2	4.75	S
	0.29	W
#14	4.64	S
	0.20	W
#24	4.69	S
	0.23	W

New Location   
 Drill Deeper   
 Abandonment

Company EVERITT-WHITING INC.  
 KANAWHA ACCOUNT  
 Address OKEMAH, OKLA.  
 Farm ANNA C. SKINNER  
 Tract \_\_\_\_\_ Acres 585.95 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1-2-10-14-24 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) SEE ABOVE  
 Quadrangle CLENDENNIN  
 County KANAWHA District ELK  
 Engineer R. F. Dye  
 Engineer's Registration No. 804  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 2-21-49 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**

FILE NO. KAN-603-A-#1  
KAN-604-A-#2  
KAN-606-A-#14  
KAN-609-A-#24

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

ALSO: KAN 605 A #10

6-0 217

ANNA C. SKINNER NO. 2 WELL.

604A

Elk District, Kanawha County, W. Va.  
 By Everitt-Whiting, Inc., Okemah, Okla.  
 Abandoned under permit Kan-.....-A?  
 On 586 acres, on Upper Threemile Creek.

Elevation, 979.42' L.  
 Drilling completed Aug. 8, 1916.

Shot Aug. 8, 1916, at 2035-2050', with 30 qts.; Feb. 26, 1918,  
 with 10 qts.; Apr. 16, 1919, with 10 qts.; Apr. 28, 1922,  
 at 2035', with 40 qts.; and Jan. 20, 1940, at 2035', with 40 qts.  
 8 $\frac{3}{4}$ " casing, 618' (not visible); 7" O. D., 1682'; 5 $\frac{1}{2}$ ", 1700' (estimated;  
 set on Big Lime); 2" tubing, 2070'.

Oil well. Record to Dept. of Mines stamped March 1, 1949.  
 Record to RCT from Mrs. Griffith April 18, 1949. Old File No. 1377.

	Top.	Bottom.
Coal	435	439
Coal	575	580
Salt Sand	940	1461
Marion Sand	1560	1590
Big Lime (gas, 1730')	1659	1820
Sand	1870	1890
Sand (gas, 1905 and 1952')	1895	1997
Weir Sand (oil, 2036 and 2048')	1997	2067
Total depth		2070



*Completed no inspection*

**1377**

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

**WELL RECORD**

Permit No. **604-A**

Oil or Gas Well \_\_\_\_\_ (KIND)

Company Everitt - Whiting, Inc.,  
 Address Okemah, Okla  
 Farm Anna C. Skinner Acres 586  
 Location (waters) Upper Three Mile  
 Well No. 2 Elev. 979.42'  
 District Elk County Kenawha  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed August 8, 1916  
 Date Shot From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4 - 6-5/8"	618	not visible	Depth set
6 5/8 - 7" O.D.	1682	1682	Estimated (set on R.)
5 3/16 - 5-1/2"	1700	1700	Perf. top
3			Perf. bottom
2	2070	2070	Perf. top
Liners Used			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			435	439			
Coal			575	580			
Salt Sand			940	1461			
Maxon Sand			1560	1590			
Big Lime			1659	1820			
Gas			1730				
Sand			1870	1890			
Sand			1895	1997			
Gas			1905				
Gas			1952				
Weir Sand			1997	2067			
Oil			2035				
Oil			2048				
Total Depth				2070			

SHOT RECORD

DATE	TOP	BOTTOM	QUANTITY
8/8/1916	2035	2050	50 Qts.
8/26/1918			10 Qts.
4/15/1919			10 "
4/28/1922	2035		50 "
1/20/1940	2035		40 "

