



599-A	S	5.97
#14	W	0.52
600-A	S	4.89
#18	W	0.56
701-A	S	5.02
#16	W	0.63
702-A	S	4.82
#19	W	0.66
725-A	S	5.00
#1	W	0.63

- KAN - 599-A - #14
- KAN - 600-A - #18
- KAN - 701-A - #16
- KAN - 702-A - #19
- KAN - 725-A - #1

New Location...
 Drill Deeper.....
 Abandonment.....

Company OKMULGEE SUPPLY CORP.
 Address OKMULGEE, OKLA.
 Farm J.V.R. SKINNER
 Tract _____ Acres 246 Lease No. _____
 Well (Farm) No. 51-14-11-18-19 Serial No. _____
 Elevation (Spirit Level) SEE ABOVE
 Quadrangle CLENDENNIN
 County KANAWHA District ELK
 Engineer D.H. Dye
 Engineer's Registration No. 804
 File No. _____ Drawing No. _____
 Date 5-2-49 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. _____

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

J. V. R. SKINNER NO. 16 WELL.

701A

Elk District, Kanawha County, W. Va.
 By Weston-Spencer Corp., Spencer, W. Va.
 Abandoned under permit Ken-.....-A?
 On 246 acres, on Upper Threemile Creek.
 Elevation, 745' L.

Drilling completed Oct. 23, 1915.

Shot Oct. 23, 1915, with 10 qts., at 1726-1736'; Dec. 6, 1916, with 10 qts., at 1726-1736'; May 21, 1917, with 15 qts., at 1729'; Feb. 26, 1918, with 10 qts., at 1726'; and March 4, 1936, with 40 qts., at 1726-1736'.

10³/₄" O. D. casing, 42'; 7" O. D., 1341'; 5¹/₂" O. D., 1389'; all left in.
 Oil well. Record to Dept. of Mines stamped March 9, 1950.

Record to RGT from Mrs. Griffith May 26, 1950. Old File No. 1452.

	Top.	Bottom.
Coal	100	104
Coal	168	174
Salt Sand	652	1126
Maxton Sand	1222	1252
Big Lime	1330	1475
Sand	1475	1485
Weir Sand (gas, 1663'; oil, 1673'; oil, 1726')	1655	1736
Total depth		1739



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1452

WELL RECORD

Permit No. KAN-701-A

Oil or Gas Well _____
(KIND)

Company Weston-Spencer Corp.,
 Address Spencer, W. Va.
 Farm J. V. R. Skinner Acres 246
 Location (waters) Upper Three Mile
 Well No. 16 Elev. 745.1
 District Elk County Kanawha
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced _____
 Drilling completed October 23, 1915
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10 5/4 OD	42'	42'	Size of
8 1/4			
6 5/8 7" OD	1341'	1341'	Depth set
5 3/16 1/2 OD	1399'	1399'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			100	104			
Coal			168	174			
Salt Sand			652	1126			
Maxon Sand			1222	1252			
Big Line			1330	1475			
Sand			1475	1485			
Weir Sand			1655	1736	Gas 1663'		
					Oil 1673'		
					Oil 1726'		
Total Depth				1739'			
<u>Shot Record</u>							
10/23/15	10	fts.	1726	1736			
12/6/16	"		1726	1736			
5/21/17	15	"	1729'				
2/26/18	10	"	1726'				
3/4/36	40	"	1726	1736'			

13 x 1
1325
6112



(Over) MAY 26 1950