

C, C, LEWIS NO, L (1710) - 5AM BEREN.

KAN-704-A

	Top.	ofton.
	0	9
	9	
	19	
Sand	40	- 130
	100	- 175
	175	179
	179	
111 me chells	282	- 660
	660	- 730
lst Salt Sand		•
	820	 920
	920	- 1059
late		- 11.00
	1100	_ 1200
	1200	- 1230
Rod rock	1200	- 1310
14.50	1310	- 1400
Lled rock	1400	1440
Maxbon Sand	1440	- 1500
	1500	- 1625
. 2 1 g . 2 1 ma	1625	- 1810
Nig Injun Send	1810	- 1860
	1860	
Melr Send	1.062	7
(let oil, 2045-2055')		
Total depth		2043

Sinte

Slate

Beir

Big Line Injum

let 011

Total Cepth



STATE OF WEST VIRGINIA DEPARTMENT OF MINES





Permit No. 14	N-704-A		WELL	RECORE)	Oil or	res Well (KIND)
	Box 147 -	Signorillo,		Casing and 'Tubing	Used in Drilling	Left in Well	Packers
Farm Acres Location (waters) Elev.				Size 16			Kind of Packer
		_County Knowe		13			
		fee by		10	5267	32.01	Size of
		Address		8¼	1200	-	<u> </u>
Mineral rights a	re owned by			65%	-1072*	2072*	Depth set
		Address		5 3/16			Perf. top
				2	458	45.85	Perf. bottom
				Liners Used		900	Perf. top
	k'roi	пТо_		Differs Osed			√aras Taras and a salah
With				-			Perf. bottom
		in			9.2.7.23.7.7.7.	CTCTT	No. Ft. Date
		in		CASING CEMP	ENTED	SIZE	No. Ft. Date
		<u></u>					
Rock Pressure			hrs.	COAL WAS EI	NCOUNTEREI) AT	FEETINCHES
				FEET	r INC	प्राप्त	FEET INCHES
		feet					
Salt water		Teet	feet	FEET	INC	HES	FEET INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	
Soil Sand Slate Sand Slate Goal Slate Lime Shell Sa d lst Salt Slate End Salt Slate Srd. Salt Lime Red Rock Lime Red Rock Lime Red Rock	is and and	do not have				die man	

1025

1810

1860 1862

2051

2055

ROGI,

1600

1625

1010

1000

1862

2045