



#6 S 0.01  
W 2.37

719-A S 0.07  
#42 W 2.26  
709-A S 0.10  
#40 W 2.32

680-A S 0.07  
#12 W 2.46  
709-A S 0.10  
#40 W 2.32

SET STONE  
EL. 1132.7  
New Location   
Drill Deeper   
Abandonment

BL. CR. C. & L. CO.

D.R.  
CARNES  
75A.

Company SEATEX OIL & GAS CO.  
Address FALLING ROCK, W.VA.  
Farm GOSHORN, ET AL  
Tract \_\_\_\_\_ Acres 740.3 Lease No. \_\_\_\_\_  
Well (Farm) No. \_\_\_\_\_ Serial No. \_\_\_\_\_  
Elevation (Spirit Level) \_\_\_\_\_  
NO. 6 = 634, NO. 12 = 779, NO. 39 = 801  
NO. 40 = 817, NO. 42 = 910  
Quadrangle CLENDENIN  
County KANAWHA District BIG SANDY  
Engineer ROBT. C. LAFFERTY  
Engineer's Registration No. 1654  
File No. \_\_\_\_\_ Drawing No. 128  
Date MAR. 4, 1950 Scale 1" = 400'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

**WELL LOCATION MAP**  
KAN-680-A-#12  
FILE NO. KAN-709-A-#40  
KAN-719-A-#42 - NC  
KAN-708-A-#39  
+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
- Denotes one inch spaces on border line of original tracing.

6-0-219

Big Sandy District, Kanawha County, W. Va.

By Seatex Oil & Gas Co., Clendenin, W. Va.

Abandoned under permit Kan-.....-A7

On 801 acres. (?)

Elevation, 801' L.

Drilling completed May 28, 1914.

Production 1st 24 hrs., 48 bbls.

Shot May 26, 1914, with 16 qts.; Dec. 17, 1914, with 30 qts.;

Aug. 7, 1916, with 60 qts.; and Apr. 28, 1916, with 80 qts.;

shot, 1989-1996'.

6 $\frac{3}{8}$ " casing, 1588'; 4-7/8", 1627'; all left in.

Oil well. Record to Dept. of Mines stamped March 23, 1950.

Record to RCT from Mrs. Griffith May 26, 1950. Old File No. 1442.

	Top.	Bottom.
Oil	1982	- ....
Gas	1987	- ....
2nd oil	1988	- 1994
Bottom of sand		1994
Total depth		1996



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1442

WELL RECORD

Permit No. KAN-708-A Oil or Gas Well X (KIND)

Company Seator Oil and Gas Company  
Address Clendenin, W. Va.  
Farm Goshorn et al Acres 801  
Location (waters) \_\_\_\_\_  
Well No. 39 Elev. 801'  
District Big Sandy County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced May 26, 1914  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 5/8	1588	1588	Depth set
5 3/16 4-7/8	1627	1627	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
_____ FEET	_____ INCHES	_____ FEET	_____ INCHES
_____ FEET	_____ INCHES	_____ FEET	_____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Oil			1982				
Gas			1987				
2nd Oil			1988	1994			
Bottom of Sand				1994			
Total Depth				1996			
production 1st 24 hours 48 bbls							
Shot	5/26/14	15 qts.					
shot	12/17/14	30 "					
Shot	8/7/15	60 qts					
shot	4/28/16	80 qts.					
Shot 1989 - 1996'							

