



574A S 0.37	756A S 0.67	KAN-570-A-#41
#56 W 1.08	#28 W 1.20	
575A S 0.37	757-A S 0.76	KAN-572-A-#50
#57 W 1.00	#29 W 1.18	KAN-573-A-#55
	570-A S 0.47	KAN-574-A-#56
	#41 W 1.10	KAN-575-A-#57
	571-A S 0.46	
	#49 W 0.96	
	572-A S 0.38	
	#50 W 0.93	
	573-A S 0.46	
	#55 W 1.03	

New Location...   
 Drill Deeper...   
 Abandonment...

Company OKMULGEE SUPPLY CORP  
 Address OKMULGEE, OKLA.  
 Farm BLUE CREEK COAL & LAND CO.  
 Tract \_\_\_\_\_ Acres \_\_\_\_\_ Lease No. \_\_\_\_\_  
 Well (Farm) No. 28-29-41-49 Serial No. 35-56-50-57  
 Elevation (Spirit Level) SEE ABOVE  
 Quadrangle CLENDENNIN  
 County KANAWHA District ELK  
 Engineer L. F. Dye  
 Engineer's Registration No. 804 SC  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 1-17-49 Scale 1" = 1000'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. KAN-756-A-#28  
KAN-757-A-#29

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-0 316



(L179)

1483

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. Kan-757-82 Oil or Gas Well \_\_\_\_\_ (KIND)

Company Weston-Spencer Corporation  
 Address Charleston, W. Va.  
 Farm Blue Crk. Tract Acres \_\_\_\_\_  
 Location (waters) Evans Fork  
 Well No. 20 Elev. 1008.40'  
 District 11th County Kanawha  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed June 9, 1915  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/2 - 6/8	452'	452'	Depth set
6 5/8 - 7" OD	1074'	1074'	
5 3/16	see note		
3			Perf. top
2	2000'	2000'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			170	178			
Coal			560	565			
Salt Sand			1250	1440			
Maxon Sand			1540	1655			
Big Lime			1610	1765			
Weir Sand			1795	2000			
Oil & Gas			1990				
Total Depth				2000			
SHOT RECORD							
6/9/15	1990-1997						
4/17/19	1998-1999						
NOTE:- The amount of 5-1/2" OD casing is not shown on the casing record, although the superintendent says it is definitely in the well. There is probably about 1620' of this string							

