

W.D. ROUSH M. (FS891) - (Gody Deef Roderty 6 Rouse

KAN-879-4

Big Sandy District, Kanawha County, W. Va.

By Valley Steel Products Co., St. Louis, Mo.(Formerly Koontz & Osborne well).

Abandoned under permit Kan-....A? (Operator)

On.....acres, 100 feet west of mouth of Birch Creek in east Clendenin.

Drilling commenced March 28, 1924; completed May 9, 1924.

Elevation, 624.7 L.

10" casing, 62'; 8½", 300'; 65", 1297'; all left in.

Gas well. Record to Dept. of Mines dtamped March 21, 1951.

Record to RCT from Mrs. Griffith June 28, 1951. Old File No. 1560.

	Top.	Bottom.
Sand and gravel		- 75
Slate and shell	75	- 375
Sand		- 400
Slate		- 465
Sand	465	- 525
Slate and shell	-	- 745
Salt Sand		- 900
Slate		- 1020
Black lime		- 1090
Maxton Sand		- 1240
Little Lime	•	- 1274
Sand and shell		- 1282
Slate		- 1287
Sand and shell		- 1293
Pencil Cave	-	- 1296
Big Lime (gas, 13741)		
Big Injun Sand	1210	- 1448
Red lime		- 1469
Slate and shell		- 1502
Weir Sand (gas, 1510'; gas, 1610';		
ges, 16471) (shut in May 9,		
1924)	1502	- 1654
Slate		- 1661
Total depth		1661



DEPARTMENT OF MINES OIL AND GAS DIVISION

KUN-8291-A

WELL RECORD

Formerly, Koonts & Geborne

Oil or Gas Well_____

	THE TAXABLE OF THE PROPERTY OF						(KIND)	
	**	nl Products		Casing and Tubing	Used in Drilling	Left in Well	Packers	
Farm Acres Location (waters)				Size			Tr. 1 6 7	
Well No			Elev. (2) 7	16			Kind of Packer	
District Blo Se	as why	County_ Kanas	dra	13	621	621	Size of	
		n fee by		10 8¼	3001	3001	Size oi	
		_Address		65/8	10071	10071	Depth set	
_		_Address		5 3/16				
Drilling commenced Nava 28, 1924 Drilling completed 28, 1924				3			Perf. top	
				2			Perf. bottom	
Date ShotTo				Liners Used			Perf. top Perf. bottom	
-	•	r in				KINDANON - VAKAT SAMANASAKSUMIDA I		
				CASING CEME	ENTED	SIZE	No. FtDate	
		**						
		lbs		COAL WAS E	NCOUNTERED	AT	FEETINCHES	
		feet	*	FEET	rINCE	IES	FEETINCHES	
					rINCE	IES	FEETINCHES	
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found		
Sand & Slate & Sand & S	shell shell ad lime shell Shell Gave e		0 75 400 465 925 745 900 1090 1240 1240 1296 1296 1410 1448 1469 1502	75 400 465 525 745 900 1020 1020 1240 1282 1283 1286 1480 1480 1480 1480 1480 1604 1604 1601	Cos in E Pinet Co 2nd Cos 3rd Cos shut in	de line	ir, 1510 , 1410 , 1447	
		C 2 4 8 00	2077 (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B					