

Elk Mistrict, Kanawha County, W. Va. By Pack & Jackson, Mal Pack, Hamlin, W. Va. Abandoned under permit Kan-....A?

On 39 acres.

Elevation, 995.6° L.

Drilling completed in 1917.

Shot record: Shot Sept. 24, 1917, with 120 qts., at 1981.

88" casing, 418'; 7" 0. D., 1683'; 58", 609' (reserved); 2" tubing, 2070' (reserved).

Formerly South Penn Oil Co. well.

Oil well. Record to Dept. of Mines stamped July 9, 1951.

Record to RCT from Mrs. Griffith Jan. 16, 1952. Old File No. 1627.

	Top.	Bottom.
0 2	347	- 350
Selt Sand	960	- 1454
Nexton Sand	1555	- 1535
34.2 11.0 0	1650	- 1815
Big Injun Sand (gas, 1820')	1815	- 1830
Weir Sand (gas, 1970'; oil, 1985- 2010'; oil, 2050-2060') Total depth	1965	- 2065 20 70





STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

BI

Permit No. KAN 876-A

WELL RECORD

Formerly: South Fern 011 Co.
Oil or Gas Well

rermit No.			OH OF G	as weil	
	S NEEDY DOOR DE STEEL EN EN EEU EEU EEU EEU EEU EEU EEU EEU E	**************************************			ND)
Company Pack Jackson Address 0/0 201 Pack * 1011111, 101	Casing and Tubing	Used in Drilling	Left in Well	Packer	'S
Farm Jackson Tyers Acres 30	Size				
Location (waters)Elev. 995.6	16			Kind of Packer	
District County County	13				
The surface of tract is owned in fee by	10	364		Size of	
Address	814_2/43		43.0		· · · · · · · · · · · · · · · · · · ·
Mineral rights are owned by	6% 7 (1)		35434343	Depth set	
Drilling commencedAddress	5-3/16_== 3		2000270	Perf. top	
Drilling commenced 1917	2	2070	200 213	Perf. bottom	
Date ShotTo	Liners Used			Perf. top	
With				Perf. bottom	
Open Flow /10ths Water inInch			777	I	Dode
/10ths Merc. inInch VolumeCu. Ft.	CASING CEME	ENTEDS	12.6	No. Ft	Date
Rock Pressure lbs. hrs.			A 277		TATOTTES
Dilbbls., 1st 24 hrs.		NCOUNTERED A			INCHES
Fresh waterfeetfeet					
Salt water feet feet	FEET	INCH!	ES	FEET	INCHES
	1	012 0	W 48		

Oil			bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED AT	rFEET_	INCHES
Fresh water			feet	FEET	INCHE	SFEET_	INCHES
Salt water		feet	feet	FEET	INCHE	SFEET_	INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coel Salt Sand Saxon Send Blo Lime Blo Inju Gas Gas Galt Sand Galt Coll Total Dev			347 960 1555 1650 1820 1970 1965 2050	350 1454 1535 1630 2005 2000 2000			
					recognition in w	- The second sec	
9/24/17		CO qts.	1931		over the second		
			202524252627	123 July 1951			
		V			ta egyőlőse.	1 4440.803	