

FALLING ROCK PROJENG CO, MO, 78, JA, 66, 57 289 - SEATEX OIL CO., INC.

444-885-A

F1254

Big Sandy District, Kanawha County, V. Va.

By Valley Steel Products Co., St. Louis, Mo.

Abandoned under permit Kan-...-A?

On 3060 acres, on Falling Rock Creek.

Elevation, 942° L.

Drilling completed Nov. 7, 1916.

16" conductor, 20°; 8\" casing, 475°; 6\", 1608°; all left in.

First water at 996°. Hole full of water at 1024°.

Oil well. Record to Dept. of Mines stamped July 11, 1951.

Record to RCT from Mrs. Griffith Nov. 28, 1951. Old File No. 1596.

	Top.	, Bottom.
Conductor	0	- 20
Slate, sand, lime	20	- 300
Slate and shells	008	- 930
Top of Salt Sand	930	- 1406
Lime in Selt Sand		- 1251
Break in Salt Sand	1251	- 1296
Red rock	1406	- 1532
Little Line	West 141	- 1500
Pencil Cave	1580	- 1588
Lime shell	1,588	- 1 605
Big Line	1.605	- 1760
Slate	1760	- 1775
Big Injun Send	1775	- 1005
Slate	1805	- 1015
Weir Sand (pay sand, 1984-1992)	1815	- 1992
Slate	1992	- 200 6]:
Total depth		2006 }



STATE OF WEST VIRGINIA DEPARTMENT OF MINES



Permit No. KAN-883-A

The surface of tract is owned in fee by.

Mineral rights are owned by___

/10ths Water in_

__/10ths Merc. in_

Valley Stool moduote Corpu:

_Address.

LODE VELT

06.0

Company_

Location (waters)

Drilling commenced_ Drilling completed_

Date Shot____ With_____

Open Flow

Volume_____Rock Pressure_

Address.

Well No.
District_

Farm,

WELL RECORD

OIL AND GAS DIVISION

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
10		<u> </u>	Size of
8 ½ ***********************************	were the state of		Depth set
6% 5 3/16		1.5	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
2.55			Perf. bottom

Oil		bbls 1st 24 hrs.	COAL WAS ENCOUNTERED AT		ATFEET_	FEETINCHES	
Fresh water		feet	FEET	INCH	esfeet_	INCHES	
Salt water	feet	feet	FEEI	rinch	esfeet_	INCHES	
Formation Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks	
	· · · · · · · · · · · · · · · · · · ·						
		SECTION					