



New Location   
 Drill Deeper   
 Abandonment

Company VALLEY STEEL PRODUCTS Co  
 Address ST. LOUIS, MISSOURI  
 Farm BLUE CREEK TRACT  
 Tract Acres 29,768 Lease No. 57822  
 Well (Farm) No. 45 & 51 Serial No. F-1558  
 Elevation (Spirit Level) 45-1020 ; #51-955  
 Quadrangle CLENDENIN  
 County KANAWHA District BIG SANDY  
 Engineer PAUL E. JOACHIM  
 Engineer's Registration No. 669  
 File No. 76-63 Drawing No.   
 Date APRIL 14, 1951 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. KAN-899-A-#45  
KAN-900-A-#51

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

BLUE CREEK TRACT NOS. 45 & 51 - VALLEY STEEL PRODUCTS Co. - KAN-899-900A

BLUE CREEK TRACT NO. 51 WELL.

908A

Big Sandy District, Kanawha County, W. Va.  
By Valley Steel Products Co., St. Louis, Mo.  
Abandoned under permit Kan-.....-A?  
On 29,768 acres.

Elevation, 955' L.

Date of completion, etc., not given.

6<sup>5</sup>/<sub>8</sub>" casing, 1641'.

Oil well. Record to Dept. of Mines stamped Aug. 13, 1951.

Record to RCT from Mrs. Griffith Jan. 16, 1952. Old File No. 1619.

	Top.	Bottom.
Coal	325	- 335
Salt Sand	1002	- 1350
Maxton Sand	1516	- 1550
Little Lime	1550	- 1580
Pencil Cave	1605	- 1610
Big Lime	1610	- 1775
Weir Sand	1981	- 2012
Total depth		2013



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1619

WELL RECORD

Permit No. KAN-900-A

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Valley Steel Products Company  
 Address Saint Louis, Mo.  
 Farm Blue Creek Tract Acres 29,768  
 Location (waters) \_\_\_\_\_  
 Well No. 51 Elev. 955'  
 District Big Sandy County Kanawha  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed \_\_\_\_\_  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Size of
10			
8 1/4			Depth set
6 5/8	1641'	1641'	
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 325 FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			325	335			
Salt Sand			1002	1350			
Maxon Sand			1516	1550			
Little Lime			1550	1580			
Pencil Cave			1605	1610			
Big Lime			1610	1775			
Weir Sand			1981	2012			
TOTAL DEPTH				2013			



JAN 16 1952