

Cabin Creek District, Kanawha County, W. Va.
By United Fuel Gas Co., Charleston, W. Va.
Drilling contractor, E. R. Cameron, Box 1460, Charleston, W. Va.
Commenced Jan. 1, 1922; completed Mar. 24, 1922.
Drillers: S. C. Hamilton, E. R. Cameron.
10" casing, 1001': 3½", 1842'; 6½", 2523'; all left in.
Packer: 6½" shoe.
Estimated 40 bbls. after shot.

	Top. Bottom.	Thickness.
Stone	0 - 12	12
Sand	12 - 190	178
Slate	190 - 215	25
Coal	215 - 218	<u> </u>
Lime	218 - 225	3 7
Slate	225 - 266	35
Sand (2 bailers water at 2951)	260 - 300	35' 40
Slate	300 - 325	25
Coal	325 - 330	5
Sand		170
Slate	500 - 525	25
Sand	525 - 610	85
Slate	610 - 650	40
Sand	650 - 675	25
Coal	<u> 675 - 678</u>	3 32
Sand	678 - 710	32
Slate and shells	710 - 780	70
Sand	780 - 807	27
Coal	807 - 810	.3
Lime Sand	810 - 820	10
Coal	820 - 910 910 - 916	90 6
Lime	916 - 930	0 14
Sand	930 - 960	70 70
Lime	960 - 1000	40
Slate	1000 - 1030	-0 30
Sand	1030 - 1070	40
Slate and shell	1070 - 1180	ıio
Sand	1180 - 1230	
Slate and shell	1230 - 1270	Щ́о .
Sand	1270 - 1315	45
Lime	1315 - 1370	55
Slate	1370 - 1375	5
Grampus Sand (2 bailers water at 1450')	1375 - 1515	140
Slate	1515 - 1580	65
Salt Sand (hole full water at 1680')	1580 - 1837	257
Slate	1837 - 1842	5
Lime	1842 - 1860	
Slate and shell	1860 - 2050	
Red rock	2050 - 2130	80
Lime shell	2130 - 2230	
Red rock	2230 - 2295	
Maxton Sand Slate	2295 - 2385	
Lime	2385 - 2390	
Pencil Cave	2390 - 2465	
Big Injun Sand	2465 - 2470	
는 사용하다 보고 있는 것이 없는 것이 없는 것이 되었다. 이번 사용이 되었다면 보면 되었다면 보고 있다면 하는데 보고 있다면 보고 있다면 보고 있다면 보고 있다면 보고 있다.	2470 - 2682	212
(OVER)		

IMPERIAL COAL CO. NO. 1241 WELL (Continued).

하다 아르아마음을 들었다. 그를 하을을 걸렸다.			Top. Bott	om. Thickness.	
Big Injun Sand			2682 - 272	7 45	
Slate and shell	*		2727 - 273	2 5	
Brown shale	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2732 - 273	4 2	
Slare and shell			2734 - 313	400	
Slare and shell Berea Sand (oil at 316	1-3178')		3134 - 317	8 44	
Drilled deeper by U. I	. G. Co.	to ·	319	6	

FORM OG-8

STATE OF WEST VIRGINIA DEPARTMENT OF MINES



OIL AND GAS WELLS DIVISION

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the department, one copy to be retained by the

AFFIDAVIT OF PLUGGING AND FILLING WELFET, OF MINES

	erator or owner	TIME TIE	eston Oil Compa		~
\$20\$479\$ 22 \$23\$"		P. O. H	Box 1273, Chas		5325
de total sprinters in, ne en an one of the War of the Art other parties and de the body and the properties on represent	ADDRESS	A STATE OF THE PARTY OF THE PAR	COMPLETE AD		
	do manar o la se de entre entre entre en entre en entre en entre entre en entre entr	July 21	12	CATION	19.72
COAL OF	erator or owner	#8			
	ALT BREEK	Capin (lreek	and the state of the spiriture are the state of the state	District
R. L. Bird, Jr.	to the state of th	Kanawh			Country
The second state of the second	R PROPERTY OWNER	and the second s	<u>Allanda que supetira ser un ser es ser el ser terrescent auscrianos de en de ser estator recurs en en en en e</u>	en maken ter deren negere en en terrepres van de deservier van de ses ep me op en gewen van se	Cullly
Imperial Coal C		Well. No	1241		
Charleston,	ADDRESS W. Va. 25328	There was an army			
	· · · · · · · · · · · · · · · · · · ·	Luperla	al Coal Compan	<u>Y</u>	Farm
STATE INSPECTOR S	upervising plugging Fred	l Burdet	ite	30 + 9 8 kg g y 0 y 4 kg m m bb m m u g y d a n n n n n m m m	*********
	aca security (1900) and the colony and	We or his barries			
The build to the total country to the total country and total country and total country and total country and	AFFIDA	VIT			
STATE OF WEST	> 88°				
County of Kanawha					
Homar Grov	res an orn according to law depose an	d Roge	er Meadows	7 - 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 	
plugging and filling	oil and gas wells and were emplo	oyed by	Blue Creek G	as Company	
	participated in the work of plugg		_	* *	
was commenced on and filled in the following	the 9 day of Max	·*************************************	19_72., and that	the well was	plugged
Calla Liller Att VIIC 1011	A A VIE TITITIE .				
and or zone record	PILLING MATERIAL		PLUGB USED	CA	SING
PORMATION			Chix & exis	CSG	CSG LEFT
And the second s	Cut 33" Tubing - Pull - E	2003 200	~7 00		0508
KONTANTON OF THE SECOND OF THE	A contraction of the contraction	<u> </u>	3211	22001	9701
	3 bags Cement - Fill with	control and a second of the second of the	7 11	22001	523 ¹
	and the control of th	n mud	or contract of the contract of		
	3 bags Cement - Fill with	n mud Cement	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme	n mud Cement Bridge ent,	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid	n mud Cement Bridge ant, lge -	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w	n mud Cement Bridge ent. lge - sith	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba	n mud Cement Bridge ent. lge = with ags of	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit	n mud Cement Bridge ent. dge = with ags of th Mud	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit & Clay to 655' - 3 bags 0	n mud Cement Bridge ent. lge - vith ags of th Mud Cement	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit & Clay to 655' - 3 bags of to 360' to top of hole.	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cement 2000' at 800' and Brid 3 bags of Cement - Fill with & Clay to 757' - 3 bags of Cement to 708' - Fill with & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit & Clay to 655' - 3 bags of to 360' to top of hole.	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 11	20001	5231
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cement 2000' at 800' and Brid 3 bags of Cement - Fill with & Clay to 757' - 3 bags of Cement to 708' - Fill with & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 11	20001	5231
COAL SEAMS	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cement 2000' at 800' and Brid 3 bags of Cement - Fill with & Clay to 757' - 3 bags of Cement to 708' - Fill with & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 1011	2000 8 800 9	523'
	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cement 2000' at 800' and Brid 3 bags of Cement - Fill with & Clay to 757' - 3 bags of Cement to 708' - Fill with & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 1011	20001	523'
ME)	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cement 2000' at 800' and Brid 3 bags of Cement - Fill with & Clay to 757' - 3 bags of Cement to 708' - Fill with & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 1011	2000 8 800 9	523'
ME)	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cement 2000' at 800' and Brid 3 bags of Cement - Fill with & Clay to 757' - 3 bags of Cement to 708' - Fill with & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 1011	2000 8 800 9	523'
ME)	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cement 2000' at 800' and Brid 3 bags of Cement - Fill with & Clay to 757' - 3 bags of Cement to 708' - Fill with & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 1011	2000 8 800 9	523'
ME)	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cement 2000' at 800' and Brid 3 bags of Cement - Fill with & Clay to 757' - 3 bags of Cement to 708' - Fill with & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with	n mud Cement Bridge ent. lge - sith ags of th Mud Cement Set	7 1011	2000 8 800 9	523'
ME) ME) ME)	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cement 2000' at 800' and Brid 3 bags of Cement - Fill with & Clay to 757' - 3 bags of Cement to 708' - Fill with & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with	n mud Cement Bridge ent. lge - with ags of th Mud Cement Set	7 W 10 W	2000 [§] 800 [§]	523' 201'
ME) ME) ME) ME) and that the work	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with State of W. Va.	n mud Cement Bridge ent. lge - with ags of th Mud Cement Set	7 W 10 W	2000 [§] 800 [§]	523' 201'
ME) ME) ME) ME) and that the work May	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Cemes Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit & Clay to 655' - 3 bags C to 360' to top of hole. Marker in Compliance with State of W. Va.	n mud Cement Bridge ent. lge - with ags of th Mud Cement Set	7 W 10 W	2000 [§] 800 [§]	523' 201'
ME) ME) ME) ME) and that the work May	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with State of W. Va.	n mud Cement Bridge ent. lge - with ags of th Mud Cement Set	7 W 10 W	2000 [§] 800 [§]	523' 201'
me) ME) ME) and that the work May And further de	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with State of W. Va. of plugging and filling said we	n mud Cement Bridge ent. lge - with lgs of th Mud Cement Set	DESCRIPT	2000 8 800 9	523' 201'
and that the work May And further dep	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with State of W. Va. of plugging and filling said we	n mud Cement Bridge ent. lge - with lgs of th Mud Cement Set	DESCRIPT	2000 8 800 9	523' 201'
and that the work May And further dep	3 bags Cement - Fill with & Clay to 2200' - 3 bags Rip & Pull 2000' of 7" - at 2000' - 3 bags of Ceme Pull 10" at 800' and Brid 3 bags of Cement - Fill w Mud & Clay to 757' - 3 ba Cement to 708' - Fill wit & Clay to 655' - 3 bags of to 360' to top of hole. Marker in Compliance with State of W. Va. of plugging and filling said we	n mud Cement Bridge ent. lge - with lgs of th Mud Cement Set	DESCRIPT	2000 8 800 9	523' 201' ENT day of