


LATITUDE 30° 27' 30"

LONGITUDE 81° 27' 30"



7.5 OGIS topo location

7.5' loc _____ 15' loc _____
 _____ (calc.) _____

Company Ohio Fuel Oil Co.

Farm Schwartz & Barth #1
(#234)

Quad Blue Creek 7' Clendenin 15'

County Kanawha

District E1K

WELL LOCATION MAP

File No. 039-70075

#202 in Kanawha 1914 WIGES
Co RPT.

Elk District, Kanawha County, W. Va.

By The Ohio Fuel Oil Co.

Drilling machine.

Drilling commenced Aug. 4, 1911, and completed Sept. 20, 1911.

Contractor, Munce Drilling Co., Charleston, W. Va.

Drillers, S. J. Sanford and F. F. Early.

Conductor, 15'.

Well flowed about 140 bbls. first day.

Well was drilled by United Fuel Gas Co. and turned over to the Ohio Fuel Oil Co. as soon as drilled in.

Elevation, 785' B.

1/2 mi. S. E. of Blue Creek P. O.

#202 Blue Creek T₂

	Top.	Bottom.	Thickness.
Red rock	0	- 100	100
Sand	100	- 370	270
Coal	370	- 376	6
Sand	376	- 400	24
Slate	400	- 425	25
Sand	425	- 500	75
Slate	500	- 525	25
Sand	525	- 680	155
Slate	680	- 700	20
Sand	700	- 800	100
Slate	800	- 850	50
Sand	850	- 1000	150
Slate	1000	- 1050	50
Salt Sand	1050	- 1450	400
Slate	1450	- 1500	50
Red rock	1500	- 1520	20
Slate	1520	- 1582	62
Sand	1582	- 1597	15
Slate	1597	- 1659	62
Pencil Cave	1659	- 1664	5
Big Lime	1664	- 1824	160
Big Injun Sand	1824	- 1842	18
Black slate	1842	- 1852	10
Red rock	1852	- 1872	20
Slate	1872	- 1929	57
Sand, very poor (show of oil, 1929')	1929	- 1938	9
Sand, very good (oil)	1938	- 1951	13
(sand not drilled through)			

Examined and approved by the United Fuel Gas Co., by J. R. W. Munce, Asst. Gen. Mgr.

Record copied from the Ohio Fuel Oil Company's record books on November 9, 1911, by C. E. Krebs.

-1-170
 2/23/20
 C. E. Krebs

Elk District, Kanawha County, W. Va.

Drilled by United Fuel Gas Co. and turned over to the Ohio Fuel
Oil Co. as soon as drilled in.

Elevation, 785' B.

1/2 mi. S. E. of Blue Creek P. O.

FIRST WELL DRILLED IN BLUE CREEK OIL POOL.

Drilling machine; drilling commenced, Aug. 4, 1911, and completed,
September 20, 1911.

Contractor, Hunce Drilling Co., Charleston, W. Va.

Drillers, S. J. Sanford and F. F. Early.

Conductor, 15'.

1st day's production, well flowed about 140 bbls.

	Top.	Bottom.
Red rock	0	100
Sand	100	370
Coal	370	376
Sand	376	400
Slate	400	425
Sand	425	500
Slate	500	525
Sand	525	680
Slate	680	700
Sand	700	800
Slate	800	850
Sand	850	1000
Slate	1000	1050
Salt Sand	1050	1450
Slate	1450	1500
Red rock	1500	1520
Slate	1520	1582
Sand	1582	1597
Slate	1597	1659
Pencil Cave	1659	1664
Big Lime	1664	1824
Big Injun Sand	1824	1842
Black slate	1842	1852
Red rock	1852	1872
Slate	1872	1929
Sand, very poor (Squaw) (show oil, 1929')	1929	1938
Sand, very good (Squaw) (not drilled thru)	1938	1951