

LATITUDE

38° 25'

+ 4.31 S
 3.68 W

LONGITUDE 81° 30'

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
 (calc.) _____

Company William S Edwards Oil Co.

Farm Rosin Creek Co.

Quad Charleston 1S'

County Kanawha

District Malden

WELL LOCATION MAP

File No. 40625 70658

657 in

Kanawha County Report

G. G. Reynolds No. 2 Well Record (804).

Located in Big Sandy district on divide between Falling Rock and Leatherwood creeks, 3.2 miles south of Reamer station. Authority, Ohio Fuel Oil Company. Completed, March 12, 1913. Elevation 1105' A. T. B.

	Thickness Feet.	Total Feet.
Slate	10	10
Sand	60	70
Slate	30	100
Sand	75	175
Slate	10	185
Sand and shells.....	375	560
Coal, Winifrede?.....	5	565
Sand	195	760
Black lime and slate.....	60	820
Sand	100	920
Slate	5	925
Lime and sand.....	35	960
Salt sand.....	510	1470
Red rock.....	10	1480
Lime	40	1520
Red rock.....	32	1552
Lime and sand.....	123	1675
Slate	5	1680
Little Lime.....	30	1710
Slate and shells.....	25	1735
Pencil cave.....	4	1739
Big lime.....	180	1919
Red sand.....	117	2036
White sand, "Weir".....	95	2131
Oil sand.....	7	2138
Total depth.....		2146
Oil Well in Weir sand.		

In the eastern part of Big Sandy district, on Morris creek, several wells have recently been drilled by the Raven Carbon Company on property of King Land Company.

King Land Company No. 3 Well Record (657).

Located in Big Sandy district on East fork of Morris creek, 1.5 miles southeast of Turner. Authority, Raven Carbon Company; completed April 4, 1913. Elevation 820' A. T. B.

	Thickness Feet.	Total Feet.
Conductor	15	15
Unrecorded	30	45
Lime	25	70
Coal, Stockton-Lewiston.....	5	75
Sand	60	135
Slate	10	145
Sand	20	165

	Thickness Feet.	Total Feet.
Coal, Coalburg.....	5	170
Lime	30	200
Slate	15	215
Sand	20	235
Slate	15	250
Sand	50	300
Slate	140	440
Sand	20	460
Slate	55	515
Sand	50	565
Slate	10	575
Sand	60	635
Black slate.....	55	690
Sand	230	920
Lime	60	980
Sand	140	1120
Slate	18	1138
Lime	47	1185
Sand	30	1215
Slate	5	1220
Sand	25	1245
Slate	17	1262
Lime and sand.....	90	1352
Sand	2	1354
Little Lime.....	41	1395
Slate	5	1400
Lime	15	1415
Pencil cave	13	1428
Big Lime, oil 1538'.....	112	1540
Big Injun, oil 1542' and 1560'.....	60	1600
140 feet of 10" casing; 1428 feet of 6 5/8" casing. Hole full of water at 1185'.		

D. E. Taylor No. 1 Well Record (585).

Located in Big Sandy district on Barren creek, 1 mile north of Barren P. O. Authority, O. L. Davis, Vice-president and General Manager of Eastern Carbon Black Company. Completed December, 1912. Elevation, 635' A. T. B.

	Thickness Feet.	Total Feet.
Quick sand and gravel	20	20
Sand	30	50
Slate	25	75
Sand	75	150
Slate	25	175
Sand	25	200
Slate	50	250
Sand	70	320
Slate	30	350
Sand	145	495
Salt sand	520	1015
Red rock	15	1030
Sand	20	1050