

- Redrill.....
- New Location.
- Drill Deeper.....
- Abandonment.....

15562 4-68  
 BEAR RUN OIL & GAS CO.  
 8469 S. SAGANAY ROAD, GRAND BLAINE, W. VA.  
 BOX 366 CLARKSBURG, W. VA.

Company BEAR RUN OIL & GAS CO.  
 Address 8469 S. SAGANAY ROAD, GRAND BLAINE, W. VA.  
 Farm DR. A. H. TREFZ et ux  
 Tract \_\_\_\_\_ Acres 98.2 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1076' V.A.  
 Quadrangle WESTON SW 4<sup>2</sup>  
 County LEWIS District HACKERS CK.  
 Engineer James Daffin  
 Engineer's Registration No. 1084  
 File No. 201/138 Drawing No. \_\_\_\_\_  
 Date 11-25-61 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LEW-927-D.D.-P

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

RDM:



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 9

Quadrangle Weston

Permit No. LEW-927

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company Bear Run Oil & Gas Company  
Address Box 925, Clarksburg, West Virginia  
Farm A. H. Trefz Acres 98.2  
Location (waters) \_\_\_\_\_  
Well No. One Elev. 1076''  
District Hackers Creek County Lewis  
The surface of tract is owned in fee by A. H. Trefz  
Address Weston, W. Va.  
Mineral rights are owned by A. H. Trefz  
Address Weston, W. Va.  
Drilling commenced December 13, 1962  
Drilling completed January 26, 1962  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 2,000,000 Cu. Ft.  
Rock Pressure 960 lbs. 12 hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	263		Size of
8 1/4	840		
6 3/8	1658	1658	Depth set
5 3/16	2330	2330	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

WELL FRACTURED No


RESULT AFTER TREATMENT

ROCK PRESSURE AFTER TREATMENT

Fresh Water Yes Feet 820 - 312 Salt Water No Feet \_\_\_\_\_

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay			0	12			
Slate			12	25			
Lime			25	44			
Slate & Shells	q		44	90			
Rock	Red		90	107			
Sand			107	117			
Rock	Red		117	130			
Slate & Shells			130	148			
Rock	Red		148	169			
Lime			169	175			
Slate			175	185			
Rock	Red		185	222			
Lime		Hard	222	236			
Slate			236	282			
Rock	Red		282	293			
Slate			293	297			
Rock	Red		297	300			
Slate & Shells			300	370			
<del>Rock</del>	<del>Red</del>						
Rock	Red		370	398			
Slate & Shells			398	450			
Slate	Black		450	465			
Slate & Shells			465	530			
Sand			530	610			
Slate			610	640			

(over)



Formation	Color	Hard or Soft	Top <sup>9</sup>	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			640	707			
<del>XXX</del>							
Slate & Lime			707	782			
Slate <del>XXXXX</del> Black			782	793			
Sand			793	888			
Slate			888	918			
Snad			918	990			
Slate & Shells			990	1075			
Sand			1075	1135			
Slate & Shells			1135	1155			
Lime		Gritty	1155	1170	<del>XXX</del>	<del>XXXXXXX</del>	<del>XXXXX</del>
Sand			1170	1315			
Slate			1315	1317			
Lime			1317	1327			
Slate			1327	1345			
<del>X</del> Rock	Red		1345	1445			
Shells			1445	1480			
<del>XXX</del> Lime			1480	1510			
Slate			1510	1518			
Lime			1518	1525			
Rock	Red & Slate & Shells		1525	1565			
Slate			1565	1570			
Sand			1570	1597			
Slate			1597	1602			
Lime			1602	1615			
Slate			1615	1617			
Lime			1617	1628			
Slate			1628	1635			
Lime & Shells			1635	1650			
Big Lime			1650	1700			
Injun Sand			1700	1825	Oil	1718-1725	Show
Slate			1825	1832	Gas	1780	Show
Sand			1832	1900	Gas	1815-1821	Show
Slate & Shell			1900	1962			
Sand			1962	1980	Gas	1970	Show
Slate & Shells			1980	2025			
Sand			2025	2078			
Slate			2078	2100			
Sand			2100	2121			
Slate			2121	2135			
Sand			2135	2145			
Rock	Red		2145	2150			
Sand			2150	2184			
Slate & Shells			2184	2206			
Lime	Red & Sand		2206	2252			
Slate & Shells			2252	2262			
Sand			2262	2277			
Slate			2277	2279			
Sand			2279				
	Total Depth			2330			

Date \_\_\_\_\_, 19\_\_\_\_

APPROVED \_\_\_\_\_, Owner

By \_\_\_\_\_  
(Title)