

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, June 14, 2021 WELL WORK PERMIT Vertical / Re-Work

EASTERN GAS TRANSMISSION AND STORAGE, INC 925 WHITE OAKS BOULEVARD BRIDGEPORT, WV 26330

Re: Permit approval for AW910 47-041-02759-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: AW910

Farm Name: BROWN, ALEX

U.S. WELL NUMBER: 47-041-02759-00-00

Vertical Re-Work Date Issued: 6/14/2021

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

WW - 2B (Rev. 8/10)

Sizes: 3.5"

Depths Set Approx. 2095'

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operato	or: Eastern	Gas Transm	ission and Strorage, Inc.	307048	Lewis	Freemans Creek	Big Isaac
				Operator ID	County	District	Quadrangle
2) Operator's V	Vell Numb	er: <u>AW-</u> 9	10		3) Elevation:	1081.4	Cn#
4) Well Type: (a	a) Oil	or Ga	x X				3284
(k) If Gas:	Produ	ction / Unc	derground Sto	rage X	_	4/2
			/ S				
5) Proposed Ta 6) Proposed To 7) Approximate 8) Approximate	fresh wa	ter strata	: Gantz Feet I a depths: No Record	Formation at I	Proposed Tar Proposed Tota	get Depth: 23 al Depth: <u>Gant</u>	tz
9) Approximate	coal sea	m depths	s: <u>333-338</u>				
10) Approximat	e void de	pths,(coa	al, Karst, other):	NA			
24 24 24 24 24 24 24 24 24 24 24 24 24 2			s tributary to act				RECEIVED
24 24 24 24 24 24 24 24 24 24 24 24 24 2	posed we		s tributary to act			al sheets if nee	
12) Describe pro	posed we	ll work ar		ods in detail (a	ittach additiona	al sheets if nee	eded) and Gas AY 1 9 2021
12) Describe pro See attahced W	posed we	ll work ar	nd fracturing meth	ods in detail (a	ittach additiona	MA MA WV Enviro	Peded) and Gas AY 1 2 2021 / Department or montal Protection
12) Describe pro See attahced W	oposed we ork Plan	ll work ar	ASING AND TUE	ods in detail (a	ittach additiona	MA MA WV Enviro	Peded) and Gas AY 1 2 2021 Department or mental Protection
12) Describe pro See attahced W	oposed we	ell work ar	ASING AND TUE	ods in detail (a	ttach additiona	al sheets if need MA	Peded) and Gas AY 1 2 2021 Department or mental Protection
12) Describe pro See attahced W 13) TYPE S	oposed we fork Plan SPECIFIC Size	ell work ar	ASING AND TUE	ods in detail (a	ttach additiona	al sheets if need MA	Peded) and Gas AY 1 2 2021 Department of namental Protection NT . Ft.)
12) Describe pro See attahced W 13) TYPE S	oposed we fork Plan SPECIFIC Size	ell work ar	ASING AND TUE	BING PROGR FOOTAGE For Drilling	AM INTERVALS	S CEMEN Fill -up (Cu.	Peded) and Gas AY 1 2 2021 Department of montal Protection NT . Ft.)
12) Describe pro See attahced W 13) TYPE S Conductor Fresh Water	oposed we fork Plan SPECIFIC Size 8-5/8"	ell work ar	ASING AND TUE	BING PROGR FOOTAGE For Drilling	AM INTERVALS Left in Well	S CEMEN Fill -up (Cu.	Peded) and Gas AY 1 2 2021 Department of montal Protection NT . Ft.) ng ng
12) Describe pro See attahced W 13) TYPE S Conductor Fresh Water Coal	SPECIFIC Size 8-5/8" 7"	CA ATIONS Grade	ASING AND TUE	BING PROGR FOOTAGE For Drilling 1260' 1958'	AM INTERVALS Left in Well 1260' 1255'	Existin	Peded) and Gas AY 1 2 2021 Department of montal Protection NT Ft.) ng ng
12) Describe pro See attahced W 13) TYPE S Conductor Fresh Water Coal Intermediate	SPECIFIC Size 8-5/8" 7" 5-1/2"	CA ATIONS Grade	ASING AND TUE Weight per ft	BING PROGR FOOTAGE For Drilling 1260' 1958' 2105'	AM INTERVALS Left in Well 1260' 1255' 2105'	Existin Existin	Peded) and Gas AY 1 2 2021 Department of montal Protection NT Ft.) ng ng

AW-910: Work Plan

SPECIFICATIONS

AW-910 is currently equipped with the following wellbore configuration:

- 10-3/4" casing seat @ 400' (casing pulled in 1907)
- 8-5/8" casing @ 1260'
- 7" casing @ 703' 1958'
- 5-1/2" casing @ 2105' (cemented to surface)
- Gantz sandstone top @ 2146'
- TD @ 2165

The objective of this phase is to eliminate annular oil flow to surface and protect freshwater intervals. is proposed, as follows:

- Complete federal and state permitting requirements, prior to commencing well workover activities.
- Install 20 " conductor into bedrock, and grout cement in place

- Install 7-1/16" 3M X 5-1/2" 8rd tubing head
- NU BOPs to the tubing head. Test stack.
- Install mechanical bridge plug in 5-1/2" casing, immediately above casing seat
- MAY 1 2 2021

- Cut window in 5-1/2" casing, above 7" casing top.
- Perforate 8-5/8" casing, across the 5-1/2" casing window interval.
- Pump fresh water-based fluids and establish circulation from the 10-3/4" x 8-5/8" and 16" x 10-3/4" casing annuli.
- Pump cement down the 5-1/2" casing, through the 8-5/8" casing perforations, and up the 8-5/8" and 10-3/4" casing annuli. Both annuli will be cemented simultaneously, by means of selectively isolating well annuli and diverting returns.
- Drill out the cement from the 5-1/2" casing and remove the mechanical bridge plug.
- Run 3.5" tubing with formation packer shoe BHA to an approx. depth of 1820'
- MIRU cementers
- Cement the 3.5" tubing to surface as follows
 - o Lead standard cement with 3% Halad 344 or equivalent. Weight 15.4 ppg
 - Tail standard cement with 0.5% Halad 344 or equivalent and 2% CaCL₂

WV Department of


Environmental Protection

- MU master valve and BOP to the tubing head
- MU bit and TIH to drill out 3.5" shoe and clean out open hole section
- Acidize storage horizon to remediate any residual cement.
- TOH.
- Unload the well, and return to service

RECEIVED
Office of Oil and Gas

MAY 1 2 2021

WV Department of Environmental Protection



Fink Storage

Well Name &	Number:		AW-910		Lease		Alexander Brown			
County or	Parish:	Lew	ris	State/Prov.	٧	vv	Country: USA			
Perforation	ns: (MD)				(TVD)		22	223'		
Angle/Perfs		Angle @KOP	and Depth				KOP TVD			
BHP:		BHT:		Completio	n Fluid:					
FWHP:		FBHP:		FWHT:		FBHT:		Other:		
Date Com	pleted:	05/10/07						RKB:	06/18/2	2 <u>በ</u> ታ ·

Fink				D	Divis	sion:			WORI	KING 1	DIST	RICT:							S	23	E W	2	
WELL N	o. AV	V-910	N.A	ME:	В	Brown	ı, Al	exand	er		LEA	SE No.	2507		A	CRE	ES:	96	MA	AP No.			
District:	· · ·			Ι	Forn	nation		Тор	Bottom	Gas	Oil	Water					Casing I						illed
	nans Creek			Native Co									Date	Size		Grade			et At	Cem Result	Cem Sacks	Date	Amt
County: Lewis	<u> </u>			Pittsburg				333			ļ		1907	10 3/4			410						410
State: WV		1	1	Little Du				720			ļ		1907 1907	8.625	' 		126 195		1958				703
Located:	1085	G.L.	K.B.	Big Dunk Gas Sand				820			<u> </u>		1950	5.5	17	K-55	210		2105	CTS			+
Elevation:		D.F.	K.D.	First Salt				1240		[Salt Sd]			1,,,,,	5 1/2		12 33	199						1992
W.H. Latitude:	39.13	D.F.		Second Sa		d		12.0		[Outrou]	† — —			2			222	3					2223
W.H. Longitude:	-80.57222			Third Sal										2			271	3					2708
	1-02759			Maxon				1725															
Well Type: I/W				Little Lin	ne			1740							hoe and		Data	<u> </u>	1=		Perforati		Size
Storage Horizon:		Gantz		Big Lime				1772	1000	ļ			Date	Size 7x2		Type Anchor		Set 1974	Pulled ?	Тор	Bottom	Holes	Size
Contractor:	G.	L. Dufour		Big Injun				1875	1980		<u> </u>		}	5 1/2x	7	Disc Wa		1992	Yes			 	+
Coal Owners:	1			Squaw Sa Gantz Sa				2146	2163	2147.5	 	+	 	5 1/2		Shoe		2105	No			—	+
				Gantz 'A		i		2.70	2100		†		1	†	_				1				
				Fifty Foo																			
Agreement Dated:				Thirty Fo	ot San																		\bot
Area Purchased:				Gordon S		and								 	_				↓			 	+
				Gordon S				2450	2471	2466	<u> </u>	_		1	_1	Location	ng Data		1		 	Wellhead	Dete
Drilling Commence				Fourth Sa				2650	2656		Sh 2653		Date		Types	Loggin		terval	1	Comments	Wellbe	ad Date	Data
Drilling Completed Well Completed:	5/10/1 5/10/1907	907		Fifth San Bayard S				2650	2030	-	Sn 2053	<u>'</u>	12-Jun-68	 	GRN			-2211	+	Birdwell	Gate		
Turned In Line:	6/1/1907			Speechler					†		 		11-Jun-68	1	GR/T/Ca	1		0-2221	1	Birdwell		Rating	
Line Number:	H-18318			Balltown								<u> </u>	12-Jun-68		CI		0	-2120		Birdwell	Gate	Size	
Purchased From:				Riley San									4-Jul-75		GRN/T/C	al		-2223		Schlumberge		Туре	
Date:				Benson S	and								4-Jul-75		CTL			-2146		Schlumberger		Rating	
Sold To:		•		Oriskany									4-Jul-75	↓	CI			-2117		Schlumberger		int Date	
Date:				Helderbe	rg Lim	ie			ļ				4-Jul-75	1	PAL			-2090 -2106		Schlumberger		FERC D	loto
Disconnected:				Newberg					 		-		29-Sep-80	┼	CI/Cal GRNT			-2106 -2218	+-	McCullough Western Atla		C Authorized	
Date Plugged:	1								 	_			25-Sep-95 26-Sep-95	 	Vertilog			-2100	+-	Western Atla		C Cite(s)	+ 163
Classified:				+					 				11-Jun-09	GR	NT/CCL			-2100	+	Weatherford		et No. CP) 4-63-000
											1		1	1								Proof/N	
									†														
				To	tal Dep	oth Driller	:				Current 7												
Gas Measured	Bv:					oth Logger			Rework	11/15/50	Deepest 7			-					+				
Gas Measured	-3.			P	lugged	Back To:			Date		Original '	TD 2665	1				ــــــــــــــــــــــــــــــــــــــ						
				V	OLU	JME a	and F	PRESSU	JRE									S	hoot	ing Reco			
Date	Reading	Liquid	Opening				Iinute R			Vo	lume		Sand		Dat		Qts		Sand	v	ol. Before	Vol	. After
						10 30		Hours	Rock						9/2/19		20		Fifth Gordon		62,904	60	9,344
10-May-07	64/10	Water Water	7"	55 2	15 2	75 310	315		110		23,045 4,320		Gantz Gantz	-	10/14/		50		Gantz		NT		,152
20-Apr-16 8-Jan-20	40/10 5/10	Water	2"	5 3	25	40 45	50		55		5,792	+	Gantz	\dashv	10/14/		130		Jui112			† 	
22-Dec-20	30/10	Water	1"			30 35			45		5,160	+	Gantz										
14-Apr-22	28/10	Water	1"			32 38	40		<u> </u>		,904		Gantz										
11-Jan-23	28/10	Water	1"			25 30	33		35	62	2,904		Gantz										
1-Oct-25	26/10	Water	1"			10 25			75		3,400		Gordon	\Box								 	
1-Oct-25		L		$+$ \Box							L/WK		Fifth	_						L			
16-Jan-35	14/10	Water	1'	2	10	20 35	35		35		3,277		Gantz						RE	MARKS	5		
22-Oct-42	6/10 14/10	Water Water	1/4"	+	+	, -	+		45		,152 ,044		Gantz Gantz		1' of 5 5"	cosine	ahanda	ned in hel		t be recovere		originally r	an, Puller
8-Dec-42 8-Jun-44	NT	vv ater	1/4			3 7 d & pumpi	12		+ 3	 	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Gantz					neu in noi naining in					
14-Dec-43	14/10	Mercury	1"	1 1		ial test	<u>.</u>			10	3,700		Gantz			Πī							
14-Jul-50	NT	1	T			ective	1						Gantz			nvironme	V.		ڗ				
13-Oct-50	56/10	Mercury	2"			start C.O.					66,000		Gantz			/ironme	ξ.	MAY	J∰ina Para				
14-Nov-50	56/10	Mercury	2"			taken				1,10	66,000		Gantz			3 6	<u> </u>						
				$\perp \perp$	\Box											<u> </u>	<u> </u>	5	2 m				
	1	L								<u> </u>						3 2	ن ا	<u></u>	<u> </u>				
		TRE	ATMEN	T DA	TA	(SHO	r, ff	RACTU	RE, AC	IDIZE.	ETC.)					70 6							
Date	7	ype	BD Pre			San			Before (MM)			R.P. Before	R.P. Aft	er 1		<u> </u>			3 111 3 U		-		
Late	† 	J P	1 20 116			Call		- ```	()	1	,,					2 S)				
	1															Ö							

Actual Cost Treas. Dept.

~3

592

WELL NO ...

HOPE NATURAL GAS COMPANY

Defective Well Report

HISTORY OF WELL (Additional)

This well was originally drilled to a dopth of 2165 through the Gantz Sand. Cas was found in the Gantz Sand at 2147. In 1925 it was drilled deeper to 2686 through the Fifth Sand. In Dec. 1942 the well was filled back to 2223, plugging off the Fifth and Gordon Samls. The Gantz Sand was shot with little results. June 1944 wire line outfit was installed to pump the water off the Cantz Sand.

		Estimate Cost	d
epairing Road			
eaming: Rig:	3 Š N		
Drilling Machine		200	-
Tools		150	00
Supplies		150	00
ig: Steel			
Wood			
Repairing: (Labor		100	00
(Material		50	_00
Building			
Taking Down			
etting up machine			
Vater Line		25	00
umping Water		25	00
uel Gas	5.5	Safet	50
lse of Tools: Cleaning Out		150	00
Drilling			
ulling and running casing or tubing	. 3	350	00
leaning Out—Labor		150	00
Ming Deeper "	Cementing	300	00
lunning Liner "			
orpedoes			
Naterials and Supplie	s	2,400	-00
leaning up around w	rell	50	00

\$5,850 00

WV Department of Environmental Projection

60

TOTAL

Form H 487 20	Bks. 8-49		age.	ope	Natural	Gas	-	·у		23 100 man	
Name		minore	1	F	eport on I	Defective mens Cr		District	Lev		Vorking Distric
-			VAL TEST			1	TUST	TAKEN F	OP THIS	PEPOPT	
Date	Reading	Liquid	Opening	Rock	Sand	Date	Reading	Liquid	Opening		Sand
5-10-07	64/10	Water	6-5/6"	515	Gantz	No	test tak	en - Fi	ak Cas	Storeg	e Wall
		Ba	arrels (Daily (Mont	hly)				Ba	rrels (Dail (Mor	y) (thly)	
13 inch) inch	83		rd of Casing an				Tubing	\$ 15 m	of 2 inc
Depth of Pitt	ing { Gas Oil	Cent	13	San	Original Depth:	2147	Oil F	roduced by	Ft	14	
Amount of C ba Date well cle					a well.	Result		Amount	or Oii:		
Date	of Shot		Size		Sand				Result		
9=2-10-1	4-48	50 gt	8.		Gantz		lio gas to	6/10 W	1/4" 1	77.	
What should Cement b	be done wietween '	7" and 5	y opinion:	***********	string of !	6" 151 L	Casing an	a run e Mille	tring o		17 Casing
		(P) 1			41 -	Reso				4	
I would reco	mmend		39				Jeorge Deorge	20	Pam	127Divisi	on Superintender
I would reco	mmend	M. A.	39		Арр	roved Z.	H. H.	te f	Jam 2006		on Superintender ral Superintender

WV Department of Environmental Protection



TELEGRAM NATU AL GAS

TELEPHONE & TELEGRAPH DEPARTMENT

Alum Bridge Nov 14 1950

G J Rampp J B Corrin Clarksburg W.Va.

56/10 Merc 2" 1166M

910 Brown S 22 W 2 Gilmer Dist. Orders pull 13# 52" casing, Run string 17# 52" casing and cement between 7" and 52" casing. Cantz 2146 to 53. Gas 2147. Test 56/10 M 2" O F 1166 M. Total depth 2223. Ran 2105 Ft 17# 52" casing and cemented to serface. Cleaned out on Bottom. Suggest shut in on 52" casing.

> H R Britton Means 1127 AM.

E.H. TOLLEFSON:

Suggest shut in on 55" casing.

Geo.J.Rampp-Newell

J.G.Rhodes

J.A.Clark

E.H. Tollefson

2 J.H.Newell

Shut in on 52" casing.

E.H. Tollefson-WWM 11-16-50

WV Department of Environmental Protection

2759W

Abar	ndoning					AND .	Abandon	ing	<u></u>	
				d	SING AND	rubing reco	RD	Application of the second		
Size	19465 28 5	e Repairs	M	Pulle			in Well	100	ter Repairs Steel Line	Weight
	Tally	Steel L	ne	Tally	Steel Line	Tally	Steel Lin	ALC: Y	Notes Late	2 (18)(62) (18)(19)(2 (18)(19)(2
8-5/8"	1260	4		none	4	none	- //	1260		24,00
7.0	1958	K/-		703 V	/	none	- -	1255	<u> </u>	20.00
<u>5-1/2"</u>	1992	4/_		1992 V	/	2122	2105	21.22	21.05	17.00
2-8/8"	2223	4		2223		none	V	none	<u> </u>	4,60
		7/ (P-0				w if Open Shot	or Tamped Sho TEST AFTER S	11 m m m 1	1.00	in the second se
Date	Oyarta .	Top of Bott Shell S	om of Di	ameter Sand	And the Control of th	the second section of the second seco	eading Liquid (Opening No. Hours	By Whi	iom Shot
Not s	bot							A STAN	d Par Light -	And the contract of the contra
									1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		RECORD O	ANY :	DEEPER DRIL	LING	10 To		PACK	ER RECORD	ARTHUR TO THE TOTAL OF T
For	mation	То	p	Bottom	Oil at	Gas at	Sjze	7	Kind	Set At (Steel Line)
				######################################	/		- V			
Commenced d	billing at depth o	no de	e per	<u>drilling</u>	<i>V</i>	and the state of t	<u>5}" C</u>	asing ran o	n St. snoe	<u> 2105</u>
No.				1 1 1			-II /			and the state of t
	en e			TIMES.			$-\ \mathcal{V}\ _{\epsilon}$	-5/8x5-3/16	ER PULLED	Wall
				1836			Size C		RODUCTION	
							Estima	ted bbl. pe	r day	Sa:
								CLARKSBUR	g office extra	IES
and State of the s							Repair	Card V	Q.N.	17/9/5
							Well C	ard V	"	, , , ,
	**************************************						Memo			
	and the second				/	A Corto	Wali N	TOMOGRAPH C. A.	The Company of the Co	Control of
	Total Depth			2002 1/			esteri de la companya		The state of the s	EIVED Oil and Gas
and a factor of the second of	.es an Yelde	<u> </u>		2223 V	UME AND F	ressure re	Map Si	heete .	**/// *	
						ake Test When Re)	MAY 1	2 2021
		II marke	ll .	PITOT T	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ae test 	1		VVV Depa	อกกษุทร์ ol _{Time}
Date o	f Test	Flow Meter or Open Flow	Reading	 If the things of the beginning to a contract the contract to the	satisfy, at the shall be seen to sufficient	ng CUB	IC FEET	Sands	Gas From Environment	tal Protections
October	<u>13, 1950</u>	OF	56/1	0 Mercur	y 2	" V _{1.160}	5.000	Gantz	**************************************	2 hrs
			<u>"</u>	a de la company la décama a company la décama	AFTER CLI	EANING OUT				
		11 - /	1	01-0	48 48 48 100	ME TEST				
Date o	f Test	Flow Meter or Open Flow	Reading	PITOT T	o de la companya de l	ng CUB	IC FEET	Sands	Gas From	Time Blown
Novembe:	r 14.1950	OF	56/10	Mercur	v 2"	1.16	5,000	Gantz		4 hrs
		54		95 3 3 3						
	Part of the second		U .	and the afficiency of the second seco	AFTER DRIL	UNG DEEPER	<u></u>	And Control of the Co		
		Total				ie test				
Date of	f Test	Flow Meter or Open Flow	Reading	PITOT T		CUB	C FEET	Sands	Gas From	Time Blown

WW-2A (Rev. 6-14)

1). Date: 3/9/21
2.) Operator's Well Number AW-910
State County Permit

3.) API Well No .:

47- (

02759

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

4) Surface O	wner(s) to be served:		(5) (a) Coal Op	erator		
(a) Name	Clarence Owens Fe	rauson	Name	Ciator		
Address	10030 Round Moun					
Addiess	Bakersfield, CA 933			-		
(h) Nama	Bakersheld, CA 955	00	- (h) Cool C	wner(s) with D	ooloration	7
(b) Name						San I facility of F
Address			Name			roperties Limited d
			Address	5260 Irwin		V
			Y #0.7	Huntington	. WV 25705	
(c) Name	-		Name	-		RECEIVED
Address			Address			Office of Oil and Gas
6) Inspector			(c) Coal L	essee with Dec	claration	MAY I 2 ZUZ1
Address			Name			Mar Danieles et en
			Address			W ₹ D≥partment or Environmental Protectio
Telephone						CITATION (ILLIAN TO COME
			MED ABOVE T			
X Included is	the lease or leases or other	r continuing	contract or contr	acts by which I I	hold the right t	o extract oil and gas
OR						
Included is	the information required by	Chapter 22	2, Article 6, Section	on 8(d) of the Co	de of West Vir	ginia (see page 2)
I certify	that as required under Ch	napter 22-6	of the West Virg	ginia Code I hav	e served copi	es of this notice and
application, a lo	cation plat, and accompany	ying docum	ents pages 1 thro	ugh on the	above named	parties by:
	Personal Service (A	ffidavit atta	ched)			K. J. 19. W.
>	Certified Mail (Postr	narked pos	tal receipt attache	ed)		
	Publication (Notice of	of Publication	on attached)			
I have r	ead and understand Chapte	er 22-6 an	d 35 CSR 4, and	I agree to the	terms and cor	nditions of any permit
issued under th	is application.					
I certify	under penalty of law that	I have pers	sonally examined	and am familia	r with the info	rmation submitted on
	form and all attachments,				viduals immed	iately responsible for
	formation, I believe that the					
	vare that there are significa	nt penalties	s for submitting fa	ilse information,	including the	possibility of fine and
imprisonment.		Walter Love			100	70 A C
		ell Operator	Eastern Gas	Transmission	n and Storac	ie, Inc.
NO.	TARY PUBLIC of West Virginia		John M. Love		7	745
	SAASENNETT		Director of S			
	Federal Credit Union	Address:	925 White O			
Clark	45 W Main St raburg WV 26901		Bridgeport, V	W 26330		
My Commission Exp	ives April 19, 2029	Telephone:	681-842-331	1	1	
			John.m.love(erav.com	
Subscribed and	sworn before me this			2021		Gas Transmission
A.	in a lam i	+ 1		6	A. A. P.	
- ()M	succ. minne			Notary	Public	
My Commission	Expires HOLL	19,70	123			
Oil and Gas Privac	y Notice	L.				
	4 6-2			and a residual special second		

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov

37	U.S. Postal Service™ CERTIFIED MAIL® REC	EIPT
5255 58	For delivery information, visit our website Certified Mail Fee \$ Extra Services & Fees (check box, add fee as appropriate) Return Receipt (pardcopy) Return Receipt (alectronic) \$	USE Y
0700 0000	☐ Certified Mail Restricted Delivery \$ ☐ Adult Signature Required \$ ☐ Adult Signature Restricted Delivery \$ ☐ Postage \$ ☐ Total Postage and Fees	Postmark Here
1-	Sent To Western Pacchen to SPER Street and Apr. No., or PO Box No. 50 CO TOWN Rd. City, State, 219-45 W 25 705 Hunt: 19th W 25 705 PS Form 3800, April 2015 PSN 7530-02-000-5047	See Reverse for Instructions

For delivery information, visit our web	site at www.usps.com [©] .
ixtra Services & Fees (check box, add fee as approprie Return Receipt (hardcopy) \$ Return Receipt (electronic) \$ Certifled Mail Restricted Delivery \$ Adult Signature Required \$ Adult Signature Restricted Delivery \$ ostage	Postmark Here
ient TO CG PENCE PEROMISAN ilreet and Apt. No. Jor PO BOX NO. 10030 HOUND Mountarn	Par J

office of Oil and Gas

MAY 1 2 2021

WV Department of Environmental Protection WW-2A Surface Waiver (4/16)

(4/16)		SURFACE OWN	ER WAIVER		
County	041	 Opera	tor tor well number	Eastern Gas Tra AW-910	nsmission and
	INSTRUCTION	ONS TO SURFACE OWN	IERS NAMED ON PA	AGE WW2-A	
If the surface appeared on to be the only ow are valid for 24	tract is owned by more he Sheriff's tax ticket on mer who will actually red 4 months. If you do not a you know who it is. Als NOTE: N	page WW2A is applying for than three persons, then the land or because you elive these materials.) Se bwn any interest in the su o, please notify the well of OU ARE NOT REQUIRE E COMMENTS AND OB	n these materials we a actually occupy the see Chapter 22 of the \ rface tract, please for perator and the Office ED TO FILE ANY CO	re served on you beca surface tract. In either West Virginia Code. Wo ward these materials to e of Oil and Gas. MMENT.	use your name case, you may ell work permits
Chief, Office of	of Oil and Gas f Environmental Protecti	on			MAY 1 2 2021
601 57 th St. Si Charleston, W (304) 926-045	E /V 25304				WV Department of Environmental Protection
operator files be filed in per- be sure of the If you have be work describe Comr operator's nar the application The C 1) T 2) T 3) D 4) T 5) T of If you a copy from t List o to test your wa I here Application for order on Form described thei I furth	his Application. You has son or received in the materials, the ments must be in writing the and well number and well number and the proposed well work whe soil erosion and seding amage would occur to plus proposed well work for a policant has committed the rules promulgated to want a copy of the period	comments. The law requestive FIFTEEN (15) DAYS and by the Chief's office to ostmaster to ensure adect operator and you have so the permit may be issued. Your comments must the approximate location ocuments, such as sketched or a condition a well would constitute a hazard to ment control plan is not a sublicly owned lands or realls to protect fresh water ted a substantial violation under Chapter 22, and hamit as it is issued or a control plan is not a substantial violation and as it is issued or a condition of the control plan is not a substantial violation and the control plan is not a substantial violation and the control plan is not a substantial violation and the control plan is not a substantial violation and the control plan as it is issued or a condition of the plan and end by the control plan as oil and end by the control plan as of t	after the filing date to by the time stated about the time stated about the time of igned a "voluntary stated at any time. include your name, and of the proposed wellnes, maps or photograph permit based on cothe safety of persons dequate or effective; sources; sources or supplies; of a previous permit	file your comments. One. You may call the of to arrange special expensement of no objection didress and telephone in a site including district a phs to support your comments on the following the permit, you setting laboratories which it is including a copy. ON have received copies a pages 1 through in posed well work on my	comments must Chief's office to edited handling. I to the planned umber, the well and county from ments. ang grounds: I of one or more on". I should request on you can hire of a Notice and ancluding a work surface land as
FOR EXECUT	TION BY A NATURAL P	ERSON	FOR EXECU	JTION BY A CORPORA	ATION, ETC.
	Signature	Date	Ву		
			Its		Date
I	Print Name		 Signat	ture	 Date

COAL OPERATOR, OWNER, OR LESSEE WAIVER

CountyLewis		Δ\\\-910
Operator Eastern Gas Transmission and Storage, Inc.	Operator's Well Number	AVV-010
INSTRUCTIONS TO C	OAL OPERATOR, OWNER	R, OR LESSEE
To the coal operator, owner, or le any objection you wish to make or are re with the Chief of the Office of Oil and Ga by the Office. Mail objections to:	quired to make by WV Code	e 22-6-15, 16 or 17, must be filed
by the Office. Mail objections to.		RECEIVED ਾਜ਼ਿੰਦਰ of Oil and Gas
Chief, Office of Oil and Gas Department of Environmental Protection 601 57 th St. SE		MAY 1 2 2021
Charleston, WV 25304 (304) 926-0499 extension 1654		WV Department of Environmental Protection
	WAIVER	
The undersigned coal operator location has examined this proposed well location, the well location has been adde work proposed to be done at this location requirements of the West Virginia Code at	l location. If a mine map ex d to the mine map. The und n, provided, the well operato	ists which covers the area of well dersigned has no objection to the r has complied with all applicable
FOR EXECUTION BY A NATURAL PERSON	FOR EXEC	CUTION BY A CORPORATION, ETC.
Date	Company Name	
Signature	By Its	Date
	Sign	ature Date

Operator's Well Number AW-910

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Pittsburgh and West Virginia Gas Company	Hope Natural Gas Company	1/8	156/420
Merger Information	See Exhibit A		

RECEIVED
Office of Oil and Gas

MAY 1 2 2021

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit app licant for the proposed well work addressed in this application he reby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources
- WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be ac quired from the appropriate aut hority before the affected activity is initiated.

Well Operator: Eastern Gas Transmission and Storage, Inc.

By:Its: Director of Storage

WW-2A1 - Exhibit A

- Hope Natural Gas Company merged with New York State Natural Gas Corporation on April 4, 1965. On the same date, Hope Natural Gas Company changed its name to Consolidated Gas Supply Corportation.
- On January 1, 1984, Consolidated Gas Supply Corporation assigned its leasehold interest to Consolidated Gas Transmission Corporation.
- On January 1, 1998, Consolidated Gas Transmission Corporation changed name to CNG Transmission Corporation.
- As a result of a merger with Dominion Resources, Inc., CNG Transmission Corporation changed name to Dominion Transmission, Inc on May 3, 2000.
- On August 1, 2017, Dominion Transmission, Inc. changed name to Dominion Energy Transmission, Inc.
- As a result of merger with Berkshire Hathaway Energy, Inc., Dominion Energy Transmission, Inc. changed name to Eastern Gas Transmission and Storage, Inc. on November 1, 2020.

RECEIVED
Office of Oil and Gas

MAY 1 2 2021

WV Department of Environmental Protection WW-2B1 (5-12)

Well No. AW-9	10
---------------	----

West Virginia Department of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

Be advised, you have the right to sample and analyze any water supply at your own expense.


Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Labor	atory Name	Fairway Laboraties	
Sampling Cont	ractor	The Thrasher Group	RECEIVED Office of Oil and Gas
Well Operator	Eastern Gas Tr	ansmission & Storage, Inc.	MAY 1 2 2021
Address	925 White Oak	s Blvd.	WV Department of
	Bridgeport, WV	26330	Environmental Protection
Telephone	681-842-3311		

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site.

SEE ATTACHED MAIL RECEIPTS.

COMPLETE THIS SECTION ON	DELIVERY	SENDER: COMPLETE THIS SECTION 17	A DIVIPLE LEATING SECTION ON DESIVERY
B. Received by (Printed Name) D. Is delivery address different in if YES, ence delivery address.	Agent Addresses C. Date of Delivery C. Date of	Complete Items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailplece, or on the front if space permits. Article Addressed to: Pamela vy Jackson	A. Signature X
		1094 Smoke Camp Rd. Weston, WV 26452	
3. Service Type Adult Signature Adult Signature Restricted Delivery Certified Mail® Certified Mail® Certified To Delivery Collect on Delivery Collect on Delivery	☐ Priority Mall Express®☐ Registered Mall™☐ Registered Mall Restricted Delivery☐ Return Receipt for Merchandise☐ Signature Confirmation™	9590 9402 4184 8121 1189 08 2. Article Number (Transfer from service label)	3. Service Type □ Priority Mail Express® □ Adult Signature □ Restricted Delivery □ Registered Mail Restricted Delivery □ Certified Mail® □ Certified Mail Restricted Delivery □ Collect on Delivery □ Collect on Delivery □ Signature Confirmation
☐ Insured Mail ☐ Insured Mail Restricted Delivery (over \$500)	☐ Signature Confirmation Restricted Delivery	7019 1120 0001 8986 8795	Insured Mail Signature Confirmation 1 Insured Mail Restricted Delivery 1 Insured Mail Restricted Delivery
	Domestic Return Receipt	PS Form 3811, July 2015 PSN 7530-02-000-9053	Domestic Return Rece
		CENTRED COMPLETE THE SECTION	COMPLETE THIS SECTION ON DELIVERY
		Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailplece, or on the front if space permits. Bernard Sachs Co Crystal Mich	A. Signature X
		c/o Crystal Mich 567 Smoke Camp Rd. Weston, WV 2645 59590 9402 4184 8121 1188 61	3, Service Type
		2. Article Number (Transfer from senice label) 7019 1120 0001 8986 8825	☐ Collect on Delivery ☐ Collect on Delivery Restricted Delivery ured Mail ured Mail Restricted Delivery Restricted Delivery Restricted Delivery
		PS Form 3811, July 2015 PSN 7530-02-000-9053	uver \$500) Domestic Return Rece
		SENDER: COMPLETE THIS SECTION	GOMPLETE THIS STICTION ON DELIVERY
		 Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature X. LCQX AS El Agent Address B. Received by (Printed Name) AS C19 C+1 (4-71-71)
		1. Article Addressed to: Darren B & Claudia Cox	D. Is delivery address different from item 1? Yes If YES, enter delivery address below: No
		13 Chemar Dr.	MAN TO YOU
		Hurricane, WV 25526	WAT 1 8 FUET
		9590 9402 4184 8121 1189 22	3. Service Type Priority Mall Express® Adult Signature Setricted Delivery Registered Mail™ Registered Mail™ Registered Mail™ Registered Mail® Petricted Delivery Receipt for Merchandise
		2. Article Number (Transfer from service label) 7019 1120 0001 8986 8764	☐ Collect on Delivery
		PS Form 3811, July 2015 PSN 7530-02-000-9053	Domestic Return Rece




First-Class Mail Postage & Fees Paid USPS Permit No. G-10

]

nt your name, address, and ZIP+4® in this box®

Thrasher Group, Inc. ATTN: Tyler Spear 10 White Oaks Blvd. idgeport, WV 26330

դիրդիկինդիկիկիրովուկու



9590 9402 4184 8121 1189 08

United States Postal Service

Sender: Please print your name, address, and ZIP+4® in this box

RECEIVED

£ 2020

The Thrasher Group, Inc. ATTN: Tyler Spear 600 White Oaks Blvd. Bridgeport, WV 26330

հՈւմինիայարդիանումին այսիայի իրակայի իր



First-Class Mail Postage & Fees Paid USPS Permit No. G-10

Jnited States Spider: Please print your name, address, and ZIP+4° in this box

United States
Postal Service

APR 8 8 8 8 8 8 10 2 1

The Thrasher Group, Inc.
ATTN: Tyler Spear
600 White Oaks Blvd.
Bridgeport, WV 26330ceived

Office of Oil and Gas

MAY 1 2 2021

WV Department or Environmental Protection





RECEIVE FOSTAGE & Fees Paid USPS Permit No. G-10

9590 9402 4184 8121 1189 22

United States Postal Service Sender: Please print your name, address, and ZIP+4® in this box

The Thrasher Group, Inc. ATTN: Tyler Spear 600 White Oaks Blvd. Bridgeport, WV 26330 WW-9 (5/16)

API Number 47 - 041	_ 02759
Operator's Well No. AW-910	


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN


Operator Name Eastern Gas Transmission and Storage, Inc. OP Code 307048
Watershed (HUC 10) Smoke Camp Run Quadrangle Big Isaac
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No V
If so, please describe anticipated pit waste: NA
Will a synthetic liner be used in the pit? Yes No If so, what ml.? NA
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number) Reuse (at API Number)
Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain Meadowfill Landfill, Bridgeport, WV
The Works
Will closed loop systembe used? If so, describe: YES, OPEN TOP AND CLOSED TOP TAND WILL BE USED EFFLUZO
REGEIVED
-If oil based, what type? Synthetic, petroleum, etc. NA
Additives to be used in drilling, medium? NA
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. NA WV Department of
Environmental Protection
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)NA
-Landfill or offsite name/permit number? NA
Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of time or imprisonment. Company Official Signature Company Official Title Director of Storage Subscribed and swom before me this day of April, 20_2
My commission expires April 19, 2023 My commission expires April 19, 2023 My Commission expires April 18/202

Operator's Well No. AW-910

	Tons/acre or to corre	ect to pH 6.5	
Fertilizer type 10-2	20-20 or equivalent		
Fertilizer amount 50		lbs/acre	
Mulch Hay or S		Tons/acre	
Mulch	9.50	Tons/acte	
		Seed Mixtures	
Те	emporary	Perman	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Timothy	4	Timothy	4
Orchard Grass	12	Orchard Grass	12
White Clover	3	White Clover	3
(L, W), and area in acres, of	the land application area.	rovide water volume, include dimensions (L,	ling this info have been W, D) of the pit, and dimension
(L, W), and area in acres, of Photocopied section of invol	the land application area.	rovide water volume, include dimensions (L,	W, D) of the pit, and dimension
(L, W), and area in acres, of Photocopied section of invol Plan Approved by:	the land application area.	rovide water volume, include dimensions (L,	W, D) of the pit, and dimension RECEIVED Office of Oil and Ga
(L, W), and area in acres, of Photocopied section of invol Plan Approved by:	the land application area.	rovide water volume, include dimensions (L,	W, D) of the pit, and dimension
(L, W), and area in acres, of Photocopied section of invol Plan Approved by:	the land application area.	rovide water volume, include dimensions (L,	MAY 1 2 202
Photocopied section of invol Plan Approved by:	the land application area.	rovide water volume, include dimensions (L,	RECEIVED Office of Oil and Ga








WV DEP Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304

To whom it may concern,



Please review this rework permit packet for Eastern Gas Transmission and Storage, Inc. well number AW-910. The state completion report could not be found for this well. However, I included the well work report from 1950.

If you have any further questions or comments, please feel free to contact me by means of the information listed below.

Sincerely,

Alex Worley
Gas Storage Engineer III
Eastern Gas Transmission and Storage, Inc.
681-842-3223
Alexander.worley@bhegts.com

RECEIVED
Office of Oil and Gas

MAY 1 2 2021

WV Department of Environmental Protection



May 6, 2021

Mask Other States

County Labels

Counties

State Boundary


Underground Mining

Surface Mining

Surface Mined

Auger Mined

Highwall Mined



MAY 1 2 2021

WV Department of Environmental Protection

West Virginia Geological and Economic Survey, Coal Bed Mapping Program WVGES Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community