

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, October 6, 2023 WELL WORK PERMIT Horizontal 6A / New Drill

HG ENERGY II APPALACHIA, LLC 5260 DUPONT ROAD

PARKERSBURG, WV 26101

Re: Permit approval for WINANS 1216 S-10H

47-041-05756-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450

Operator's Well Number:

WINANS 1216 S-10H STEPHEN B WINANS

Farm Name:

U.S. WELL NUMBER: 47-041-05756-00-00

Horizontal 6A New Drill

Date Issued: 10/6/2023

API Number: 47-041-5756

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

APINO. 47-0 4 10 5 7 5 6

OPERATOR WELL NO. Winans 1216 S-10H
Well Pad Name: Winans 1216

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

				/	
1) Well Operator: HG Energy	I Appalachia,	494519932	Lewis	Freeman	Camden 7.5'
, e		Operator ID	County	District	Quadrangle
2) Operator's Well Number: Wir	nans 1216 S-10	H / Well P	ad Name: Wi	nans 1216	
3) Farm Name/Surface Owner: 1	dG Energy II Appalaci	hia, LLC Public Ro	oad Access:	CR 10 @ Free	mans Creek Road
4) Elevation, current ground:	1399' E	levation, propose	d post-constru	ction: 1394'	
5) Well Type (a) Gas X	Oil	Un	derground Sto	orage	
Other					
(b)If Gas Shal	low X	Deep			
Hori	izontal X	18			
6) Existing Pad: Yes or No No					
7) Proposed Target Formation(s) Marcellus at 7127'/7200' and 73	St. 1888 St. 1881			l Pressure(s):	
8) Proposed Total Vertical Depth					
9) Formation at Total Vertical De	N. A. 11	ıs /		The state of the s	
10) Proposed Total Measured De	00.700	1		50	
11) Proposed Horizontal Leg Lea	ngth: 24,10	5'			±
12) Approximate Fresh Water St	rata Depths:	214', 600', 86	1',1306'		
13) Method to Determine Fresh	Water Depths:	Nearest offset we	ell data, (47-04	11-01754, 2174	, 5732, 4411, 2629)
14) Approximate Saltwater Dept	hs: 1605' (Va	nek 1215) 🖊	(40)		
15) Approximate Coal Seam Dep	oths: 704', 865', 1	214', 1285' (Surface	casing is being e	xtended to cover t	he coal in the DTI Field)
16) Approximate Depth to Possi	ble Void (coal m	nine, karst, other)	: None •		
17) Does Proposed well location directly overlying or adjacent to		Yes		No REXEIVED	` }as
(a) If Yes, provide Mine Info:	Name:			SEP 0 5 202	3
NO. S. SECTION	Depth:				
	Seam:			WV Department	tection
	Owner:			FUALOUTION	

Page 1 of 3

WW-6B (04/15)

API	NO. 47		
	OPERATOR WELL	NO.	Winans 1216 S-10H
	Well Pad Name:	Winan	s 1216

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	30"	New	LS	157.5	120'	120' /	Drilled In
Fresh Water/Coal	20"	NEW	J-55	94	1360'	1360' /	40% Excess, CTS
Intermediate I	13 3/8"	NEW	J-55 BTC	68	2480'	2480' /	40% Excess, CTS
Intermediate 2	9 5/8"	NEW	N-80 BTC	40	6375'	6375' /	40% Excess Tail, CTS
Production	5 1/2"	NEW	P-110 HP	23	32702'	32702' /	20% Excess Tail, CTS
Tubing							
Liners					1		

Kenneth Greynold SDN: CN - Kenneth Greynolds email = Kenneth L. Greynolds email = Kenneth Creynolds email = Kenneth Creynold

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	30"	30"	.500				Drilled In
Fresh Water/Coal	20"	26"	.438	2110	1200	Type 1, Class A	40 % excess yield = 1.20, CTS
Intermediate l	13 3/8"	17 1/2"	.480	3450		Type 1/Class A	Load 40% excess, Tall 0% excess
Intermediate 2	9 5/8"	12 1/4"	.395	5750		Type 1/Class A	Load 43% excess, Tail DN Excess to
Production	5 1/2"	8 1/2"	.415	16240 /	12500	Type 1/ClassA	20% excess yield = 1,19, bullylold 1,047
Tubing							
Liners							

PACKERS

Kind:	
Sizes:	
Depths Set:	

Page 2 of 3

APINA 7-04105756

OPERATOR WELL NO. Winans 1216 S-10H
Well Pad Name: Winans 1216

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill the vertical depth to the Marcellus at an estimated total vertical depth of approximately 7175'. Drill horizontal leg to estimated 24,105' lateral length, 32,702' TMD. Hydraulically fracture, stimulate and be capable of producing from the Marcellus Formation. Should we encounter an unanticipated void in the coal, we will install a minimum of 20' of casing below the void but not more than 100' below the void, set a basket and grout to surface. We plan to run an ACP above the Gantz/Dominion Storage interval to aid in sealing off and isolating the storage interval.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The stimulation will be completed with multiple stages divided over the lateral length of the well. Stage spacing is dependent upon engineering design. Slickwater fracturing technique will be utilized on each stage using sand, water, and chemicals. See attached list. Maximum pressure not to exceed 12,500 psi.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 30.31 acres

22) Area to be disturbed for well pad only, less access road (acres): 9.74 acres

23) Describe centralizer placement for each casing string:

Gas

63

No centralizers will be used with conductor casing.

reshwater/Coal - centralized every 3 ininte to surfa

ntermediate 1 - Bow Spring on every joint, will also be running ACP for isolating storage zon-

Intermediate 2 - Bow Spring on first 2 joints then every third joint to 100' from surface.

Production - Vertical - Run 1 spiral centralizer every 5 joints from the top of the curve to surface, Curve - Run 1 spiral centralizer every 3 joints from the 1st 5.5" long joint to the top of the cur

WV Department of Environmental Protection

SEP v 0 2023

24) Describe all cement additives associated with each cement type:

Conductor -N/A, Casing to be drilled in w/ Dual Rotary Rig.

Fresh Water/Coal - "15.6 ppg PNE-1 + 3% bwoc CaCl40% ExcessYield=1.20 / CTS

Intermediate 1 - ***** Stronge String ***** CTS ***** 154 pog Lead - Yicid 1.24 - D896 Surface Set 100 lb / sack (Mix of Class A and Gypsum to meet Dominion Requirements) B348 - 0.5% BWOB Fluid Loss / D013 - 0.75% BWOB Relarder / D47 - 0.25 gal / sack V8WOB Anti Foam / D202 - 0.15% BWOB Dispersant / D095 1.5 lb per BBL CemNET* - 60% Excess 15.9 ppg Tail - Yield 1.17 - D896 Surface Set 100 lb / sack (Mix of Class A and Gypsum to meet Dominion Requirements) B160A - 0.15% BWOB Dispersant / B347 - 0.35% BWOB Gast Co.** / D013 - 0.3% BWOB Relarder / D047 - 0.02 gal / sack And Foam / D001 - 0.00 gal / sack Relarder - 0.05 secses**

Intermediate 2 - "Lead: 15.4 ppg PNE-1 + 2.5% bwoc CaCl40% Excess / Tail: 15.9 ppg PNE-1 + 2.5% bwoc CaCl zero% Excess. CTS"

Production - "Lead: 14.5 ppg POZ:PNE-1 + 0.3% bwoc R3 + 1% bwoc EC1 + 0.75 gal/sk FP13L + 0.3% bwoc MPA17020% ExcessLead Yield=1.19Tail Yield=1.94CTS"

25) Proposed borehole conditioning procedures:

Conductor - Ensure the hole is clean at TD.

Fresh Water/Coal - Once casing is at setting depth, circulate a minimum of one hole volume with Fresh Water prior to pumping cement.

Intermediate 1 - Once casing is at setting depth, Circulate and condition at TD. Circulate a minimum of one hole volume prior to pumping cement.

Intermediate 2 - Once casing is at setting depth, Circulate and condition mud at TD. Circulate a minimum of one hole volume prior to pumping cement.

Production - Once on bottom/TD with casing, circulate at max allowable pump rate for at least 2x bottoms up, or until returns and pump pressures indicate the hole is clean. Circulate a minimum of one hole volume prior to pumping cement

*Note: Attach additional sheets as needed.

Page 3 of 3

WW-9 (4/16)

API Nu	mber 47 -		
¥.	Operator's We	ell No. Winans 1216 S-10	H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name HG Energy II Appalachia, LLC OP Code 494501907
Watershed (HUC 10) Fink Creek Quadrangle Camden 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No No
Will a pit be used? Yes No ✓
If so, please describe anticipated pit waste: NA
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application
Underground Injection (UIC Permit Number) Reuse (at API Number TBD - At next anticipated well
Reuse (at API Number_TBD - At next anticipated well Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain
Will closed loop system be used? If so, describe: Yes, cuttings and fluids will be collected in a closed loop system, re-used or hauled to an approved disposal site or landfill.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc
-If oil based, what type? Synthetic, petroleum, etc. Synthetic
Additives to be used in drilling medium? Water, Soap, KCI, Barite, Base Oil, Wetting Agents
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Approved Landfill
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) NA
-Landfill or offsite name/permit number? See Attached
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. The Gasticable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information of this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am award that the environmental protection Company Official Signature Diane White Company Official Title Agent
Subscribed and sworn before me this 15th day of August , 20 23
Core de Vocale Notary Publication Notary Nota
My commission expires 7 3 2027 STATE OF WEST VIRGINAL Cassidy Boardman 5260 Dunport Rd Parkersburg, WV 26101

Operator's Well No. Winans 1216 S-10H

Proposed Revegetation Treat	tment: Acres Disturbed 30	0.31	.:
	3 Tons/acre or to correct		tion pH
Fertilizer type 10		to pH	
	500		
Fertilizer amount		105/ acre	
MulchHay		Cons/acre	
		Seed Mixtures	
Te	emporary	I	Permanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Tall Fescue	40	Tall Fescue	40
Ladino Clover	5	Ladino Clover	5
	1		1
			The second secon
Attach: Maps(s) of road, location, pit provided). If water from the p acreage, of the land application	and proposed area for land a pit will be land applied, include on area	ng and completion proces pplication (unless engineered plans de dimensions (L x W x D) of the pi	including this info have been
Attach: Maps(s) of road, location, pit provided). If water from the p acreage, of the land application Photocopied section of involve	and proposed area for land a pit will be land applied, include on area.	pplication (unless engineered plans de dimensions (L x W x D) of the pi	including this info have been
Attach: Maps(s) of road, location, pit provided). If water from the p pereage, of the land application Photocopied section of involv Kenne	and proposed area for land a pit will be land applied, included an area. yed 7.5' topographic sheet. eth Greynolds District Kennen Greynolds Park (2014 Kennen Greynolds) Park (2014 Kennen Greynolds) Park (2013 68 17 100 98 4	pplication (unless engineered plans de dimensions (L x W x D) of the pi	including this info have been t, and dimensions (L x W), and
Attach: Maps(s) of road, location, pit provided). If water from the p acreage, of the land application Photocopied section of involv Kenne Plan Approved by: Comments: Pre-seed	and proposed area for land a pit will be land applied, included an area. yed 7.5' topographic sheet. eth Greynolds Diverse Kernell Greynolds Diverse Construction of the Control of Contr	pplication (unless engineered plans de dimensions (L x W x D) of the production of t	including this info have been t, and dimensions (L x W), and per regulation.
Attach: Maps(s) of road, location, pit provided). If water from the p pereage, of the land application Photocopied section of involv Kenne Plan Approved by: Comments: Pre-seed	and proposed area for land a pit will be land applied, included an area. yed 7.5' topographic sheet. eth Greynolds Diverse Kernell Greynolds Diverse Construction of the Control of Contr	pplication (unless engineered plans de dimensions (L x W x D) of the pi	including this info have been t, and dimensions (L x W), and per regulation.
Attach: Maps(s) of road, location, pit provided). If water from the p acreage, of the land application Photocopied section of involv Kenne Plan Approved by: Comments: Pre-seed	and proposed area for land a pit will be land applied, included an area. yed 7.5' topographic sheet. eth Greynolds Diverse Kernell Greynolds Diverse Construction of the Control of Contr	pplication (unless engineered plans de dimensions (L x W x D) of the production of t	including this info have been t, and dimensions (L x W), and per regulation.
Attach: Maps(s) of road, location, pit provided). If water from the p acreage, of the land application Photocopied section of involv Kenne Plan Approved by: Comments: Pre-seed	and proposed area for land a pit will be land applied, included an area. yed 7.5' topographic sheet. eth Greynolds Diverse Kernell Greynolds Diverse Construction of the Control of Contr	pplication (unless engineered plans de dimensions (L x W x D) of the production of t	including this info have been t, and dimensions (L x W), and per regulation.
Attach: Maps(s) of road, location, pit provided). If water from the p acreage, of the land application Photocopied section of involv Kenne Plan Approved by: Comments: Pre-seed	and proposed area for land a pit will be land applied, included an area. yed 7.5' topographic sheet. eth Greynolds Diverse Kernell Greynolds Diverse Construction of the Control of Contr	pplication (unless engineered plans de dimensions (L x W x D) of the production of t	including this info have been t, and dimensions (L x W), and per regulation.
Attach: Maps(s) of road, location, pit provided). If water from the p acreage, of the land application Photocopied section of involv Kenne Plan Approved by: Comments: Pre-seed	and proposed area for land a pit will be land applied, included an area. yed 7.5' topographic sheet. eth Greynolds Diverse Kernell Greynolds Diverse Construction of the Control of Contr	pplication (unless engineered plans de dimensions (L x W x D) of the production of t	including this info have been t, and dimensions (L x W), and per regulation.
Attach: Maps(s) of road, location, pit provided). If water from the p acreage, of the land application Photocopied section of involv Kenne Plan Approved by: Comments: Pre-seed	and proposed area for land a pit will be land applied, included an area. yed 7.5' topographic sheet. eth Greynolds Diverse Kernell Greynolds Diverse Construction of the Control of Contr	pplication (unless engineered plans de dimensions (L x W x D) of the production of t	including this info have been t, and dimensions (L x W), and per regulation. Ial.

HG Energy II Appalachia, LLC

Site Safety Plan

Winans 1216 Well Pad 2360 Freemans Creek Road, Camden Lewis County, WV 26338

December 2022: Version 1

For Submission to
West Virginia Department of Environmental Protection,
Office of Oil and Gas

HG Energy II Appalachia, LLC

5260 Dupont Road

Parkersburg, WV 26101


Kenneth Greynolds Son; CN = Kanneth Greynolds amd = Kenneth L. Son; CN = Kanneth Greynolds amd = Kenneth L. Son; CN = Kanneth Greynolds amd = Kenneth L. Son; CN = KANNETH GREYNOLDS (BW) grow C = AD O = WVDEP CU = Oli and Gas
Date 2003 08 17 10 15 03 -04007


Timel J. Sypolot. 1-12-23


PECEIVED and Gas

WV Department of Environmental Protection

SEP 0 5 2023











Page 3 of 3





Detail 2 (Scale 1"=500")	
47-041-04725 43 47 46 47 47 47 48 47-041 Folk 47-041 -30764 49 47-041 Solve of the second of the sec	
FILE NO: 43-12-FC-21	

ID	Lease
7	Boyd Gum, et ux
13	Georgia E. Hall, et vir, et al
14	G.L. White, et ux
17	W.J. Bailey, et al
18	M.J. Burnside, et ux
19	J.B. Halterman, et ux
20	E.R. Gum, et ux, et al
21	Israel Simmons
22	M.L. & Cordelia Butcher
41	S.D. Camden, et al

120011		Lewis Co. (Freemans Creek Dist.)	1	
No.	TM / Par	Owner	Bk / Pg	Ac.
1	4C / 31	Gerald P. Hull	W18 / 661	199.25
2	4C / 21	Stephen B. Winans	630 / 50	45.00
3	5C / 15.1	Gerald P. & Mary J. Hull	439 / 253	6.93
4	4C / 34	Robert E. & Pamela L. Thompson	519 / 627	38.00
5	5C / 15	Robert E. & Pamela L. Thompson	519 / 627	60.82
6	5C / 16	Robert E. & Pamela L. Thompson	346 / 379	50.00
7	5D / 17	Bruce & Elizabeth C. Garrett	584 / 685	139.09
8	5D/2	William K. Donaldson	W33 / 122	50.70
9	5D / 16	Bruce H. Garrett	W46 / 324	19.50
10	5D / 15	Bruce H. Garrett	W46 / 324	56.76
11	5D / 15.1	Bruce H. & Clydene S. Garrett	495 / 266	5.53
12	5D / 13	Bruce H. Garrett	W46 / 324	19.85
13	5D / 12	Gerald P. Hull	W18 / 661	168.09
14	5D / 28	Daniel E. Fisher & Sue E. Hall	W34 / 597	148.50
15	5E / 2.2	Richard A. & Robert E. White	725 / 348	102.90
16	5E / 2	Charles E. White, et al	725 / 344	102.90
17	5E / 14	John T. Garrett, et al	728 / 296	78.94
18	5E / 14.1	John T. Garrett	613 / 568	1.06
19	5E / 13	Charles A. Kemper	770 / 847	61.00
20	5E / 10	Lewis L. Linger, II	445 / 390	57.24
21	5E / 24.2	David W. Nichols, et al	728 / 220	221.68
22	5E / 8.1	David B. & Elaine M. Cox	613 / 798	64.72
23	5F / 54	Donna B. & John L. Jones, et al	613 / 803	54.25
24	5F / 44.8	John P. & Lesley J. White	550 / 208	4.56
25	5F / 44.5	Michael C. & Delesa Haught	432 / 144	1.00
26	5F / 44.6	Elizabeth A. & David W. Nichols	505 / 353	34.82
27	5F / 34	Michael D. & Delores E. Thompson	368 / 242	2.00
28	5F / 33	Debra Johnson Sprouse	671 / 414	0.36
29	5F / 33.1	Debra Johnson Sprouse	671 / 414	0.47
30	5F / 33.2	Debra Johnson Sprouse	671 / 414	0.17
31	5F / 32	Melody L. Moody	731 / 615	1.00
32	5F / 31	Melody L. Moody	731 / 615	0.15
33	5F / 44.1	Richard J. & Debra Newbrough	725 / 560	6.03
34	5F / 30	Christopher A. Reed	743 / 882	1.15
35	5F / 16.2	Melody L. Moody	731 / 615	1.02
36	5F / 29	Melody L. Moody	782 / 954	2.00
37	5F / 28	Richard J. & Debra Newbrough	728 / 255	1.50
38	5F / 27	Steve L. & Nadine J. Villers	578 / 722	1.00
39	5F / 26	Steve L. & Nadine J. Villers	578 / 722	0.43
40	5F / 44.3	Marty & Melanie Tenney	722 / 914	1.10
41	5F / 44.10	Robert P. Snuffer	F31 / 197	34.71
42	5F / 44	Carolyn J. White, et al	W49 / 781	194.32
			VV431101	194.32
40	FF / OF	Moody Mobile Home		
43	5F / 25	Moody Mobile Home Sales and Service 11 C	567 / 354	0.80
43	5F / 25 5F / 46.1	Sales and Service, LLC	CONTRACTOR OF THE PROPERTY OF	07.0305070
	transce vicinizes of	Sales and Service, LLC Donna L. & Kendell L. Moody, II	664 / 497	1.86
44	5F / 46.1	Sales and Service, LLC Donna L. & Kendell L. Moody, II Kevin B. Butcher	664 / 497 721 / 874	1.86 0.92
44	5F / 46.1 5F / 45.4	Sales and Service, LLC Donna L. & Kendell L. Moody, II Kevin B. Butcher Kevin B. Butcher	664 / 497 721 / 874 721 / 874	1.86 0.92 0.48
44 45 46	5F / 46.1 5F / 45.4 5F / 45.2	Sales and Service, LLC Donna L. & Kendell L. Moody, II Kevin B. Butcher Kevin B. Butcher Judith E. Butcher	664 / 497 721 / 874 721 / 874 317 / 202	1.86 0.92 0.48 0.44
44 45 46 47	5F / 46.1 5F / 45.4 5F / 45.2 5F / 45.1	Sales and Service, LLC Donna L. & Kendell L. Moody, II Kevin B. Butcher Kevin B. Butcher Judith E. Butcher John L. Cottrell Jr.	664 / 497 721 / 874 721 / 874 317 / 202 717 / 394	1.86 0.92 0.48 0.44 3.712
44 45 46 47 48	5F / 46.1 5F / 45.4 5F / 45.2 5F / 45.1 5F / 45.3	Sales and Service, LLC Donna L. & Kendell L. Moody, II Kevin B. Butcher Kevin B. Butcher Judith E. Butcher John L. Cottrell Jr. Warren W. Dever	664 / 497 721 / 874 721 / 874 317 / 202 717 / 394 W33 / 604	1.86 0.92 0.48 0.44 3.712 4.50
44 45 46 47 48 49	5F / 46.1 5F / 45.4 5F / 45.2 5F / 45.1 5F / 45.3 5F / 47.1	Sales and Service, LLC Donna L. & Kendell L. Moody, II Kevin B. Butcher Kevin B. Butcher Judith E. Butcher John L. Cottrell Jr.	664 / 497 721 / 874 721 / 874 317 / 202 717 / 394	1.86 0.92 0.48 0.44 3.712

DRAWING	NO: Winans 1216 S-10H Well Plat
SCALE:	1" = 2000'
MINIMUM	DEGREE OF ACCURACY: Submeter
	SOURCE OF ELEVATION: ORS, Bridgeport, WV

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OIL AND GAS DIVISION RECEIVED

DATE: ___August 1 ___20_23 OPERATOR'S WELL NO. Winans 1216 S-10H

and Gas STATE Office of Oil

API WELL NO - 041 - 05756 COUNTY

WELL TYPE: □ OIL	☐ LIQUID INJECTION ☐ ☐ STORAGE ☐ DEEP	WASTE DISPOSAISEP X SHALLOW	0 5 2023
0.0471011			

LOCATION: ELEVATION: 1,394' WATERSHED: Fink Creek DISTRICT: Freemans Creek

WV Departmentable Camden Environmental Protection UNTY: Lewis

SURFACE OWNER: Stephen B. Winans ROYALTY OWNER: Elaina D. Yanceris, et al, et al LEASE NO: _

ACREAGE 0406/2023

__ ACREAGE: ___123 PROPOSED WORK: ☑ DRILL ☐ CONVERT ☐ DRILL DEEPER ☒ FRACTURE OR STIMULATE ☐ PLUG OFF OLD FORMATION ☑PERFORATE NEW FORMATION ☑ OTHER PHYSICAL CHANGE IN WELL (SPECIFY) _

☐ PLUG AND ABANDON ☐ CLEAN OUT AND REPLUG TARGET FORMATION: Marcellus Shale ESTIMATED DEPTH: 32,702 MD

WELL OPERATOR: HG Energy II Appalachia, LLC ADDRESS: ___ 5260 Dupont Road

Parkersburg, WV 26101

_ DESIGNATED AGENT: Diane C. White

_ ADDRESS: _____ 5260 Dupont Road

Parkersburg, WV 26101

WW-6A1 (5/13)

Operator's Well No. _Winans 1216 S- 10H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or

Number

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

Book/Page

See Attached Sheets

Co-Tenancy utilization - At least 75% of the royalty owners have consented to the lawful use or development of the natural gas mineral property on the tract. The interests of the remaining cotenants will be secured pursuant to the Co-Tenancy Act Horizontal Well Unit Utilization - Subjet to unitilization filing with te WV Oil and Gas Conservation Commission

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

By:

Its:

Well Operator: HG Energy II Appalachia, LLC RECEIVED

Diane White

Diane Whilland Gas

Accountant

SEP 0 5 2023

WV Department of Environmental association

	Γ							ole-c									_							Т	D-1911 - 0									_		2	4		U	T		U D		0
											18				- Constant																•	17								TCTO2 Hact	19166 Tract			
œ										FK108142 FEE	FK053225																					FK053212								MOINIDEN	LEGACY LEASE			
											03-005C-0015-0001	03-005C-0015-0000																				03-004C-0031-0000								I AX IVIAP	700			
											Q100335000																					Q100386000								LEASE NOIVIBER				
J. B. HALTERMAN AND M. A. HALTERMAN, HIS WIFE E. W. BOYD	DOMINION ENERGY TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.	DOMINON TRANSMISSION, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CONSOL GAS COMPANY	CONSOL ENERGY HOLDINGS LLC XVI	DOMINION TRANSMISSION, INC.	DOMINION EXPLORATION & PRODUCTION INC	CNG DEVELOPMENT COMPANY	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY	RESERVE GAS COMPANY	CRUDE OIL COMPANY		H. H. HILTON	M. J. BURNSIDE AND ALICE BURNSIDE, HIS WIFE	DOMINION ENERGY TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.		DOMINION ENERGY TRANSMISSION, INC.	DOMINION INCREMENTATION OF THE	DOMINION TRANSMISSION INC	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	DOMINION TRANSMISSION INC	CONSOCIORICEO GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY	HOBE NATION CAS COMPANY	BOYD GUM AND MARY M. GUM, HIS WIFE	GRANIOR/LESSOR			HG Energy II Ajppalachia, LLC - Winans 1216 S-10H	
E. W. BOYD S. F. BARRETT	HG ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC	DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	CNX GAS COMPANY LLC	CNX GAS COMPANY LLC	CONSOL GAS COMPANY	CONSOL ENERGY HOLDINGS LLC XVI	DOMINION TRANSMISSION, INC.	DOMINION EXPLORATION & PRODUCTION, INC.	DOMINION TRANSMISSION, INC.	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY	COMPANY	THE HOPE NATURAL GAS COMPANY AND RESERVE GAS	CRUDE OIL COMPANY	H. H. HILTON	HG ENERGY II APPALACHIA, LLC	HG ENERGY II APPALACHIA, LLC		HG ENERGY II APPALACHIA, LLC	DOWNWICH ENERGY I RANSWISSION, INC.	DOMINION ENIEBOY TRANSMISSION INC	HG ENERGY II APPAI ACHIA LLC	NOBLE ENERGY INC	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	NOBLE ENERGY, INC.	CNY GAS COMPANY II C	CNG TRANSMISSION CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	CONSOLIDATED GAS SUPPLY CORPORATION	HOPE NATURAL GAS COMPANY	RESERVE GAS COMPANY	GRANTEE/LESSEE			<u>S-10H</u>	
NOT LESS THAN 1/8	ASSIGNMENT (68%)	FARMOUT AGREEMENT	SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT	MERGER/NAME CHANGE	ASSIGNMENT	ASSIGNMENT	PARTIAL ASSIGNMENT (32%)	LIMITED PARTIAL ASSIGNMENT (50%)	MEMORANDUM OF FARMOUT AGREEMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE	ASSIGNMENT	ASSIGNMENT	MERGER/NAME CHANGE	MERGER/NAME CHANGE	MERGER/NAME CHANGE	ASSIGNMENT	CONFIRMATORY DEED	DEED	ASSIGNMENT		ASSIGNMENT	NOT LESS THAN 1/8	ASSIGNMENT (68%)	FARMOUT AGREEMENT	THIRD AMENDMENT TO MEMORANDUM OF	FARMOUT AGREEMENT	SECOND AMENDMENT TO MEMORANDUM OF	ASSIGNIVENT	ASSIGNIMENT	ACCIONIMENT (2000)	PARTIAL ASSIGNMENT (32%)	IMITED PARTIAL ASSIGNMENT (50%)	MENGER/NAIVE CHANGE		C	RY DEED Since	ce EF	ESS THAN 1/8 RU of	ROYALEY	VED and and and another series	Ras	າດເຮ) . 2
35	736	734	723	SOSVW	722	717	712	684	672	9	9	651	651	SOSVW	9	SOSVW	425	294	155	55		55	40	736	734		723	WVSUS	727	71/	71/	712	7/9						58	DEED BOOK		91012	<u> </u>	.0
233	220	558	499		170	1	848	57	154	471	471	318	137		628		127	89	202	456		435	120	220	558		499		T/U	170	040	878	174 174	362	795	127	89	202	474	PAGE				

HG Energy II Ajppalachia, LLC - Winans 1216 S-10H

L	7	0	4	1	1	5	7	E	G
Barrier B	4	V	Name of Street	1	V	J	1	1	U

		47041057
	1 20	19
	FK066068	FK051505
03-005D-0012-0000 03-005D-0012-0001 03-005D-0012-0002	p/o 03-004C-0031-0000	03-005C-0010-0001 03-005C-0010-0002 03-005C-0016-0000
	Q100564000	Q100471000
ISRAEL SIMMONS SOUTH PENN OIL COMPANY RESERVE GAS COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION	E. R. GUM AND SADIE E. GUM, HIS WIFE; DAISY SNYDER, WIDOW; DEWEY BURNSIDE AND PAULINE BURNSIDE, HIS WIFE; H. D. GUM AND LUCY M. GUM, HIS WIFE; OTT GUM AND GRACE M. GUM, HIS WIFE; FRED C. LESTER AND JEAN LESTER, HIS WIFE; CLAUDE BURNSIDE AND HAZEL BURNSIDE, HIS WIFE; ALDA G. MICK AND H. B. MICK, HER HUSBAND; E. B. GUM AND ORA D. GUM, HIS WIFE; WANDA DURY AND LOUIS DURY, JR., HER HUSBAND; WESLEY N. GUM AND RUTH G. GUM, HIS WIFE; AND JOHN BROOKS GUM AND DOROTHY GUM, HIS WIFE HOPE NATURAL GAS COMPANY CONSOLIDATED GAS TRANSMISSION CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC DOMINION TRANSMISSION, INC. DOMINION TRANSMISSION, INC. DOMINION TRANSMISSION, INC. DOMINION TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.
RESERVE GAS COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CONG TRANSMISSION CORPORATION CONG TRANSMISSION, INC.		J. M. GUFFEY AND JOHN H. GALEY J. M. GUFFEY AND JOHN H. GALEY PHILADELPHIA COMPANY OF WEST VIRGINIA PITTSBURGH & WEST VIRGINIA GAS COMPANY EQUITABLE GAS COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CONSOLIDATED GAS TRANSMISSION, INC. CONSOLIDATED GAS TRANSMISSION, INC. CONSOLIDATED GAS COMPANY LLC CONSOLIDATED GAS COMPANY LCC LCC CONSOLIDATED GAS COMPANY LCC LCC CONSOLIDATED GAS COMPANY LCC LCC LCC LCC LCC LCC LCC LCC LCC LC
NOT LESS THAN 1/8 ASSIGNMENT DEED CONFIRMATORY DEED ASSIGNMENT MERGER/NAME CHANGE	NOT LESS THAN 1/8 CONFIRMATORY DEED ASSIGNMENT MERGER/NAME CHANGE MERGER/NAME CHANGE MEMORANDUM OF FARMOUT AGREEMENT LIMITED PARTIAL ASSIGNMENT (50%) PARTIAL ASSIGNMENT (32%) ASSIGNMENT MERGER/NAME CHANGE SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT ASSIGNMENT (68%)	ASSIGNMENT U ASSIGNMENT ASSIGNMENT U ASSIGNMENT U ASSIGNMENT ASSIGNMENT U ASSIGNMENT U MERGER/NAME CHANGE PARTIAL ASSIGNMENT O MEMORANDUM OF FARMOUT AGREEMENT THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT ASSIGNMENT ASSIGNMENT ASSIGNMENT ASSIGNMENT TO MEMORANDUM OF FARMOUT AGREEMENT ASSIGNMENT ASSIGNME
42 79 155 294 425 WVSOS WVSOS	235 294 425 51 9 672 684 712 717 722 WVSOS 723 734	36 44 44 44 125 216 226 294 425 51 9 672 672 684 712 717 722 WVSOS 736
154 234 202 89 127	90 89 1127 795 628 154 57 848 1170 499	517 571 583 379 185 192 192 192 795 628 154 154 154 157 57 57 57 170 170 170 170 220

	B -	
14	/ 13	/21
	SWN738764-000	FK053172
03-005E-0002-0000 03-005E-0002-0002	03-005D-0028-0000	03-005D-0015-000 03-005D-0015-0001 03-005D-0016-0000 03-005D-0017-0000 03-005D-0018-0000 03-005D-0027-0000
	SWN738764-000	Q100481000
G. L. WHITE AND SUSAN A. WHITE, HIS WIFE C. L. TOPPING C. L. TOPPING T.N. BARNSDALL, THE SOUTHERN OIL COMPANY, FRED S. RICH AND W. S. MOWRIS FRED S. RICH L. F. BULLARD TOWER AND E. Z. TOWER, HER HUSBAND MARK PERRY AND CATHERINE PERRY, HIS WIFE PERRY G. ALFRED, JAMES A. TIERNEY, AND FRANK WHELAN SOUTHERN OIL COMPANY RESERVE GAS COMPANY PITTSBURG OIL & GAS COMPANY HIOPE NATURAL GAS COMPANY HIOPE NATURAL GAS COMPANY OHIO-WEST VIRGINIA OIL & GAS CO CNG PRODUCING COMPANY ONG DEVELOPMENT COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION	MRS. GEORGIA E. HALL AND S. A. HALL, HER HUSBAND; LENA HUME AND EDGAR HUME, HER HUSBAND; GEORGE S. WHITE AND FLAVEL WHITE, HIS WIFE; J. D. WHITE AND MAMIE WHITE, HIS WIFE; ADA WHITE, SINGLE; MAURICE G. WHITE AND LYDIA L. WHITE, HIS WIFE; ALCE WILLIAMS WHITE GYGAX AND JOHN GYGAX, HER HUSBAND; CHARLES S. WHITE AND ALYCE G. WHITE, HIS WIFE; JOHN HENSELL WHITE AND MARY SUSAN WHITE, HIS WIFE; AND MARTHA WHITE STRALL AND LESTER STRALL, HER HUSBAND ALLEGHENY LAND AND MINERAL COMPANY ALAMCO INC COLUMBIA NATURAL RESOURCES INC COLUMBIA NATURAL RESOURCES INC COLUMBIA NATURAL RESOURCES INC COLUMBIA NATURAL RESOURCES INC STATOIL USA ONSHORE PROPERTIES INC STATOIL USA ONSHORE PROPERTIES INC STATOIL USA ONSHORE PROPERTIES INC SWIN EXCHANGE TITLEHOLDER LLC SWIN PRODUCTION COMPANY LLC & EQUINOR USA ONSHORE PROPERTIES INC.	CNX GAS COMPANY LLC DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC NOBLE ENERGY, INC. DOMINON TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC.
C. L. TOPPING FRED S. RICH PERRY G. ALFRED, FRANK WHELAN, JAS. A. TIERNEY, MARK PERRY G. ALFRED, FRANK WHELAN, JAS. A. TIERNEY, MARK PERRY G. ALFRED, FRANK PERRY GAS COMPANY THE RESERVE GAS COMPANY FRANK WHELAN THE RESERVE GAS COMPANY PITTSBURG OIL & GAS COMPANY PITTSBURG OIL & GAS COMPANY PHOPE NATURAL GAS COMPANY OHIO-WEST VIRGINIA OIL & GAS CO CONSOLIDATED GAS SUPPLY CORPORATION CNG PRODUCING COMPANY DOMINION EXPLORATION & PRODUCTION, INC. CONSOLIDATED GAS TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION	ALLEGHENY LAND AND MINERAL COMPANY ALLEGHENY LAND AND MINERAL COMPANYC a DE Corporation ALAMCO INC COLUMBIA NATURAL RESOURCES INC COLUMBIA NATURAL RESOURCES INC CHESAPEAKE APPALACHIA LLC STATOILHYDRO USA ONSHORE PROPERTIES INC STATOIL USA ONSHORE PROPERTIES INC SWN PRODUCTION COMPANY LLC EQUINOR USA ONSHORE PROPERTIES INC. SWN PRODUCTION COMPANY LLC SWN PRODUCTION COMPANY LLC SWN PRODUCTION COMPANY LLC SWN PRODUCTION COMPANY LLC	NOBLE ENERGY, INC. CONX GAS COMPANY LLC AND NOBLE ENERGY, INC. NOBLE ENERGY, INC. HG ENERGY II APPALACHIA, LLC DOMINION ENERGY TRANSMISSION, INC. HG ENERGY II APPALACHIA, LLC HG ENERGY II APPALACHIA, LLC HG ENERGY II APPALACHIA, LLC
ASSIGNMENT ASSIGNMENT ASSIGNMENT ASSIGNMENT ASSIGNMENT ASSIGNMENT ASSIGNMENT ASSIGNMENT DEED CONFIRMATORY DEED CONFIRMATORY DEED CONFIRMATORY DEED ASSIGNMENT MERGER/NAME CHANGE ASSIGNMENT	NOT LESS THAN 1/8 ASSIGNMENT MERGER/NAME CHANGE CONVEYANCE DEED MERGER/NAME CHANGE CONFIRMATORY DEED PARTIAL ASSIGNMENT (32.5%) MERGER/NAME CHANGE ASSIGNMENT PARTIAL ASSIGNMENT (20%) MERGER/NAME CHANGE MERGER/NAME CHANGE MERGER/NAME CHANGE	LIMITED PARTIAL ASSIGNMENT (50%) PARTIAL ASSIGNMENT (32%) ASSIGNMENT ASSIGNMENT MERGER/NAME CHANGE SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT ASSIGNMENT (68%) ASSIGNMENT (68%)
35 40 46 85 86 46 52 52 52 141 155 207 207 294 414 410 WVSOS WVSOS	WV Department Environmental Protes WVSOS WVSOS WVSOS WVSOS WVSOS WVSOS 884 687 778	10/06/202 712 712 712 712 713 734 736
451 576 88 88 106 189 45 45 435 202 202 29 494 408	652 538 667 184 285 50 50 407 719	57 848 1 170 170 499 558 558

h	7	0	4	1	0	5	7	5	6
HISTORY	H	1	E.	額	V	4	#	2	V

	41 . CN	, 22	/ 17	0 3 /
	CNX053120		CNX053110	
	03-005E-0029-0000 ET AL	03-005E-0024-0000 03-005E-0024-0001 03-005E-0024-0002	p/o 03-005E-0010-0000 p/o 03-005E-0011-0000 p/o 03-005E-0012-0000 p/o 03-005E-0013-0000 03-005E-0014-0000 03-005E-0014-0001 p/o 03-005E-0016-0000	
	CNX053120		CNX052974 FEE	
CONSOLIDATED GAS TRANSMISSION CORPORATION CONTRAINSMISSION CORPORATION CNG TRANSMISSION CORPORATION DOMINION EXPLORATION & PRODUCTION INC DOMINION TRANSMISSION, INC. CONSOL ENERGY HOLDINGS LLC XVI	S D CAMDEN ET AL SOUTHERN OIL COMPANY SOUTHERN OIL COMPANY HOPE NATURAL GAS COMPANY OHIO-WEST VIRGINIA OIL & GAS CO CNG PRODUCING COMPANY CONSOLIDATED GAS SUPPLY CORPORATION	M.L. BUTCHER AND CORDELIA BUTCHER T. N. BARNSDALL, THE SOUTHERN OIL COMPANY, FRED S. RICH AND W. S. MOWRIS RESERVE GAS COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION ALLEGHENY LAND & MINERAL COMPANY CONSOLIDATED GAS SUPPLY CORPORATION ALLEGHENY LAND & MINERAL COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION ALAMCO INC CNS TRANSMISSION, INC. CONSOL ENERGY HOLDINGS LLC XVI	W.J. BAILEY; W.B. S.BAILEY AND MARY BAILEY, HIS WIFE T. N. BARNSDALL, THE SOUTHERN OIL COMPANY, FRED S. RICH AND W. S. MOWRIS SOUTHERN OIL COMPANY RESERVE GAS COMPANY PITTSBURG OIL & GAS COMPANY OHIO-WEST VIRGINIA OIL & GAS CO CNG PRODUCING COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CNG DEVELOPMENT COMPANY CONSOLIDATED GAS TRANSMISSION CORPORATION ONG TRANSMISSION CORPORATION DOMINION EXPLORATION & PRODUCTION INC COMSOLIDATED GAS TRANSMISSION, INC. CONSOL ENERGY HOLDINGS LLC XVI CNX GAS COMPANY LLC CNX GAS COMPANY LLC NOBLE ENERGY, INC.	CNG TRANSMISSION CORPORATION DOMINION EXPLORATION & PRODUCTION INC DOMINION TRANSMISSION, INC. CONSOL ENERGY HOLDINGS LLC XVI CNX GAS COMPANY LLC
COMINION EXELORATION & PRODUCTION, INC. CONG TRANSMISSION CORPORATION DOMINION TRANSMISSION, INC. DOMINION TRANSMISSION, INC. CONSOL ENERGY HOLDINGS LLC XVI CONS GAS COMPANY LLC	SOUTHERN OIL COMPANY THE RESERVE GAS COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CNG PRODUCING COMPANY CNG DEVELOPMENT COMPANY CNG DEVELOPMENT COMPANY CNG DEVELOPMENT COMPANY CONSOLIDATED GAS TRANSMISSION CORPORATION	THE SOUTHERN OIL COMPANY RESERVE GAS COMPANY HOPE NATURAL GAS COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION ALLEGHENY LAND & MINERAL CO ALANCO INC CONSOLIDATED GAS TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION CONSOL ENERGY HOLDINGS LIC XVI CNX GAS COMPANY LLC HG ENERGY II APPALACHIA, LLC	SOUTHERN OIL COMPANY THE RESERVE GAS COMPANY PITTSBURG OIL & GAS COMPANY HOPE NATURAL GAS COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CING PRODUCING COMPANY CING DEVELOPMENT COMPANY CONSOLIDATED GAS TRANSMISSION CORPORATION DOMINION EXPLORATION & PRODUCTION, INC. CING TRANSMISSION, INC. DOMINION TRANSMISSION, INC. DOMINION TRANSMISSION, INC. DOMINION TRANSMISSION, INC. CONSOL ENERGY HOLDINGS LLC XVI CNX GAS COMPANY CNX GAS COMPANY LLC NOBLE ENERGY, INC. NOBLE ENERGY, INC.	DOMINION TRANSMISSION, INC. DOMINION TRANSMISSION, INC. CONSOL ENERGY HOLDINGS LLC XVI CNX GAS COMPANY LLC HG ENERGY II APPALACHA, LLC
MERGER/NAME CHANGE MERGER/NAME CHANGE MERGER/NAME CHANGE ASSIGNMENT ASSIGNMENT ASSIGNMENT ASSIGNMENT MERGER/NAME CHANGE	NOT LESS THAN 1/8 ASSIGNMENT DEED CONFIRMATORY DEED ASSIGNMENT ASSIGNMENT ASSIGNMENT ASSIGNMENT	ASSIGNMENT DEED CONFIRMATORY DEED DEVELOPMENT AGREEMENT MERGER/NAME CHANGE ASSIGNMENT MERGER/NAME CHANGE FARMOUT AGREEMENT MERGER/NAME CHANGE ASSIGNMENT MERGER/NAME CHANGE ASSIGNMENT MERGER/NAME CHANGE ASSIGNMENT	ME CH I/S	ASSIGNMENT ASSIGN
WVSOS 9 651 651	40 85 85 294 414 420 425	40 85 155 155 294 UNRECORDED WVSOS 425 WVSOS UNRECORDED 9 651 9 798	W W	06/202 651 651 798
628 9 628 137 318 9 471	561 106 106 108 1 89 1 494 1 408	106 5 106 6 202 11 89 9 1 127 5 127 5 127 5 127 6 318 9 471 8 692		628 1 137 1 318 9 471 692



HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

August 21, 2023

Cragin Blevins WV DEP Division of Oil & Gas 601 57th Street Charleston, WV 25304

RE:

Drilling Under Roads – Winans 1216 S-10H

Freemans Creek District, Lewis County

West Virginia

Dear Mr. Blevins -

HG Energy II Appalachia, LLC, is submitting the attached application for a new well work permit for the Winans 1216 well pad. As an authorized representative, I certify HG Energy II Appalachia, LLC, has the right to drill, stimulate, extract, produce and market the oil, gas or condensate for all leases through which the Winans 1216 laterals will drill through including any and all roads crossed under as identified on the attached survey plat.

Should you have any questions or desire further information, please contact me at dwhite@hgenergyllc.com or 304-420-1119.

Very truly yours,

Diane White

Diane C. White

Enclosures

RECEIVED
Office of Oil and Gas

SEP 0 5 2023

WV Department of Environmental Protection

WW-PN (11-18-2015)

Horizontal Natural Gas Well Work Permit **Application Notice By Publication**

Notice is hereby giv	en	
----------------------	----	--

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: The Weston Democrat Newspaper Public Notice Date: Wednesday, June 28th & Wednesday, July 5th, 2023 The following applicant intends to apply for a horizontal natural well work permit which disturbs three acres or more of surface excluding pipelines, gathering lines and roads or utilizes more than two hundred ten thousand gallons of water in any thirty day period. Applicant: HG Energy II Appalachia, LLC Well Number: Winans 1216 S-10H 5260 Dupont Road Address: Parkersburg, WV 26101 Business Conducted: Natural gas production. Location -West Virginia County: Lewis District: Freemans Creek Quadrangle: Camden 7.5 UTM Coordinate NAD83 Northing: 4328735.5 537259.7 UTM coordinate NAD83 Easting: Watershed: Fink Creek

Coordinate Conversion:

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/Ilutm_conus.php

Electronic notification:

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx to sign up.

Reviewing Applications:

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to <u>DEP.comments@wv.gov</u>. Office of Oil and Gas RECEIVED

Submitting Comments:

Comments may be submitted online at https://apps.dep.wv.gov/oog/comments/comments.cfm by letter to Permit Review, Office of Oil and Gas, 601 57th Street, SE Charleston, WV 25304. Please reference the county, Cell number, and operator when using this option.

Environmental Description Environmental p

Regardless of format for comment submissions, they must be received no later than thirty days after the Securit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx

Date of Notice Certification: 08/21/2023

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE CERTIFICATION**


API No. 47-


Notice has		Operator's well N	0. Winans 1216 S-10H
Notice has		Well Pad Name: _	Winans 1216
	been given:		
Pursuant to the	ne provisions in West Virginia Code §	§ 22-6A, the Operator has provided the required pa	arties with the Notice Forms listed
	tract of land as follows:		
State:	West Virginia	——— UTM NAD 83 Easting: 537259.	
County: District:	Lewis	Northing: 4328/35	
Quadrangle:	Freemans Creek Camden WV 7.5's	Public Road Access: Generally used farm name: Winans	man's CK Rd CoRd 10
Watershed:	Fink Cree		-arm
watershed.	FINIC Cree		
prescribed by it has provid information r of giving the requirements Virginia Cod	the secretary, shall be verified and seed the owners of the surface described equired by subsections (b) and (c), see surface owner notice of entry to surface of subsection (b), section sixteen of	every permit application filed under this section hall contain the following information: (14) A certical in subdivisions (1), (2) and (4), subsection (a) section sixteen of this article; (ii) that the requirement reverse pursuant to subsection (a), section ten of the fithis article were waived in writing by the surface ender proof of and certify to the secretary that the fit.	tification from the operator that (i) b), section ten of this article, the nt was deemed satisfied as a result its article six-a; or (iii) the notice ace owner; and Pursuant to West
that the Ope	rator has properly served the require	perator has attached proof to this Notice Certificated parties with the following:	OOG OFFICE USE
*PLEASE CH	ECK ALL THAT APPLY		ONLY
		■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	
□ 1. NO	TICE OF SEISMIC ACTIVITY or		☐ RECEIVED/ NOT REQUIRED
□ 1. NO	TICE OF SEISMIC ACTIVITY or	SEISMIC ACTIVITY WAS CONDUCTED	☐ RECEIVED/ NOT REQUIRED
□ 1. NO	TICE OF SEISMIC ACTIVITY OF	SEISMIC ACTIVITY WAS CONDUCTED VEY or NO PLAT SURVEY WAS CONDUCTED NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY	RECEIVED/ NOT REQUIRED TED RECEIVED RECEIVED/ NOT REQUIRED
□ 1. NO ■ 2. NO ■ 3. NO	TICE OF SEISMIC ACTIVITY OF	SEISMIC ACTIVITY WAS CONDUCTED YEY or NO PLAT SURVEY WAS CONDUCTED NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED OR WRITTEN WAIVER BY SURFACE OWN	RECEIVED/ NOT REQUIRED TED RECEIVED RECEIVED/ NOT REQUIRED
□ 1. NO □ 2. NO □ 3. NO □ 4. NO	TICE OF SEISMIC ACTIVITY OF TICE OF ENTRY FOR PLAT SURV	SEISMIC ACTIVITY WAS CONDUCTED YEY or NO PLAT SURVEY WAS CONDUCTED NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED OR WRITTEN WAIVER BY SURFACE OWN	RECEIVED/ NOT REQUIRED TED RECEIVED RECEIVED/ NOT REQUIRED NER

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West original Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

Well Operator: HG II Appalachia, LLC Address: 5260 Dupont Road White By: Diane White Diane Parkersburg, WV 26101 Its: Agent Facsimile: 304-863-3172 Telephone: 304-420-1119 Email: dwhite@hgenergyllc.com





Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

Office of Oil and Gas
SEP 05 2023

WV Department of Environmental Protection

WW-6A (9-13) 4704105756
API NO. 47-____OPERATOR WELL NO. Winans 12161 N1H-S12H
Well Pad Name: Winans 1216

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Noti	ce Time Requirement: notice shall be provided no later the	nan the filing date of permit application.
Date	e of Notice: 01/09/23 Date Permit Application Filed: 01	/17/23
	ce of:	# # # # # # # # # # # # # # # # # # #
\checkmark	PERMIT FOR ANY CERTIFICATE OF AF	· ·
	WELL WORK CONSTRUCTION OF	AN IMPOUNDMENT OR PIT
Deli	very method pursuant to West Virginia Code § 22-6A-1	0(b)
П	PERSONAL REGISTERED MET	HOD OF DELIVERY THAT REQUIRES A
		EIPT OR SIGNATURE CONFIRMATION
the soil and description oper more well important provers proper substraction of the control of the control operation operation of the control operation operation of the control operation operation of the control operation operation operation of the control operation ope	surface of the tract on which the well is or is proposed to be lowed gas leasehold being developed by the proposed well work, ribed in the erosion and sediment control plan submitted pursuator or lessee, in the event the tract of land on which the well e coal seams; (4) The owners of record of the surface tract or twork, if the surface tract is to be used for the placement, consumdment or pit as described in section nine of this article; (5) a water well, spring or water supply source located within on ide water for consumption by humans or domestic animals; and osed well work activity is to take place. (c)(1) If more than the ection (b) of this section hold interests in the lands, the applicant of the sheriff required to be maintained pursuant to section is in of this article to the contrary, notice to a lien holder is not as the section of the satisfactor.	the well plat to each of the following persons: (1) The owners of record of cated; (2) The owners of record of the surface tract or tracts overlying the if the surface tract is to be used for roads or other land disturbance as uant to subsection (c), section seven of this article; (3) The coal owner, proposed to be drilled is located [sic] is known to be underlain by one or racts overlying the oil and gas leasehold being developed by the proposed struction, enlargement, alteration, repair, removal or abandonment of any Any surface owner or water purveyor who is known to the applicant to the thousand five hundred feet of the center of the well pad which is used to red (6) The operator of any natural gas storage field within which the ree tenants in common or other co-owners of interests described in ant may serve the documents required upon the person described in the reight, article one, chapter eleven-a of this code. (2) Notwithstanding any of notice to a landowner, unless the lien holder is the landowner. W. Va. provide the Well Site Safety Plan ("WSSP") to the surface owner and any g as provided in section 15 of this rule.
☑ A	application Notice ☑ WSSP Notice ☑ E&S Plan Notice	ee ☑ Well Plat Notice is hereby provided to:
☑ SU	URFACE OWNER(s)	☐ COAL OWNER OR LESSEE
Nan		Name: NA
Add	ress: 354 Winans Road	Address:
	Camden, WV 26338	3
	ne: Gerald Phillip Hull	☐ COAL OPERATOR
Add	ress: 1765 Freemans Creek Road	Name: NA
	Camden, WV 26338	Address: Office RECEIVED
ПSI	URFACE OWNER(s) (Road and/or Other Disturbance)	Address: Office PECEIVED SURFACE OWNER OF WATER WELL AND OR WATER REPORTS OF Gas
	ne: Chad and Tammy Herron	SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s)
	ress: 2266 Freemans Creek Road	AND/OR WATER PURVETOR(S)
	Camden, WV 26338	Name: **See Above Surface Owners** 40.
Nan	ne:	Address: See Above Surface Owners** Address: Senvironmental Openation of Control of
Add	ress:	mental of
		OPERATOR OF ANY NATURAL GAS STORAGE FIELD
ПST	URFACE OWNER(s) (Impoundments or Pits)	Name: BHE - GT&S - Attn: Jamie Moore
	ne:	Address: 925 White Oaks Blvd
Add	ress:	Bridgeport, WV 26330
		*Please attach additional forms if necessary

WW-6A (8-13) 4704105756

OPERATOR WELL NO. Winans 12161 N1H · S12H
Well Pad Name: Winans 1216

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir or a wetland, of within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13)

API NO. 4470-4105756
OPERATOR WELL NO. WINANS 12161 N1H-S12H

Well Pad Name: Winans 1216

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction. authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b)\may file writtenicomments as to the location or construction of the applicant's proposed well work to the Secretary at: location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

API NO 4 7 0 4 1 0 5 7 5 6

OPERATOR WELL NO. Winans 12161 N1H - S12H

Well Pad Name: Winans 1216

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the Secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

WV Department of Environmental Protection

WW-6A (8-13)

OPERATOR WELL NO. W Well Pad Name: Winans 1216

Notice is hereby given by:

Well Operator: HG Energy II Appalachia, LLC

Telephone:


Email:

304-420-1119 dwhite@hgenergyllc.com Diane Wh 5260 Dupont Road Parkersburg, WV 26101

304-863-2172 Facsimile:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



Subscribed and sworn before me this _6th day of January , Notary Public My Commission Expires

> RECEIVED Office of Oil and Gas

> > SEP 0 5 2023

WV Department of Environmental Protection WW-6A3 (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS $\frac{\text{NOTICE OF ENTRY FOR PLAT SURVEY}}{\text{NOTICE OF ENTRY FOR PLAT SURVEY}}$

Notice Time R	equirement: Notice shall be provided a	at least SEVEN (7) da	ys but no more tha	n FORTY-FIVE (45) days prior to
entry				. , .
Date of Notice	Date of Planned	Entry: 12/27/2022		
Delivery meth	od pursuant to West Virginia Code §	22-6A-10a		y 9
☐ PERSONA	AL REGISTERED	METHOD OF DEL	IVERY THAT RE	EQUIRES A
SERVICE	_ 10010121000 _	RECEIPT OR SIGN		
on to the surface but no more that beneath such tra owner of miner and Sediment C Secretary, whice	st Virginia Code § 22-6A-10(a), Prior to e tract to conduct any plat surveys request forty-five days prior to such entry to: act that has filed a declaration pursuant als underlying such tract in the county to control Manual and the statutes and rule h statement shall include contact informace owner to obtain copies from the second we provided to:	ired pursuant to this ar (1) The surface owner to section thirty-six, and ax records. The notice is related to oil and gase mation, including the ac-	ticle. Such notice s r of such tract; (2) r rticle six, chapter to e shall include a sta s exploration and p	shall be provided at least seven days to any owner or lessee of coal seams wenty-two of this code; and (3) any atement that copies of the state Erosion roduction may be obtained from the
Notice is hereb	y provided to:			
■ SURFACE	OWNER(s)	☐ COA	L OWNER OR LE	SSEE
Name: Gerald	Phillip Hull	Name:	10	
-	reemans Creek Road			
	n, WV 26338		4	
Name: Stephen B	Brent Winans			
Address: 354 Wii			ERAL OWNER(s)	
	, WV 26338	Name:	** See Attached List **	
Name:		Address: _		
Address.		- P		
		*please attacl	n additional forms if neo	cessary
a plat survey on State:	by given: st Virginia Code § 22-6A-10(a), notice the tract of land as follows: West Virginia			operator is planning entry to conduct
	ewis	Public Road A	Access:	CR10 @ Freeman's Creek Road
TAT BICK SOLVENSON APPENDISHED	reemans Creek	Watershed:		Fink Creek
_	amden 7.5"	Generally used		Winans RECEIVED
may be obtained Charleston, WV	ate Erosion and Sediment Control Manual from the Secretary, at the WV Departs 25304 (304-926-0450). Copies of such Secretary by visiting www.dep.wv.go.ne Secretary by:	nent of Environmenta ch documents or additi	l Protection headquonal information re	larters, located at 601,57 th Street, SE,
Well Operator:	HG Energy II Appalachia, LLC	Address:	5260 Dupont Road	***************************************
Telephone:	304-420-1119		Parkersburg, WV 26101	
Email:	dwhite@hgenergyllc.com	Facsimile:	304-863-3172	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Delivery meth	od pursuant to West Virginia Code § 2	22-6A-16(b)	
☐ HAND	■ CERTIFIED MAIL		
DELIVE		UESTED	
receipt request drilling a horiz of this subsecti subsection may	ed or hand delivery, give the surface own contal well: <i>Provided</i> , That notice given on as of the date the notice was provided	ner notice of its intent to enter upo pursuant to subsection (a), section to the surface owner: <i>Provided</i> , and there. The notice, if required, shall in	on, an operator shall, by certified mail return the surface owner's land for the purpose on ten of this article satisfies the requirement however, That the notice requirements of this nelude the name, address, telephone number reter's outhorized representative.
and if available	e, raesimile number and electronic man a	udress of the operator and the oper	rator's authorized representative.
	eby provided to the SURFACE OW	in the contract of the contrac	Sec. 1.6.0
Name: Stephe Address: 354 W	en Brent Winans inans Road	Name: Gerald Philli Address: 1765 Freemans	
	len, WV 26338	Camden, WV	And a state of the
the surface own State: County: District: Quadrangle: Watershed: This Notice Sursuant to Watershiel number of the prize of	ner's land for the purpose of drilling a howest Virginia Lewis Freemans Creek Camden WV 7.5' Fink Creek Shall Include: Jest Virginia Code § 22-6A-16(b), this per and electronic mail address of the contal drilling may be obtained from the	rizontal well on the tract of land a Easting: UTM NAD 83 Easting: Northing Public Road Access: Generally used farm name notice shall include the name, a perator and the operator's authors Secretary, at the WV Departmen	537244.03 4328771.40 CR10 @ Freeman's Creek Road
ocated at 601.			
	J 7 ~ J '		ve: Diana White CEVED Cas
Notice is her	HG Energy II Appalachia, LLC	Authorized Representati	vc. Diane wille ne(,ci , inc.
Notice is here Well Operator:	HG Energy II Appalachia, LLC 5260 Dupont Road	Authorized Representati Address:	ve: Diane White RECEIVED Gas 5260 Dupont Road Oil and Gas
Notice is her Well Operator:			5260 Dupont Road
Notice is her Well Operator: Address:	5260 Dupont Road		Parkersburg, WV 26101 2023
Notice is here Well Operator: Address: Telephone:	5260 Dupont Road Parkersburg, WV 26101	Address:	5260 Dupont Road 3" Parkersburg, WV 26101 2023 304-420-1115EP
Notice is her	5260 Dupont Road Parkersburg, WV 26101 304-420-1119	Address: Telephone:	Parkersburg, WV 26104 2023

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6A5 (1/12)

4704105756 Operator Well No. Winans 1218 N-11H to S-12H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

		equirement: notice shall be provided no later 1. 08/10/2023 Date Permit Applicate 2. 08/10/2023 Date Permit Applicate 3. 08/10/2023 Date Permit Applicate 4. 08/10/2023 Date Permit Applicate 5. 08/10/2023 Date Permit Applicate 6. 08/10/2023 Date Permit Applicate 6. 08/10/2023 Date Permit Applicate 7. 08/10/2023 Date Permit Applicate 8. 08/10/2023 Date Permit Applicate 9. 08/10/2023 Date Permit Applicate 9. 08/10/2023 Date Permit Applicate 1. 08/10/2025 Date Permit Applicate 1			application.
Delive	ery metho	od pursuant to West Virginia Code § 22-6A-	-16(c)		8
		ED MAIL HAN N RECEIPT REQUESTED DELI	D IVERY		
return the pla require drilling damag	receipt reanned oped to be possible good a houses to the enotices	Va. Code § 22-6A-16(c), no later than the dequested or hand delivery, give the surface owneration. The notice required by this subsection or ovided by subsection (b), section ten of this a prizontal well; and (3) A proposed surface use surface affected by oil and gas operations to the required by this section shall be given to the s	ner whose land on shall inclu article to a surf e and compens ne extent the da	d will be used for de: (1) A copy ace owner whos sation agreemen amages are comp	or the drilling of a horizontal well notice of of this code section; (2) The information e land will be used in conjunction with the t containing an offer of compensation for pensable under article six-b of this chapter.
	address l	by provided to the SURFACE OWNER(s) isted in the records of the sheriff at the time of	f notice): Name:	Stephen Brent Wir	nans
Addre	SS: 1765 F	reemans Creek Road	Addres	S: 354 Winans Road	1
	Camde	n, WV 26338		Camden, WV 2633	8
operati State: County	ion on thy $\frac{1}{2}$	st Virginia Code § 22-6A-16(c), notice is herele surface owner's land for the purpose of drilli Nest Virginia Lewis	ing a horizonta UTM NAD 8	tal well on the tra Easting: Northing:	ct of land as follows: 537244.03 4328771.40
Distric	_	Freemans Creek	Public Road		SR10 @ Freemans Creek Road
Quadra		Camden WV 7.5'	Generally use	ed farm name:	Stephen B Winans
Waters	shed: F	ink Creek			
Pursua to be p horizo surface inform headqu	ant to We provided ntal well; e affected nation rela		e owner whose ation agreeme lamages are coron the Secret	e land will be un nt containing an empensable und tary, at the WV	ased in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection
Well (Operator:	HG Energy II Appalachia, LLC	Address:	5260 Dupont Road	2 2 2 2 10 St. O. S. 10
Teleph	9.00	304-420-1119		Parkershurg W/V 26	The State of
Email:		dwhite@hgenergyllc.com	Facsimile:	304-863-3172	The Colonial Colonia
u	9	amino@ngenergyno.com	i desimile.	304-003-3172	2, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
Oil an	d Gas Pr	rivacy Notice:			1968 CO CONTROL OF THE TOTAL OF

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

D. Alan Reed, P.E. State Highway Engineer 1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

November 18, 2022

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the 1216 Pad, Lewis County 1216 S10H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #07-2022-0372 which has been issued to HG Energy II Appalachia, LLC for access to the State Road for a well site located off Lewis County Route 10 SLS MP 0.77.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Bay K. Clayton, P.E.

Regional Operations Engineers Central Office O&G Coordinator

Cc:

Diane White

HG Energy II Appalachia, LLC

CH, OM, D-7

File

E.E.O./AFFIRMATIVE ACTION EMPLOYER

HG Energy II Appalachia, LLC List of Frac Additives by Chemical Name and CAS # Winans 1216 Well Pad (N-1H to S-12H)

Chemical Name	CAS#	Multiple CAS #'s
Pro Shale Slik 405	Mixture	68551-12-2
±	- Inninear c	7647-14-5
		12125-02-9
		64742-47-8
Pro Hib II	Mixture	68412-54-4
		68607-28-3
		107-21-1
5		111-76-2
		67-56-1
		107-19-7
Silica Sand and Ground Sand	Mixture	14808-60-7
		1344-28-1
		1309-37-1
		13463-67-7
Hydrochloric Acid 22 DEG BE	7647-01-0	RECEIVED Office of Oil and Gas
PROGEL - 4.5	64742-96-7	SEP 0 5 2023
BIO CLEAR 2000	Mixture	25322-68-3epartment of
		10222-01-2
SCALE CLEAR SI 112	107-21-1	
PROBREAK 4	Mixture	57-50-1
		107-21-1
Sulfamic Acid	5329-14-6	
PRO - Flow - 102-N	Mixture	67-63-0
•		68439-45-2
X a		2687-96-9
PROGEL - 4	9000-30-0	

Well

OPERATOR:_	HG Energy II Appalachia, LL	WELL NO: Win	ans 1216 S-	10H
PAD NAME:_	Winans 1216			
REVIEWED B	Y: Diane White	SIGNATURE:	Diane	White

WELL RESTRICTIONS CHECKLIST

HORIZONTAL 6A WELL

Restri	ctions
\checkmark	At Least 100 Feet from Pad and LOD (including any E&S Control Feature) to any Perennial Stream, Lake, Pond, Reservoir or Wetland; OR
	DEP Waiver and Permit Conditions
$\sqrt{}$	At Least 300 Feet from Pad and LOD (including any E&S Control Feature) to any Naturally Producing Trout Stream; OR
¥	DEP Waiver and Permit Conditions
\checkmark	At Least 1000 Feet from Pad and LOD (including any E&S Control Feature) to any Groundwater Intake or Public Water Supply; OR
	DEP Waiver and Permit Conditions
\checkmark	At Least 250 Feet from an Existing Water Well or Developed Spring Well Being Drilled; OR
	Surface Owner Waiver and Recorded with County Clerk, OR
81	DEP Variance and Permit Conditions
\checkmark	At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pad; OR
	Surface Owner Waiver and Recorded with County Clerk, OR
	DEP Variance and Permit Conditions
\checkmark	At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet to the Center of the Pad; OR
	Surface Owner Waiver and Recorded with County Clerk, OR
	DEP Variance and Permit Conditions

