


LATITUDE 39° 07' 30"

80° 25' 00"
LONGITUDE



7'5 OGIS topo location

7.5' loc 2.86 S 15' loc _____
' 0.90 W (calc.) _____

Company _____

Farm _____

Quad WESTON

County LEWIS

District HACKERS CREEK

WELL LOCATION MAP

File No. 041 - 8A

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL**
(REQUIREMENTS SECTION 8 CHAPTER 20 ACT 1923)
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

None	Hope Natural Gas Company
COAL OPERATOR	NAME OF WELL OPERATOR 445 West Main Street Clarksburg, W. Va. <small>COMPLETE ADDRESS</small>
ADDRESS	March 12th. 19 30
COAL OPERATOR	WELL AND LOCATION
ADDRESS	Hackers Creek District
COAL OPERATOR	Lewis County
ADDRESS	Well No. 8096
COAL OPERATOR	Brannon - McClure Farm
ADDRESS	

NO WORK IS TO BE DONE IN THIS STATE UNTIL THE WELL HAS BEEN PLUGGED AND FILLED IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, OIL AND GAS ACT OF 1923. THE AFFIDAVIT MUST BE FILED WITH THE DEPARTMENT OF MINES AND THE WELL OPERATOR MUST BE ADVISED BY REGISTERED MAIL TO THE DEPARTMENT OF MINES AND THE WELL OPERATOR MUST BE ADVISED BY REGISTERED MAIL TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA.

County of Lewis

do hereby certify that the following named persons, Frank L. Atkins and Harley G. Bennett,

being duly sworn according to law depose and say that they are experienced in the work of plugging

oil and gas wells and were employed by Hope Natural Gas Company, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

and ended on the 12th day of February, 19 30, and that the well was plugged and filled in the following manner:

anner in which sand was plugged: Total depth 4500- Unable to clean out below 4200- +
 4200- cement plug 4000- clay to 4000- cement plug 3800- clay to 3800- cement plug 3600-
 3400- clay to 3200- cement plug 3200- clay to 3000- cement plug 2800-
 2600- clay to 2400- cement plug 2400- clay to 2200- cement plug 2000-
 1800- clay to 1600- cement plug 1600- clay to 1400- cement plug 1200-
 1000- clay to 800- cement plug 800- clay to 600- cement plug 400-
 200- cement plug 100- clay to 0- cement plug 0-
 manner in which coal was plugged: filled solid with clay to surface.

Is coal.

*File
1/17/30*

Law P.A.

Description of monument: Regular monument installed.

THE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, OIL AND GAS ACT OF 1923.
 the work of plugging and filling said well was completed on the 12 day of March, 19 30

And further deponents saith not.

DEPARTMENT
OF MINES
MAR 17 1930

Hackers Creek District, Lewis County, W. Va.

Lewis 8A

Hope Natural Gas Co., 445 W. Main St., Clarksburg, W. Va.

On 100 acres, surface and mineral rights owned by Thomas Smith,
Weston, W. Va.

Drilled prior to June 1, 1929.

Elevation, 1367' Alt.

8 $\frac{1}{2}$ " casing, 906'.

This well is about 78 feet below outcrop of coal.

Abandonment reported to Dept. of Mines Jan. 10, 1930.

Completion data sheet not filed.

NO RECORD.