

LATITUDE 39° 07' 30"

80° 27' 30"

LONGITUDE



T'S OGIS topo location

7.5' 10C 2215 15' 10C \_\_\_\_\_  
                  0.08W (calc.) \_\_\_\_\_

Company <sup>0200</sup> Cumberland & Alky Gas Co.

Farm Wilson A. Arnold #153

Quad WESTON 7 1/2'

County LEWIS


District HACKERS CREEK

WELL LOCATION MAP

File No. 041-65A

PLAT OF THE PROPOSED ABANDONMENT OF WELL NO. 153 OF  
 GIMBERLAND-ALLENBY GAS CO. OF PITTSBURGH, P.A.  
 ON THE WILSON & ARNOLD FARM CONSISTING OF 600 ACRES  
 LOCATED IN HACKES CREEK DISTRICT LEWIS COUNTY, W. VA.

Lew 65 A



ENGINEERS CERTIFICATE

I, THE UNDERSIGNED, FREELY CERTIFY THAT THIS MAP IS CORRECT AND SHOWS  
 ALL THE INFORMATION TO THE BEST OF MY KNOWLEDGE AND BELIEF REQUIRED  
 BY THE OIL AND GAS SECTION OF THE MINING LAWS OF WEST VIRGINIA.

*Donald K. Bell*  
 ENGINEER

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES**  
OIL AND GAS DIVISION

None

COAL OPERATOR OR OWNER  
ADDRESS

COAL OPERATOR OR OWNER  
ADDRESS

COAL OPERATOR OR OWNER  
ADDRESS

Cumberland & Allegheny Gas Company  
NAME OF WELL OPERATOR  
800 Union Trust Building, Pittsburgh Pa.  
COMPLETE ADDRESS

November 19th 1934 19  
WELL AND LOCATION  
Hackers Creek District  
Lewis County  
Well No. 153  
Wilson A. Arnold Farm

AFFIDAVIT TO BE MADE IN TRIPPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

**AFFIDAVIT**

STATE OF WEST VIRGINIA,  
COUNTY OF Lewis } ss:

George O. Bailey and James C. Hinzman  
being first duly sworn according to law depose and say that they are experienced in the work of plugging  
and filling oil and gas wells and were employed by Cumberland & Allegheny Gas Co., well operator,  
and participated in the work of plugging and filling the above well, that said work was commenced on the  
23rd day of July, 19 34, and that the well was plugged and filled in  
the following manner:

Manner in which sand was plugged: Lifted 2" tubing, Red mud 2200-2135, Wood plug 2135-2122,  
Red mud 2122-1952, Wood plug 1952-1949, Set bridge @ 1477, Red mud 1477-1355,  
Wood plug 1355-1352, Removed 6 5/8" casing, Set bridge @ 967, Red mud 967-760,  
Wood plug 760-757, Red mud 757-480, Wood plug 480-477, Red mud 477-200,  
Wood plug 200-197, Filled with clay 197 to surface.

Manner in which coal was plugged: NONE

Description of monument: Monument erected as prescribed in Rule 18 of 1931 regulations.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 25th day of September,  
19 34.

And further deponents saith not.

*George O. Bailey*  
*James C. Hinzman*