


LATITUDE 39° 07' 30"

LONGITUDE 80° 35' 00"



T'S OGIS topo location

7.5' loc 2.57S 15' loc _____
1.62W (calc.) _____

City _____

Farm _____

Quad CAMDEN

County LEWIS

District FREEMANS CREEK

WELL LOCATION MAP

File No. 041-82A

Freemans Creek District, Lewis County, W. Va.
 Hope Cons. & Ref. Co., 445 W. Main St., Clarksburg, W. Va.
 On 200 acres, surface owned by Joseph Fallon, Weston, W. Va.
 Elevation, 1024' L.
 6-5/8" casing, 1763'; 5-3/16", 2253'; 2" tubing, 2594'.
 Coal was encountered at 176-180'.
 Abandonment reported to Dept. of Mines May 15, 1935 (date filed).
 Well was shot at 2551'.
 Now exhausted.

	Top.	Bottom.
Pittsburgh Coal	176	- 180
Little Dunkard Sand	653	- 680
Big Dunkard Sand	740	- 820
Gas Sand	955	- 985
First Salt Sand	1045	- 1150
Second Salt Sand	1195	- 1292
Maxton Sand (oil at 1450'; gas at 1390')	1350	- 1486
Little Lime	1612	- 1632
Pencil Cave	1632	- 1657
Big Lime	1657	- 1726
Big Injun Sand (gas at 1774')	1726	- 1835
Squaw Sand	1866	- 1930
Gantz Sand	2045	- 2062
50-Ft. Sand	2160	- 2170
30-Ft. Sand	2246	- 2259
Gordon Stray Sand (gas at 2329')	2324	- 2333
Gordon Sand (gas at 2355')	2349	- 2369
4th Sand (gas at 2396')	2393	- 2400
Fifth Sand (gas at 2551'; oil at 2551')	2549	- 2560
Total depth		2621

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 2, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

low 82A

No coal operation in vicinity
COAL OPERATOR OR OWNER

Hope Construction & Refining Co.
NAME OF WELL OPERATOR

ADDRESS

Clarksburg, W. Va.
COMPLETE ADDRESS

COAL OPERATOR OR OWNER

August 20th, 1935. 19

ADDRESS

WELL AND LOCATION

COAL OPERATOR OR OWNER

Freemans Creek District

ADDRESS

Lewis County

Well No. 346

Joseph Fallon Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY AND EXTRA COPIES IF REQUIRED TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF LEWIS

vs:

JOHN J. AMAN

and ROBERT B. WILK

beir first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by HOPE CONSTRUCTION & REFINING CO. well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

20th day of JULY, 1935, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged:

FILLED WITH SAND FROM 238 FT TO 2328 FT. AND A WOOD AND CEMENT PLUG SET AT 2328
PERMANENT BRIDGE INSTALLED AT 1865 FT. AND FILLED WITH CLAY TO 1770 FT.
ROPE 6-5/8" AND PLUG AT 1770 FT. PERMANENT BRIDGE INSTALLED AT 1516 FT. AND
FILLED WITH SAND TO 1005 FT. ^{Flowed Plug} BRIDGE AT 770 FT AND SET CEMENT PLUG AT 770 FT

Manner in which coal was plugged:

PERMANENT BRIDGE INSTALLED AT 220 FT. WHICH WAS 30 FT.
BELOW THE COAL, AND FILLED SAND WITH CEMENT TO 156 FT. WHICH WAS 20 FT ABOVE
THE COAL, THE FILLED WITH CLAY TO THE SURFACE OF THE GROUND.

Description of monument:

CEMENT MONUMENT EXTENDING 5 FT LONG, EXTENDING 2 1/2 FT BELOW GROUND AND 2 1/2 FT ABOVE.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AS IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

at that the work of plugging and filling said well was completed on the 20th day of AUGUST