

LATITUDE 39° 00'

2.66 S
3.33 W

LONGITUDE 80° 30'

Jos V. Mullooley

H.Y. N66-28E 468 PHS

N59-08E 1325'

E.J. & Chas Nolan
100A

555-14E

Clarissa Turner

W.O. 228

No. 4074

N72-21E 571

S87-34E 1429'

EI. 1098

PHS top of pt.

No. 139A
EI. 1198

N 40-05W 1377'

S31-06W 1141'

N64-44W SW N65-34W 680'

N59-16W 1763'

S 80 P.H.S.

N77-07E chest.

S36E 613'

No. 3049
EI. 1091

S58-24W 711'

N6-52W 804'

S39-01E 791'

Michael McLaughlin
& Sna. Carroll

W.T. & Maggie Nolan



Abandonment

3.38 W
2.17 Q

Company	Hope Natural Gas Co.
Address	Clarksburg, W.Va.
Farm	E.J. & Chas. Nolan
Tract	1 Acres 100 Lease No. 1394
Well (Farm) No.	Serial No. 3049
Elevation (Spirit Level)	1198-1098-1091
Quadrangle	Burnsville (NE)
County	Lewis District Court House
Engineer	John A. Clark
Engineer's Registration No.	744
File No.	Drawing No.
Date	July 7, 1937 Scale 1"-40 Poles

STATE OF WEST VIRGINIA
Department of Mines
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
File No. LEW-125A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

230

WELL RECORD

Permit No. LEN-125-A

Oil or Gas Well Gas
(Kind)

Company <u>Hope Natural Gas Company</u>	Casing and Tubing	Used in Drilling	Left in Well	Packers
Address <u>Clarksburg, W. Va.,</u>	Size			
Farm <u>E. J. Nolan</u> Acres <u>100</u>	16			Kind of Packer
Location (waters) <u>Crooked Run</u>	13			
Well No. <u>1394</u> Elev. <u>1198</u>	10	<u>153</u>	<u>None</u>	Size of
District <u>Court House</u> County <u>Lewis</u>	8 1/4	<u>893</u>	<u>893</u>	Depth set
The surface of tract is owned in fee by	6 5/8	<u>1932</u>	<u>1932</u>	
Mineral rights are owned by	5 3/16			Perf. top
Drilling commenced <u>9-23-1909</u>	3			Perf. bottom
Drilling completed <u>11-2-1909</u>	2	<u>2802</u>	<u>None</u>	Perf. top
Date shot <u>November 3, 1909</u> Depth of shot <u>In 5th.</u>	Liners Used			Perf. bottom
Open Flow /10ths Water in _____ Inch				
/10ths Merc. in _____ Inch				
Volume _____ Cu. Ft.	CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____			
Rock Pressure _____ lbs. _____ hrs.	<u>Not cemented</u>			
Oil _____ bbls., 1st 24 hrs.	COAL WAS ENCOUNTERED AT <u>195</u> FEET <u>60</u> INCHES			
Fresh water <u>None recorded</u> feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			
Salt water <u>None recorded</u> feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Pittsburgh Coal			195	200			
Little Dunkard Sand			700	760			
Big Dunkard Sand			790	860			
Gas Sand			985	1100			
First salt Sand			1120	1280			
Second Salt Sand			1360	1520	Gas	1465	
Maxon Sand			1590	1605			
Little Lime			1835	1850			
Pencil C ave			1850	1860			
Big Lime			1860	1935			
Big Injun Sand			1935	2075	Gas	2035	
Squaw Sand			2085	2105			
Gantz Sand			2190	2235			
Fifty Foot Sand			2330	2365			
Thirty Foot Sand			2415	2450			
Gordon Stray Sand			2460	2514	Gas	2513	
Gordon Sand			2525	2565	Gas	2547	
Fifth Sand			2715	2728	Gas	2718	
Total Depth				2802			





Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt water		feet	feet		FEET INCHES	FEET INCHES	
Fresh water		feet	feet		FEET INCHES	FEET INCHES	
Oil					COV'G. MAX. DISCONTINUED AT FEET	FEET INCHES	
Rock Pressure		lbs.	lbs.				
Volume					CORING SAMPLED	SIZE	No. FT. Date
Open Blow	1/10ths Water in						Depth bottom
Date shot		Depth of shot			Gauges Used		Depth top
Drilling completed							Depth bottom
Drilling commenced							Depth top
Mineral rights are owned by	Address				2 3/16		Depth set
	Address				2 3/8		
The surface of tract is owned by	Address				10		Size of
District	County				18		
Well No.					16		Kind of Packer
Location (lat/lon)							
Farm	Acres						
Address							
Company							

Permit No. 152-4

(Kind) Oil or Gas Well

Date July 7,, 1937.

WELL RECORD
 APPROVED Hope Natural Gas Company, Owner
 OIL AND GAS DIVISION
 WEST VIRGINIA DEPARTMENT OF MINES
 By: *(Signature)*
 (Title) Asst. General Supt.

Low 1250

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 4, ARTICLE 4, CHAPTER 22 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

No. coal operations in vicinity	None natural gas company
COAL OPERATOR OR OWNER	NAME OF WELL OPERATOR
ADDRESS	Clarksburg, W. Va.
	COMPLETE ADDRESS
COAL OPERATOR OR OWNER	August 16, 1937
	WELL AND LOCATION
Surface:	Court house District
James Wilkopolj,	Lewis County
LEASE OR PROPERTY OWNER	
Roanoke, W. Va., No. 1.	Well No. 1004
ADDRESS	
	W. J. Nolan Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND TWO THIRD COPY (AS EXTRA COPIES REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Lewis

SS:

Ralph C. Brown

and

Clem Byard

being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by Hope Natural Gas Company, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

7th day of July, 1937, and that the well was plugged and filled in the following manner:

Manner in which and was plugged:

Total depth 275'. Filled with clay to 2440 and drove 1 - 6 5/8" wood plug. Filled with clay to 1950 and drove 1 - 6 5/8" lead plug. Filled 150' ft. of 6 5/8" casing, leaving 344 ft. in hole. Installed permanent bridge at 1650. Filled with clay to 1100 and drove 1 - 6 5/8" wood plug. Continued filling with clay to 750 ft. and set cement plug (2 sacks). Filled with clay to 300 ft. Began filling with cement at 300 ft. Filled out 150' of 6 5/8" casing, leaving 755 ft. in hole. Continued filling with cement to 70 ft. Filled with clay to top of hole and plugged. After 24 hr. gas would not light through 1/4" opening.

Description of monument:

Concrete block 5 ft. long, 8" square with 5" hole extending through the center from end to end. Extends 30" above and 30" below the surface. Inscription "H. N. G. 1594"

(THE ABOVE DESCRIPTION MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE.)

and that the work of plugging and filling said well was completed on the 16th day of August