



New Location  
 Drill Deeper  
 Abandonment  *Turner*

Company **BOWSER ~~Oil & Gas Co.~~ LOUDIN**  
 Address Union Trust Bldg., Parkersburg, W. Va.  
 Farm R. H. McDannald  
 Tract 1 Acres 100 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1039  
 Quadrangle Vadis  
 County Lewis District Ferguson's Creek  
 Engineer W. H. Hall  
 Engineer's Registration No. 1227  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Feb. 1946 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LEW-340-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



433

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 340-A

Oil or Gas Well Oil

(KIND)

Company Bowser and Loudin  
Address Union Trust Bldg., Parkersburg  
Farm R.H. McDannald Acres 100  
Location (waters) Polk Creek  
Well No. 1 Elev. 1039  
District Freemans Creek County Lewis  
The surface of tract is owned in fee by McDannald Heirs  
Address Neston, W. Va.  
Mineral rights are owned by McDannald Heirs  
Address Neston, W. Va.  
Drilling commenced Around 1910  
Drilling completed Unknown  
Date Shot Unknown From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10 <u>130</u>	<u>130</u>	<u>130</u>	Size of
8 1/4 <u>605</u>	<u>605</u>	<u>605</u>	
6% <u>862</u>		<u>862</u>	Depth set
5 3/16			
3			Perf. top
2 <u>1100</u>		<u>1100</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume Unknown \_\_\_\_\_ Cu. Ft.  
Rock Pressure Unknown lbs. \_\_\_\_\_ hrs.  
Oil Unknown \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water Unknown \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ " \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 725 FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand & Lime			0	130			
" " "			130	605			
Water			700				
Coal			725	735			
Sand & Lime			735	875			
Slate			875	900			
Sand		Hard	900	950			
Slate			950	975			
Sand & Lime			975	1000			
Sand			1000	1078			
Slate			1078	1080			
Pay Sand			1085	1100			
Slate			1100	1100			



