

New Location   
 Drill Deeper   
 Abandonment

Company PITTSBURGH & W.V.A. GAS CO.  
 Address CLARKSBURG, W.V.A.  
 Farm J. B. WILLIAMS  
 Tract \_\_\_\_\_ Acres 143 Lease No. 13826  
 Well (Farm) No. TWO Serial No. 7175  
 Elevation (Spirit Level) 1171' V.A.  
 Quadrangle BURNSVILLE N.E. 32  
 County LEWIS District COLLINS SETTLM'T.  
 Engineer Kenneth B. Moore  
 Engineer's Registration No. \_\_\_\_\_  
 File No. VISE P 23 Drawing No. \_\_\_\_\_  
 Date MAY 6, 1948 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LEW-407-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

507

WELL RECORD


Oil or Gas Well "GAS"  
(KIND)

Permit No. 407A  
Company Pittsburgh & West Va Gas Company.  
Address Clarksburg, West Va.  
Farm J. B. Williams Acres 143  
Location (waters) Burnsville N/E. 3-2  
Well No. 7175 Elev. 1171' VA  
District Collins Settlement County Lewis  
The surface of tract is owned in fee by Roy E. Williams  
R.D.#3, Box 226 Address Clarksburg, W.Va.  
Mineral rights are owned by Roy E. Williams et. al.  
R.D.#3, Box 226 Address Clarksburg, West Va.  
Drilling commenced August 21st, 1917  
Drilling completed September 28th, 1917  
Date Shot From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	149'	149'	Size of
8 1/4	808'	808'	
6 5/8			Depth set
5 3/16	2036'	2036'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 115 FEET 24 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay	Yellow	Soft	0	15			
Line	White	Hard	15	35			
Red Rock	Red	Soft	35	85			
Line	White	Hard	85	115			
Coal	Black	Soft	115	117			
Red Rock	Red	"	117	167			
Line	White	Hard	167	227			
Red Rock	Red	Soft	227	317			
Slate	White	"	317	350			
Red Rock	Red	"	350	475			
Line	White	Hard	475	525			
Slate	Dark	Soft	525	595			
Line	White	Hard	595	620			
Little Dunkard	"	"	620	635			
Slate	Dark	Soft	635	665			
Big Dunkard	Pink	Hard	665	705			
Slate	Dark	Soft	705	765			
Line	White	Hard	765	790			
Sand	"	"	790	805			
Line	"	"	805	845			
Gas Sand	"	"	845	875			
Slate&Shells	Black	Soft	875	945			
1st. Salt Sand	White	Hard	945	1100			
Slate	Black	Soft	1100	1120			
2nd. Salt Sand	"	Hard	1120	1170	Gas	1120'	
Slate&Shells	"	"	1170	1435			
Line	White	Hard	1435	1465			
Slate	Black	Soft	1465	1525			
Line	Dark	Hard	1525	1575			
Slate	Light	Soft	1575	1670			
Sand	White	Hard	1670	1760			
Slate&Shells	Light	Hard&Soft	1760	1785			
Red Rock	Red	Soft	1785	1790			
Sand	White	Hard	1790	1800			
Slate&Shells	Dark	"	1800	1840			
Little Line	White	"	1840	1885			
Pencil Cave	Dark	Soft	1885	1890			
Big Line	White	Hard	1890	1965			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Big Injun	White	Hard	1965	2070			
ate Shells	Dark	Soft/Hard	2070	2250			
lime	White	Hard	2250	2270			
Slate Shells	Light	Hard/Soft	2270	2445			
Slate	Pink	Soft	2445	2453			
Gordon Stray	Dark	Hard	2453	2465	Gas	2456'	
Slate	White	Soft	2465	2472			
<del>Slate</del> Gordon	"	Hard	2472	2487			
Slate	Black	Soft	2487	2504			
Total Depth.....				2504			

Date April 19th, 1948

19

PITTSBURGH & WEST VA GAS COMPANY, Owner

APPROVED

By W. E. McMaster  
(Title)