



2446 =  
131 S  
3.20 W

0.49 A in Douglas  
3.22 W  
170 1/2 a  
0.91 S  
3.81 W

#8446 | 0.31 S  
3.28 W  
#8447 | 0.19 S  
3.38 W

New Location   
Drill Deeper   
Abandonment  8446

Mapsh 69 S 26-27-E-2-3-FB: 392P-30,513P-28-30

Company Hope Natural Gas Co.  
 Address Clarksburg, W.Va.  
 Farm Stark White  
 Tract \_\_\_\_\_ Acres 359 Lease No. 53284  
 Well (Farm) No. \_\_\_\_\_ Serial No. 8446  
 Elevation (Spirit Level) 1298'  
 Quadrangle Vadis  
 County Lewis District Freemans Crk.  
 Engineer Wm Bowers  
 Engineer's Registration No. 900  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 3-8-49 Scale 1" = 40 P

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. LEW-475-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

= 8446



561

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. Ab 475-A

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Hope Natural Gas Company.  
Address 445 West Main St. Clarksburg, W.Va.  
Farm Stark White Acres 359  
Location (waters) \_\_\_\_\_  
Well No. 8446 Elev. 1298  
District Freemans Creek County Lewis  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed Spet. 11, 1914  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water none recorded feet \_\_\_\_\_ feet  
Salt water none recorded feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	150	150	Size of
8 1/4	990	Pulled	
6 5/8	1648	1648	Depth set
5 3/16			
3	2280	2280	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ NOT \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 50 FEET 48 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			50	54			
Little Dunkard			500	535			
Big Dunkard			780	870			
First Salt			907	947			
Second Salt			982	1037			
Little Lime			1540	1565			
Big Lime			1575	1645			
Big Injun			1645	1805	gas	1670	
Gordon			2224			2224 40 60	
Total depth				2250			



