



New Location
 Drill Deeper
 Abandonment - 7205 - 7279

Company Pittsburgh & W.Va. Gas Co.
 Address Clarksburg, W.Va.
 Farm John Finster
 Tract _____ Acres 455 Lease No. 4447
 Well (Farm) No. _____ Serial No. 1969
 Elevation (Spirit Level) As Shown 7205
 Quadrangle Burnsville N.E. 14 7279
 County Lewis District Court House 7292
 Engineer Jamert D. Jeffries
 Engineer's Registration No. 1084
 File No. D-32/125 Drawing No. _____
 Date 3-11-49 Scale 1"=1000'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. LEW-477-A-#7205
LEW-478-A-#7279

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



504

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Oil or Gas Well "GAS"
(KIND)

Permit No. Ab 478-A

Company Pittsburgh & West Va Gas Company.
Address Clarksburg, West Va.

Farm John Finster Acres 455
Location (waters) Burnsville N/E. 1-4

Well No. 7279 Elev. 1090' VA
District Court House County Lewis

The surface of tract is owned in fee by Mrs. Garrett Finster
Center Street. Address Weston, West Va.

Mineral rights are owned by Ada Finster
347 Center St. Address Weston, West Va.

Drilling commenced June 12th, 1920
Drilling completed July 31, 1920

Date Shot _____ From _____ To _____

With _____

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch

Volume _____ Cu. Ft.

Rock Pressure _____ lbs. _____ hrs.

Oil _____ bbls., 1st 24 hrs.

Fresh water _____ feet _____ feet

Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	171'	171'	Size of
8 1/4	881'	881'	
6 5/8	1883'	1883'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 480 FEET 36 INCHES

_____ FEET _____ INCHES FEET _____ INCHES

_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock	Red	Soft	0	12			
Line	Gray	Hard	12	87			
Red Rock	Red	Soft	87	137			
Sand	Dark	Open	137	160	Water	150'	
Slate	Light	Soft	160	335			
Line	Gray	Hard	335	370			
Slate	Gray	Soft	370	450			
Line	White	Hard	450	480			
Coal			480	483			
Line	White	Hard	483	510			
Red Rock	Red	Soft	510	550			
Slate	White	Soft	550	610			
Line	"	Hard	610	650			
Slate	"	Soft	650	685			
Sand	White	Hard	685	725			
Slate	Black	Soft	725	755			
Line	White	Hard	755	870			
1st. Salt Sand	"	"	870	940			
Slate	"	Soft	940	960			
2nd. Salt Sand	"	Hard	960	1085			
Slate	Black	Soft	1085	1091			
3rd. Salt Sand	Dark	Hard	1091	1225			
Slate	Black	Soft	1225	1265			
4th. Salt Sand	White	Hard	1265	1410	Gas	1390'	
Slate&Shells		Soft	1410	1590			
Sand	White	Hard	1590	1620	Gas	1600'	
Slate	"	Soft	1620	1635			
Sine	White	Hard	1635	1650			
Red Rock	Red	Soft	1650	1690			
Line	White	Hard	1690	1705			
Slate	Black	Soft	1705	1713			
Maxon Sand	White	Hard	1713	1805			
Slate	Black	Soft	1805	1815			
Little Line	White	Hard	1815	1850			
Pencil Cave	Black	Soft	1850	1865			
Big Line	White	Hard	1865	1950	Oil & Gas	1960'	
Big Injun	"	"	1950	2110	Gas	1935'	
Slate	Gray	Soft	2110	2220	Gas	2045'	



JUL 10 1949

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Line	Gray	Hard	2220	2300			
Slate	"	Soft	2300	2345			
Line	White	Hard	2345	2400			
Sand	"	"	2400	2422			
Slate	Dark	Soft	2422	2430			
Sand	White	Hard	2430	2438	Sh. Oil	2416'	
Red Rock		Soft	2438	2451			
Sand	Gray	Hard	2451	2491	Gas	2482'	
Slate	Dark	Soft	2491	2498			
Gordon Sand	Light	Hard	2498	2530			
Slate	Dark	Soft	2530	2684			
5th. Sand	Gray	Soft	2684	2692	Gas	2686'	
Slate	Dark	"	2692	2706			
Total depth.....				2706			

DEPARTMENT OF MINES
DIVISION OF MINERAL INDUSTRY

February 21, 1949

Date _____, 19____

PITTSBURGH & WEST VA GAS COMPANY.

APPROVED

Owner

By

W. J. Masten

(Title)

COMPANY

Abd 2-18-49

Record of Well No. 7279 Located on Jno Binster Farm Jaw 20 1920
 Court House District Levier County Ma State
 Division K District No. 13 Drilled under well Order 1548
 Rig built by John Craig Began 6-12 1920 Completed 7-31 1920
 Well drilled by R. D. Goe Began 6-12 1920 Completed 7-31 1920
 Depth of Well 2706 feet Size of Hole 6 7/8 Producing Gas
 Elevation 1090 G

CASED WITH

REMARKS

AMOUNT	SIZE	KIND	REMARKS
16'	1 3/4"	Wood	
17 1/2'	1 1/2"	Case	Pulled 7' Left in 16 1/2' of 10"
88'	8 1/4"	"	Pulled 213' Left in 68' of 8 1/4"
188'	6 7/8"	"	70' casing Pulled 1689' Left in 171' of 6 7/8"

COAL VEINS

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Dark sand	1895	1610		1600		Made 3 1/2" Blower down to 4 1/2"
Big Levee	1811	1900				
Big Iron	1900	2110				
Garden clay	2451	2491		248		Made 1 3/4" 2"
Garden sand	2498	2530				
5th sand	2684	2692		2686		2 1/2" 2" 198 m.s

Plugged 4-8-49 to 4-18-49:

Aquagel	2706-2465
Cement	2465-2455
Aquagel	2455-1920
Cement	1920-1910
Aquagel	1910-1350
Cement	1350-1340
Aquagel	1340-900
Cement	900-890
Aquagel	890-513
Cement	513-460
Aquagel	460-5
Cement	5-Surface

8FF08-140

FIRST PRESSURE TEST IN 6/8 CASING

REMARKS

30 Sec.	2	lbs.
1 Min.	4	"
2 "	7	10/13
5 "	15	"
10 "	25	"
15 "	50	"
30 "	70	"
Rock Pressure	180	" in 24 Nos
Taken	7-31	1920
By	Cland Miller	

4/31/20
 Rodm Head
 4/10 21 2"
 5-10-15-20-25-30-47-63
 Reel 270#

WELL TUBED AND PACKED Aug 27 1929

VIZ:- 2706 feet 3" Tubing set 240 feet anchor
 below 6 5/8 x 3 Anchor packer used no case packer, set at
 2462. 6 5/8 x 3 Hook Wall packer 508 feet anchor
 set at 1954. perforated rig at 2686, and 1975
 Pulled 2706' of 3" 1954
 508
 2462
 All out.

FIRST PRESSURE TEST IN 3" TUBING

REMARKS

30 Sec.	10/10	lbs.	Open Flow 6/10 11"
1 Min.	18/10	"	
2 "	30/10	3/4"	
5 "	5	4/10 4"	
10 "	7	"	
15 "	14	"	
30 "	18	"	
Rock Pressure	144 #	" in 24 Nos	
Taken	Aug 28	1929	
By	W. R. Burkhammer		

Aug 29 6 5/8 Casing 10 20
 1 2 3 4 5 6 8 11
 Open Flow 14/10 11"
 Hook 130 # 2d Nos

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

1 - old Ray Springs, Timberline Lumber from 7005
 1 - Part set Ray Springs Wood Work " Street
 5590' West Lumber from South Linster

John Finster well 7279

FORMATIONS well 7279.

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Rock red	00	12				
Lime	12	87				
Red Rock	87	137				
Sand	137	160			150	
Slate	160	335				
Lime	335	370				
Slate	370	450				
Lime	450	510				
Red Rock	510	550				
Slate	550	610				
Lime	610	650				
Slate	650	685				
Sand	685	725				
Slate	725	755				
Lime	755	870				
1st Salt Sand	870	940				
Slate	940	960				
2nd Salt Sand	960	1085				
Slate	1085	1091				
3rd Salt Sand	1091	1225				
Slate	1225	1410		1390		
Slate & Shells	1410	1595				
Sand	1595	1620		1600		
Slate	1620	1635				
Lime	1635	1650				
Red Rock	1650	1690				
Lime	1690	1705				
Slate	1705	1713				
Maxon sand	1713	1805				
Slate	1805	1815				
Little Lime	1815	1850				
Slate	1850	1865				
Big Lime	1865	1950		1935		
Big Injun	1950	2110	1960	1960	2045	
Slate	2110	2220				
Lime	2220	2300				
Slate	2300	2345				
Lime	2345	2400				
Sand	2400	2422	2416			show.
Slate	2422	2430				
Sand	2430	2438				
Red Rock	2438	2451				
Sand	2451	2490		2482		
Slate	2490	2498				
Gordon sand	2498	2530				
Slate	2530	2684				
5th sand	2684	2692		2686		
Slate	2692	2706 t.d.				