

Hackers Creek District, Lewis County, W. Va. By Hope Natural Gas Co., 445 W. Main St., Clarksburg, W. Va. Abandoned under permit Lew-...-A? On 70 acres. Elevation, 1099' L. Drilling commenced Sept. 11, 1914; completed Nov. 4, 1914. No water recorded. 10" casing, 190'; 84", 915'; 65", 1285'; 2" tubing, 2053' (pulled). Casing not cemented. Coal was encountered at 120-123'. Gas well. Abandonment reported to Dept. of Mines April 12, 1949. Record to RCT from Mrs. Griffith May 21, 1949. Old File No. 544.

	Top. Bottom.
Coal	120 - 123
Little Dunkard Sand	210 - 300
Big Dunkard Sand	385 - 470
First Salt Sand	860 - 900
Second Salt Sand	900 - 935
Little Lime	1165 - 1180
Pencil Cave	1180 - 1200
Big Lime	1200 - 1280
Big Injun Sand	1280 - 1367
Squaw Sand (show gas, 1373')	1372 - 1422
Gantz Sand	1590 - 1604
Fifty-foot Sand (gas, 1611 and 16511)	1634 - 1656
Thirty-foot Sand	1770 - 1800
Gordon Sand (gas, 1997)	1948 - 2006
Fifth Sand	2099 - 2106
Total depth	2500
Filled back to	2056



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

Ab 481-A.
Permit No. 481-A.

Location (waters)___

Well No. 3581

With____

Volume___

Rock Pressure____

Company Hope Natural Gas Company.

District Hackers Creek County Lewis

Address

Drilling commenced Beptember 11, 1914

Drilling completed November 4, 1914

Date Shot From To

Open Flow /10ths Water in_____/10ths Merc. in_____/

Farm Mary T. Hall

The surface of tract is owned in fee by___

Mineral rights are owned by___

Address 445 West Main St. Clarksburg, W. Va.

Address

lbs.____

WELL RECORD

Acres 70

Elev. 1099

__Inch

Cu. Ft.

(544)

ILCOIL		Oil or Gas Well			
		(KIND)			
Casing and Tubing	Used in Drilling	Left in Well	Packers		
Size					
16			Kind of Packer		
13					
10	190	190	Size of		
81/4	915	915			
65/8	1285	1285	Depth set		
5 3/16	1				
3			Perf. top		
2	2053	Pulled	Perf. bottom		
Liners Used		1	Perf. top		
			Perf. bottom		
		Not			
CASING CEMENTED SIZE No. Ft. Date					
OASING OEMING III					
COAL WAS ENCOUNTERED AT 120 FEET 36 INCHES					
	INCH	[ES]	FEETINCHES		
		[ES]			
		1			

Oil			_bbls., 1st 24 hrs.	CUAL WAS E	NCOUNTERED A	AI FEEI	
Fresh water_nc	one recorded	feet	feet	FEET	rINCHI	ESFEET	INCHES
Salt waternc	ne recorded	feet	feet	FEET	rINCHI	ESFEET	INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			120	123			
	e Dunkard unkard		21.0 385	300 470			
	Salt d Salt		860 900	900 935	1	7	
	e lime l cave ime		1165 1180 1200	1180 1200 1280			
Big I Squaw			1280 1372	1367 1422	show gas	1373	
	foot		1590 1634 1770	1604 1656 1800	gas	1611 1651	
Gordo	n		1948	2006	gas	1997	
Fifth			2099	2106			
Drill	led to			2500			
Fille	d back to			2056			
	2678910	APR 1949	10000000000000000000000000000000000000				

MAY 21 1010

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
				74.7			
		*					
				***			er elleptic
1979		43	1				
100				***			
3112			3088	27.000			
0.00	18		7876	200		7855	
1907. 1708	1005		2.5	7000		1913 1007	
			75%			*****	
			10.00	100	Spok Sec	70.0	
			3.000	793			
	y corae		2000	7000		-	
	2 2320		32.65	1380	the xxxx		
	2026		800	500 500			
	rainette.			sie			
			370	300			
				- 200			
	Color	Stard or Soft	Zeb.	Loctore	Off, Cles or Water	Displit Found	Remyle
	DV KOGOLOV	C 1991	304	LER	L taon	NO NEED	C DIGHES
	2 2-1	1 1007	obla in 64 avs feet	The same	Data	18 P. 18	ROHES
		· iba	p.A	COVE WAS E	NCOUNTERED.	TSO LEE	e North
	(10 cis Marc.		facility Cu. Ph	Overno cem	coatan caraca	IXE No. 1	Date
	Yoths Water	<u>u</u>	The distance of the distance o				
	Free	T. To		Liners Used		Per	top
	HOLESON	9 11 x 2/24		3	200	\$00550 Per	c bottone
Minioral sugars as	oasseg pl	rogress -		6.6/16			•
		uldress		837	1888	7500 Del	th and
	on the County in	os al		100		200	1
		15 Miles	COA TODA	70			d of Packer
	8,2933		vesse 30	950			
	BERT BREE		28. AS. 750.	Casting and Tubing	Used in Drilling	Reii Peii pi	Packers
	a periody						(ma)
			METT	RECORD)	foll or Gas 8	
					Date April	1 12, 1949	10

Ву____ (Title)

APPROVED Hope Natural Gas Company.