

544 A

Court House District, Lewis County, W. Va.
 By Pittsburgh & W. Va. Gas Co., Clarksburg, W. Va. 041
see plat 150
 Abandoned under permit Lew-.....-A?
 On 306 acres; Burnsville N/E 1-2.
 Surface owned by Joseph Mullooley, Roanoke, W. Va., and minerals by
 Shelton Bailey, Atty.-in-Fact; Virginia Bailey, Linger, Weston, W. Va.
 Drilling commenced Nov. 14, 1912; completed Dec. 23, 1912.
 10" casing, 140' (pulled); 8¹/₂" 760' (pulled); 6⁵/₈" 1835'.
 Gas well. Record to Dept. of Mines dated March 21, 1950.
 Record to RCT from Mrs. Griffith May 26, 1950. Old File No. 623.
 Coal was encountered at 160-163'.

	Top.	Bottom.
Clay, yellow, soft	0	7
Sand, white, soft	7	27
Red rock, soft	27	77
Slate, white, soft	77	90
Lime, white, hard	90	120
Slate, white, soft	120	130
Sand, light, hard	130	155
Slate, white, soft	155	160
Coal, black, soft	160	163
Slate, white, soft	163	185
Sand, white, hard	185	210
Red rock, soft	210	360
Lime, light, hard	360	375
Slate, white, soft	375	420
Sand, white, hard	420	445
Red rock, soft	445	495
Slate, black, soft	495	520
Sand, white, hard	520	530
Slate, dark, soft	530	545
Red rock, soft	545	600
Slate, white, soft	600	630
Little Dunkard Sand, white, hard	630	690
Slate, black, soft	690	745
Big Dunkard Sand, white, hard	745	795
Slate, white, soft	795	805
Lime, light, hard	805	855
Slate, white, soft	855	910
Gas Sand, white, hard	910	975
Slate, dark, soft	975	1015
1st Salt Sand, dark, hard	1015	1045
Slate, white, soft	1045	1060
2nd Salt Sand, dark, hard	1060	1145
Slate, black, soft	1145	1175
3rd Salt Sand, white, hard	1175	1340
Slate, dark, soft	1340	1345
Lime, dark, hard	1345	1420
Sand, dark, hard	1420	1470
Slate, dark, soft	1470	1490
Lime, light, hard	1490	1505
Sand, light, hard	1505	1540
Slate, white, soft	1540	1570
Sand, white, hard	1570	1585
Red rock, soft	1585	1650

was 041 7/581

7.5' loc
 1.645 39°00'
 0.76 W 80°32'30"
 Peterson
 Calc 15' loc
 1.645
 3.01 W Burnsville
 NE

LEW-544A

ALBERT BAILEY NO. 4115 WELL (Continued).

	Top.	Bottom.
Maxton Sand, light, hard	1650	- 1680
Red rock, soft	1680	- 1740
Lime, dark, hard	1740	- 1745
Slate, dark, soft	1745	- 1760
Little Lime, light, hard	1760	- 1770
Pencil Cave, dark, soft	1770	- 1790
Big Lime, white, hard	1790	- 1860
Big Injun Sand, white, hard	1860	- 1915
Red rock, soft	1915	- 1925
Big Injun Sand, red, hard	1925	- 1967
Slate, white, soft	1967	- 1987
Squaw Sand, white, hard	1987	- 2015
Slate, dark, soft	2015	- 2155
Gantz Sand, white, hard	2155	- 2167
Slate and shells, light, hard and soft	2167	- 2352
30-Ft. Sand, white, hard	2352	- 2376
Slate, dark, soft	2376	- 2387
Gordon Stray Sand, white, hard (gas, 2394 and 2412')	2387	- 2457
Red rock, soft	2457	- 2464
4th Sand, white, hard	2464	- 2474
Slate, white, soft	2474	- 2588
5th Sand, dark, hard	2588	- 2596
Slate, dark, soft	2596	- 2636
Total depth		2636



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

623

WELL RECORD

"GAS"

Permit No. AP 544-A


Oil or Gas Well _____
(KIND)

Company Pittsburgh & West Va Gas Company.
 Address Clarksburg, West Va.
 Farm Albert Bailey Acres 306
 Location (waters) Dunsville N/2. 1-2
 Well No. 4115 Elev. 3001' VA
 District Court House County Lewis
 The surface of tract is owned in fee by Joseph Hillooley
 Address Roanoke, W. Va.
 Mineral rights are owned by Shelton Bailey - Atty-in-Fact
Virginia Bailey Linger. Address Weston, West Va.
 Drilling commenced November 11, 1912
 Drilling completed December 23, 1912
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	140'	None.	Size of
8 1/4	760'	None.	
6 5/8	1835'	1835'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 160 FEET 96 INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay	Yellow	Soft	0	7			
Sand	White	"	7	27			
Red Rock	Red	"	27	77			
Slate	White	"	77	90			
Lime	"	Hard	90	120			
Slate	"	Soft	120	130			
Sand	Light	Hard	130	135			
Slate	White	Soft	135	160			
Coal	Black	"	160	163			
Slate	White	"	163	185			
Sand	"	Hard	185	210			
Red Rock	Soft	"	210	360			
Lime	Light	Hard	360	375			
Slate	White	Soft	375	420			
Sand	"	Hard	420	445			
Red Rock	Red	Soft	445	495			
Slate	Black	"	495	520			
Sand	White	Hard	520	530			
Slate	Dark	Soft	530	545			
Red Rock	Red	"	545	600			
Slate	White	"	600	630			
Little Dunham	"	Hard	630	690			
Slate	Black	Soft	690	745			
Big Dunham	White	Hard	745	795			
Slate	"	Soft	795	805			
Lime	Light	Hard	805	855			
Slate	White	Soft	855	910			
Gas Sand	"	Hard	910	975			
Slate	Dark	Soft	975	1015			
1st. Salt Sand	"	Hard	1015	1045			
Slate	White	Soft	1045	1060			
2nd. Salt Sand	Dark	Hard	1060	1145			
Slate	Black	Soft	1145	1175			
3rd. Salt Sand	White	Hard	1175	1340			
Slate	Dark	Soft	1340	1345			
Lime	"	Hard	1345	1420			
Sand	"	"	1420	1470			
Slate	"	Soft	1470	1490			



LEM-544A

(Over)

MAY 26 1950

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
lime	Light	Hard	1190	1505			
Sand	"	"	1505	1540			
Slate	White	Soft	1540	1570			
Sand	"	Hard	1570	1585			
Red Rock	Red	Soft	1585	1650			
Masson Sand	Light	Hard	1650	1680			
Red Rock	Red	Soft	1680	1740			
lime	Dark	Hard	1740	1745			
Slate	"	Soft	1745	1760			
Little lime	Light	Hard	1760	1770			
Paradise Cove	Dark	Soft	1770	1790			
Big lime	White	Hard	1790	1860			
Big Injan	"	"	1860	1915			
Red Rock	Red	Soft	1915	1925			
Big Injan	"	Hard	1925	1967			
Slate	White	Soft	1967	1987			
Squaw Sand	"	Hard	1987	2015			
Slate	Dark	Soft	2015	2155			
Carthage Sand	White	Hard	2155	2167			
Slate & Shells	Light	H. & S.	2167	2352			
30 Ft. Sand	White	Hard	2352	2376			
Slate	Dark	Soft	2376	2387			
Garden Stray	White	Hard	2387	2457	Gas	2391'	
Red Rock	Red	Soft	2457	2464	Gas	2412'	
4th. Sand	White	Hard	2464	2474			
Slate	"	Soft	2474	2588			
5th. Sand	Dark	Hard	2588	2596			
Slate	"	Soft	2596	2636			
Total Depth.....				2636			

March 21, 1950

Date _____, 19____

APPROVED _____
 PITTSBURGH & WEST VA GAS COMPANY, Owner

By W. M. Hunter
 (Title)