

Company EQUITABLE GAS-W.VA. DIV.
 Address CLARKSBURG, W.VA.
 Farm NEWTON PETERSON
 Tract _____ Acres 200 Lease No. 4394
 Well (Farm) No. ONE Serial No. 1984
 Elevation (Spirit Level) 1159 VA.
 Quadrangle BURNSVILLE 2L
 County LEWIS District COURTHOUSE
 Engineer James D. Hoffman
 Engineer's Registration No. 1084
 File No. VOL. 175 P. 125 Drawing No. _____
 Date MAR. 10, 1953 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. LEW-613-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

K.B.M.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

708

WELL RECORD

Oil or Gas Well **"GAS"**
(KIND)

Permit No. 613A


Company Equitable Gas Company-West Va Div.
Address Clarksburg, West Va.
Farm Newton Peterson Acres 200
Location (waters) Burnsville - N/E. 2-1
Well No. 1984 Elev. 1159' VA
District Court House County Lewis
The surface of tract is owned in fee by Chas. R. Hickman
Nelles Rest Home Address Parsons, West Va.
Mineral rights are owned by Union National Bank-Agent
Clarksburg, West Va. Address _____
Drilling commenced August 20, 1909
Drilling completed October 2nd. 1909
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10	185'	185'	Size of
8 1/2	1080'	1080'	
6 5/8	1967'	1967'	Depth set
5 3/16			
3	2563		Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 190 FEET 60 INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay	Yellow	Soft	0	90			
Stone	Gray	Hard	90	110			
Slate	Black	Soft	110	190			
Pgh. Coal	"	"	190	195			
Slate	"	"	195	225			
Red Rock	Red	"	225	315			
Lime	Gray	Hard	315	330			
Red Rock	Red	Soft	330	335			
Slate	White	"	335	340			
Red Rock	Red	"	340	345			
Shell	"	Hard	345	357			
Red Rock	"	Soft	357	462			
Sand	White	Hard	462	472			
Slate	"	Soft	472	480			
Red Rock	Red	"	480	501			
Sand	Blue	Hard	501	534			
Slate	White	Soft	534	594			
Red Rock	Red	Soft	594	609			
Little Dunkard	Gray	Hard	609	627			
Slate	White	Soft	627	710			
Lime	Blue	Hard	710	742			
Big Dunkard	Gray	Close	742	775			
Slate	Black	Soft	775	792			
Lime	Gray	Hard	792	803			
Slate	White	Soft	803	833			
Gas Sand	"	Hard	833	842			
Lime	Blue	"	842	870			
Slate	White	"	870	882			
Lime	Gray	Hard	882	897			
Salt Sand	"	Close	897	967			
Slate	Black	Soft	967	992			
Lime	Blue	Hard	992	995			
Slate	"	Soft	995	1010			
2nd. Salt Sand	Gray	Close	1010	1082			
Slate	Black	Soft	1082	1140			
Sand	Gray	Close	1140	1193			
Slate	Black	Soft	1193	1196			
Sand	Gray	Close	1196	1225			
Slate	Black	Soft	1225	1233			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand	Gray	Close	1233	1253			
Sand	Dark	"	1253	1300			
Slate	Black	Soft	1300	1320			
Sand	Gray	Hard	1320	1375			
Slate	Black	Soft	1375	1385			
Lime	Gray	Hard	1385	1400			
Sand	White	Hard	1400	1535			
Slate	Dark	Soft	1535	1538			
Lime	Gray	Hard	1538	1543			
Slate	White	Soft	1543	1585			
Red Rock	Red	"	1585	1650			
Lime	White	Hard	1650	1730			
Slate&Lime	Red	"	1730	1800			
Sand	Gray	Hard	1800	1815			
Slate	Light	Soft	1815	1820			
Lime	Dark	Hard	1820	1852			
Slate	"	Soft	1852	1857			
Little Lime	"	Hard	1857	1865			
Lime	Gray	"	1865	1908			
Big Line	Gray	"	1908	2025			
Big Injun	Gray	"	2025	2115			
Slate&Sand	Dark	Soft	2115	2127			
Lime Shells	Light	Soft&Hard	2127	2270			
Gantz Sand	White	Open	2270	2300			
Slate&Shells	Light	Soft	2300	2350	Gas	2350'	
50 Ft. Sand	Gray	Open	2350	2385			
Slate	Black	Soft	2385	2430			
Sand	Light	Hard	2430	2460			
Slate	Light	Soft	2460	2475			
Sand	"	Hard	2475	2485			
Slate	Gray	Soft	2485	2490			
Gordon Sand	Light	Hard	2490	2525			
Sand	Light	Hard	2525	2543	Gas	2540'	
Slate	Dark	Soft	2543	2547			
Slate	"	"	2547	2583			
Sand	Light	Hard	2583	2600			
Slate&Shells	Dark	Soft	2600	2729			
5th. Sand	"	"	2729	2744			
Slate	"	"	2744	2869			
Total depth.....				2869			

March 11, 1953

Date _____, 19____

APPROVED EQUITABLE GAS COMPANY-WEST VA DIV., Owner

By W. M. Martin
(Title)